



BAYER MATERIALSCIENCE AG
CHEMPARK, GEBAEUDE B207, LEVERKUSEN 51368 DE



Bayblend: FR3002 + (z)

Polycarbonate/Acrylonitrile Butadiene Styrene (PC/ABS), pellets

- (z) - Material designation and color code may be followed by up to three letters and/or three numbers (does not include grades which are separately recognized with above material designation and suffix)
- + - Material designations may be followed by a six digit numerical code denoting color.

可燃性	Value	测试方法
UL 阻燃等级		UL 94 IEC 60695-11-10, -20
0.900 mm, BK	V-0	
1.00 mm, ALL	V-0	
1.50 mm, ALL	V-0	
1.80 mm, ALL	V-0, 5VB	
热性能	Value	测试方法
RTI Elec		UL 746
0.750 mm	60.0 °C	
0.900 mm	60.0 °C	
1.00 mm	85.0 °C	
1.50 mm	85.0 °C	
1.80 mm	85.0 °C	
RTI Imp		UL 746
0.750 mm	70.0 °C	
0.900 mm	70.0 °C	
1.00 mm	70.0 °C	
1.50 mm	75.0 °C	
1.80 mm	75.0 °C	
RTI Str		UL 746
0.750 mm	80.0 °C	
0.900 mm	80.0 °C	
1.00 mm	80.0 °C	
1.50 mm	85.0 °C	
1.80 mm	85.0 °C	

Notice of Disclaimer

By accessing this Yellow Card data information sheet and the database from which this information was generated (the "Yellow Card"), the user acknowledges and accepts the terms and conditions upon which this Yellow Card is made available. This Yellow Card, the database from which it was generated, and all related materials, support, and services, are made available by UL for use only by permission and "as is", without any representation or warranty of any kind, express or implied, including but not limited to any implied warranties of merchantability, fitness for a particular purpose or that the products identified in this Yellow Card will satisfy the user's requirements. UL cannot and does not warrant that the data contained in this Yellow Card is current, accurate, or complete. The user must independently confirm the conformance of any product to the applicable standards or requirements with the manufacturer of that product. Permission to access this Yellow Card may be withdrawn at any time by UL in its sole discretion. The identification of products and companies on this Yellow Card does not in any way imply endorsement of those products or companies by UL. UL does not assume and expressly disclaims, liability to any person for any loss or damage (including lost profits, lost savings, or any indirect, special, incidental, consequential or punitive damages whether or not UL has been advised of the possibility of such damages) arising out of, or in connection with, the use of this Yellow Card regardless of the cause or causes of such loss or damage.

