

# **Technical Data Sheet** Eastman<sup>™</sup> AAA, Wet Cake



#### **Applications**

- Commerical printing inks
- Dyes / pigments / paints

## **Product Description**

Eastman<sup>™</sup> AAA, Water Wet (Acetoacetanilide) is a white powder that is soluble in styrenated resins; however, agitation for 1 to 2 hours may be required for complete solution at room temperature. It may be used as an intermediate in the production of organic yellow pigments. Tetrazonium salt compounds react with acetoacetanilide to form complex diazo pigments that are widely used as colorants. Eastman<sup>™</sup> AAA is shipped in non-returnable 51 gallon fiber drums having a net weight of 200 LB.

# **Typical Properties**

Property	Test Method	Typical Value, Units
General		
Form		Solid (wet with water)
Color		White
Odor		Odorless
Specific Gravity <sup>a</sup>		
@ 20°C		1.260
Melting Point		85 °C (185 °F)
Solubility		
in Water		Slight
Autoignition Temperature <sup>a</sup>	ASTM E659	452 °C
		845 °F

<sup>a</sup>Acetoacetanilide

### Comments

Properties reported here are typical of average lots. Eastman makes no representation that the material in any particular shipment will conform exactly to the values given.

Eastman and its marketing affiliates shall not be responsible for the use of this information, or of any product, method, or apparatus mentioned, and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. No warranty is made of the merchantability of fitness of any product, and nothing herein waives any of the Seller's conditions of sale.

2/28/2018 11:35:39 AM

© 2019 Eastman Chemical Company or its subsidiaries. All rights reserved. As used herein, ® denotes registered trademark status in the U.S.