

Polypropylene Circular Compound rPPC04GR

Heterophasic Copolymer
Produced in Europe

Description

Circular Compound rPPC04GR is a low MFR polypropylene of dark grey color, containing at least 50% of post-consumer recycled (PCR) originating from post consumer household waste collected in Western European countries.

+135-3858-6433 (GuangDong) +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)

Circular Compound rPPC04GR is especially suited for injection molding applications. It is available in 1000 kg big-bag on $110 \times 110 \text{ pallet}$ or in bulk.

Circular Compound rPPC04GR is not intended for food contact, pharmaceutical or medical applications.

Characteristics

	Method	Unit	Typical Value
Rheological properties			
Melt Flow Index 230°C/2.16 kg	ISO 1133	g/10 min	4
Mechanical properties			
Flexural modulus	ISO 178	MPa	1450
Charpy Impact Strength (notched), 23°C	ISO 179/1eA	kJ/m²	8
Charpy Impact Strength (notched), 0°C	ISO 179/1eA	kJ/m²	4
Physical properties			
Recycled content	EN15343	%	>50
Colour	RAL		ca. 7005
Density	ISO 1183	g/cm³	< 0.980
Ash content	ISO3451-1	%	< 2
Humidity @120°C		%	< 0,1
OIT @200°C		min	>10 min

