

Acetal Copolymer KEPITAL®

MF3025

- Milled Fiber
- GF

Grade
FG Grade

, / .

			KEPITAL MF2025
	ASTM D792	—	1.58
23 , 60%RH	ASTM D570	%	0.20
190 , 2.16 kg	ASTM D1238	g/10min	17.0
10 /min	ASTM D3418		165
4.6kg _f /cm ²	ASTM D648		156
18.6kg _f /cm ²	ASTM D696	10 ⁻⁵ cm/cm/	9
20 80	UL94	—	HB
t 0.8mm			
23	ASTM D638	kg _f /cm ²	660
23	ASTM D638	%	4
23	ASTM D790	kg _f /cm ²	1,150
23	ASTM D790	kg _f /cm ²	51,000
Izod	ASTM D256	kg _f • cm/cm	4.3
t 3.2mm			
10 ⁶ Hz	ASTM D150	—	-
10 ⁶ Hz	ASTM D150	—	-
	ASTM D257	Ω	1 10 ¹⁶
	ASTM D257	Ω • cm	1 10 ¹⁴
	ASTM D149	kV/mm	-
(//)		%	1.3
t 2mm, Φ 100mm			

) 1.
2.