(+) 188 1699 6168

	hong	runplastics.com			
SAFETY DATA SHEET			lyor	Idellb	asell
Alathon L5885			Gen. Va	riant: SDS	_US_GHS
Version 1.2 Revision Date	10/01/201	9 Print Date 0	1/05/2022	SDS N	o.: BE6774
. IDENTIFICATION OF THE SUB	STANCE/I	MIXTURE AND OF	THE COMPANY	//UNDERTA	KING
Trade name		on L5885			
CAS Number: Chemical characterization	: 9002-	88-4 thylene Homopolym	er		
Chemical name		thylene			
Synonyms		ne, homopolymer, P	E		
Identified uses		facture of plastic art ner conversion proce		ו molding, e	extrusion
Prohibited uses	device Applie	Class III medical deves; Health Canada cations involving per ustaining medical approximations	class IV Medical manent implant	Devices;	
<u>Company Address</u> Equistar Chemicals, LP LyondellBasell Tower, Suite 3 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583	00	Company Tel Customer Ser product.safety	vice 888 777-02	32	
Emergency telephone numb EQUISTAR 800-245-4532	<u>per</u>				
E-mail address Responsible/issuing person	: produc	ct.safety@lyb.com			
. HAZARDS IDENTIFICATION					
GHS Classification					
Combustible dust					
Label elements					
Signal word	: Warn	ing			
Hazard Statements	handl	mall particles are gen ing or by other mean entrations in air.			
Other hazards					
		1 / 13			

	(+) 188 1699 6168	
	hongrunplastics.com	
AFETY DATA SHEET		lyondellbase
lathon L5885		Gen. Variant: SDS_US_GHS
ersion 1.2 Revision Da	ate 10/01/2019 Print Date 01/0	5/2022 SDS No.: BE67
No additional information	n available.	
COMPOSITION/INFORMATIC	ON ON INGREDIENTS	
xtures		
Components		
Chemical name	CAS-No.	<u>Weight %</u>
Polyethylene	9002-88-4	> 99.5 %
Toryettrytene	3002-00-4	> 33.0 %
Contains: Stabilizers		
FIRST AID MEASURES		
General advice	: Take proper precautions to	ensure your own health and safe
	before attempting rescue a	
lf inhaled	medical attention. In case of excessive inhalat during heating of this mater Obtain medical attention.	. If signs/symptoms continue, get ion of fumes that may be generat ial, move the person to fresh air. ssary give Cardio-Pulmonary
In case of skin contact	large amounts of water to c	the skin, immediately flush with ool the affected tissue and polym mer from skin as this will remove
	Obtain immediate emergend	cy medical attention if burn is dee
	or extensive.	
In case of eye contact	: Flush eyes thoroughly with medical attention if discomf	water for several minutes and se ort persists.
		molten polymer: ith cool running water for at least
	minutes. Beyond flushing, DO NOT a adherent to the eye(s). Immediately seek medical a	attempt to remove the material attention.
If swallowed	: Adverse health effects due	to ingestion are not anticipated.
	0 / 40	
	2 / 13	

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbase
Alathon L5885	Gen. Variant: SDS_US_GHS
Version 1.2 Revision Date	10/01/2019 Print Date 01/05/2022 SDS No.: BE67
Notes to physician Symptoms	: Inhalation of process fumes and vapors may cause soreness the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation.
	Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.
. FIRE-FIGHTING MEASURES	
Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.
	3 / 13

	hongrunplastics.com	
SAFETY DATA SHEET		lyondellbase
Alathon L5885		Gen. Variant: SDS_US_GHS
Version 1.2 Revision Date	10/01/2019 Print Date 01/05	5/2022 SDS No.: BE67
ACCIDENTAL RELEASE MEAS	URES	
Personal precautions	equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the with compressed air). Potential combustible dust h	hazard on any hard smooth s with proper personal protective e air (i.e., clearing dust surfaces
Environmental precautions	: Do not flush into surface wa	ter or sanitary sewer system.
Methods for containment / Methods for cleaning up	solid. All recovered material should transported and disposed of	ich avoids ignition risk. le; collect and contain as any d be packaged, labeled, or reclaimed in conformance with ns and in conformance with good
. Handling and storage Precautions for safe handlin	g	
Advice on safe handling	dust accumulation. Avoid generating dust; fine d presence of an ignition sourc hazard. Static discharge (spark), or o environments may ignite the explosion	may form combustible dust nclosed space. designed per NFPA 654 to avoid ust suspended in air and in the se is a potential dust explosion other ignition sources, in high dus dust and result in a dust d during conveying or handling. should be conductive and
	4 / 13	

	nongrunplastics.com		
SAFETY DATA SHEET		lyor	ndellbasell
Alathon L5885		Gen. V	ariant: SDS_US_GHS
Version 1.2 Revision Date 10	0/01/2019 Print Date 0	1/05/2022	SDS No.: BE6774
	Metal containers involved should be grounded and All electrical equipment s codes and regulatory req combustible dusts. After handling, always wa water. When bringing the materi may develop may conder section 10. Refer to NFPA 654, Stan Dust Explosions from the Handling of Combustible	bonded. hould conform uirements for a ash hands thoro ial to processing hase in the exhau dard for the Pre Manufacturing,	to applicable electric reas handling bughly with soap and g temperatures vapors ust ventilation. See evention of Fire and Processing, and
Fire-fighting class :	Polymer will burn but doe	es not easily ign	ite.
Conditions for safe storage, in	cluding any incompatibili	ities	
Requirements for storage : areas and containers	Store in a dry location. Use good housekeeping and handling. Process er should be used to avoid a Store away from excessiv oxidizing agents. Keep container closed to Take measures to preven	closures and a excessive dust ve heat and away prevent contan	dequate ventilation accumulation. ay from strong nination.
Specific end use(s)			
:	See Section 1.		
8. EXPOSURE CONTROLS/PERSON	AL PROTECTION		

Control parameters

Ingredients with workplace control parameters

Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis	Additional
				Revision Date	Information
Materials that can		TWA	10 mg/m3	US (ACGIH)	
be formed when			inhalable	2005	
handling this					
product: Non-					
specified (inert or					
nuisance) dust					

	hongrunp	plastics.com		
SAFETY DATA SHEET			hund	ellbasell
Alathon L5885			Gen. Varian	t: SDS_US_GHS
Version 1.2 Revision Date 10	/01/2019	Print Date 01/	05/2022	SDS No.: BE6774
		0 / 0		1 1
Materials that can be formed when	TWA	3 mg/m3	US (ACGIH) 2005	
		respirable	2005	
handling this product: Non-				
specified (inert or				
nuisance) dust				
Materials that can	TWA	15 mg/m3	US (OSHA)	
be formed when	1007	total dust	2005	
handling this			2005	
product: Non-				
specified (inert or				
nuisance) dust				
Materials that can	TWA	5 mg/m3	US (OSHA)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

Exposure controls

Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 13

	hongrunplastics.com
AFETY DATA SHEET	lyondellbase
lathon L5885	Gen. Variant: SDS_US_GHS
ersion 1.2 Revision Date	e 10/01/2019 Print Date 01/05/2022 SDS No.: BE67
	injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	 Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse.
PHYSICAL AND CHEMICAL P Appearance	: Pellets.
Color	: Translucent to white
Odor	: Slight.
Odor Threshold	: No value available.
Flash point	: No Data Available.
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dua varies according to particle size distribution.
Upper explosion limit	: Not applicable.
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.
Oxidizing properties	: Not considered an oxidizing agent.
Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: <1 g/cm3
Water solubility	: Insoluble.
	7 / 13

	hongrunplastics.com		
SAFETY DATA SHEET	lyondellbase		
Alathon L5885	Gen. Variant: SDS_US_GHS		
Version 1.2 Revision Date	e 10/01/2019 Print Date 01/05/2022 SDS No.: BE67		
Partition coefficient: n- octanol/water	: No Data Available.		
Viscosity, dynamic	: Not applicable.		
Relative vapor density	: Not applicable.		
Evaporation rate	: Not applicable.		
Explosive properties	: No Data Available.		
Other Information	: No additional information available.		
0. STABILITY AND REACTIVITY	(
Reactivity	: No known reactivity hazards.		
Chemical stability	: Stable under normal conditions.		
Hazardous reactions	: Will not occur.		
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.		
Materials to avoid	: Material may be softened by some hydrocarbons.		
Hazardous decomposition products	: Not expected to decompose under normal conditions.		
Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.		
1. TOXICOLOGICAL INFORMAT	ΓΙΟΝ		
Acute toxicity			
Acute oral toxicity	: Not classified		
Acute inhalation toxicity	: Not classified		
Acute dermal toxicity	: Not classified		
Skin corrosion/irritation	: Not a skin irritant.		
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.		
	8 / 13		

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbasell
Alathon L5885	Gen. Variant: SDS_US_GHS
Version 1.2 Revision Date	10/01/2019 Print Date 01/05/2022 SDS No.: BE6774
Respiratory or skin sensitization	: Not classified
Chronic toxicity	
Carcinogenicity	: Not classified
	Not classified Not listed by IARC, NTP, OSHA or EPA.
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
Effects on Development	: Not classified
Target Organ Systemic Toxicant - Single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
Target Organ Systemic Toxicant - Repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard	: Not applicable.
12. Ecological information	
Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: Not classified
Long-term (chronic) aquatic hazard	: Not classified
Persistence and degradability	
Biodegradability	: Not expected to be biodegradable.
	9 / 13

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbasell
Alathon L5885	Gen. Variant: SDS_US_GHS
Version 1.2 Revision Date 1	0/01/2019 Print Date 01/05/2022 SDS No.: BE6774
Bioaccumulative potential	
	: This material is not expected to bioaccumulate.
Mobility in soil	
Mobility	: no data available
Other adverse effects	
Environmental fate and pathways	: This material is not volatile and insoluble in water.
Other information	
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.
13. Disposal considerations Waste treatment methods	
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.
	: This material is classified as a Non-hazardous Material by RCRA.
14. TRANSPORT INFORMATION	
Not regulated for transport	
	10 / 13
	10 / 13

SAFETY DATA SHEET

Alathon L5885

Version 1.2

Revision Date 10/01/2019

Print Date 01/05/2022

Gen. Variant: SDS_US_GHS 22 SDS No.: BE6774

lyondellbase

15. REGULATORY INFORMATION

TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Combustible dust

SARA 313

Know Act.

This product contains no known chemicals regulated under SARA 313.

State Reporting

This material does not contain listed substance(s) known to the State of California to cause cancer, birth defects, or other reproductive harm that would require warning under the California Proposition 65 State Drinking Water and Toxic Enforcement Act. However, LyondellBasell has not tested for the presence of listed chemical substances.

This product contains no known chemicals regulated by New Jersey's Worker and Community Right to

No components are subject to the Massachusetts Right to Know Act.

This product contains no known chemicals regulated by Pennsylvania's Right to Know Act.

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description	
Australia	AICS	Compliant	
	11 / 1	3	

		hongrunp	lastics.com		
SAFE	TY DATA SHEET			lyond	ellbase
	non L5885				:: SDS_US_GHS
/ersior	1 1.2 Revision Dat	te 10/01/2019	Print Date 01	/05/2022	SDS No.: BE67
	Canada	DSL	Complia	ot	
	China	IECSC	Complia		
	Europe	REACH		ACH Compliance S	tatement
	Japan	ENCS	Complia		
	Korea	KECI	Complia		
	New Zealand	NZloC	Complia	nt	
	Philippines	PICCS	Complia	nt	
	United States of Americ		Complia		
	Taiwan	TCSCA	Complia	nt	
	Product.safety@lyb.com	for additional glob	bal inventory in	formation.	
6. OTH					
6. OTH Ma	HER INFORMATION	sections which h			
6. OTH Ma Re	HER INFORMATION	sections which h	nave been upd d: 0 : 1		0
6. OTH Ma Re HN	HER INFORMATION aterial safety datasheet servised Section(s): 15 16	sections which h : Health Hazard Flammability:	nave been upd d: 0 : 1 ards: 0 d: 0	ated:	0
6. OTH Ma Re HW	HER INFORMATION aterial safety datasheet s evised Section(s): 15 16 IIS Classification	sections which h : Health Hazard Flammability: Physical hazard : Health Hazard Fire Hazard:	nave been upd d: 0 : 1 ards: 0 d: 0	ated:	1
6. OTH Ma Re HW NF	HER INFORMATION aterial safety datasheet s evised Section(s): 15 16 IIS Classification	sections which h : Health Hazard Flammability: Physical hazard : Health Hazard Fire Hazard: Instability: 0 mal hazard; 4 = se	nave been upd d: 0 : 1 ards: 0 d: 0 1	ated:	1

(+) 188 1699 6 ⁻	168
hongrunplastics.	com


SAFETY DATA SHEET

Alathon L5885

Version 1.2

Revision Date 10/01/2019

Print Date 01/05/2022



ш

ondellbase

Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet