	ho	ngrunplastics.com		
SAFETY DATA SHEET			lyond	ellbasel
Alathon M5265			Gen. Varian	t: SDS_US_GHS
Version 1.3 Revision Date	e 10/01/2	2019 Print Date 12	2/21/2019	SDS No.: BE1442
. IDENTIFICATION OF THE SUB	STANC	E/MIXTURE AND OF	THE COMPANY/U	IDERTAKING
Trade name		athon M5265		
CAS Number: Chemical characterization		221-73-8 lyethylene copolymer		
Chemical name		Octene, polymer with et	thene	
Synonyms		nylene-1-octene copoly		lene copolymer
Identified uses		anufacture of plastic arti other conversion proce		olding, extrusion
Prohibited uses	de <sup>.</sup> Ap	A Class III medical dev vices; Health Canada c plications involving pen e-sustaining medical ap	lass IV Medical Dem manent implantatio	ices;
<u>Company Address</u> Equistar Chemicals, LP LyondellBasell Tower, Suite 3 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583	300	Company Tel Customer Sen product.safety	vice 888 777-0232	
Emergency telephone numb EQUISTAR 800-245-4532	<u>per</u>			
E-mail address Responsible/issuing person	: pro	duct.safety@lyb.com		
. HAZARDS IDENTIFICATION				
<b>GHS</b> Classification				
Combustible dust				
Label elements				
Signal word	: Wa	arning		
Hazard Statements	ha	f small particles are ger ndling or by other mear ncentrations in air.		
Other hazards				
		1 / 13		

	(+) 188 1699 6168			
	hongrunplastics.com			
SAFETY DATA SHEET		lyondellbasel		
Alathon M5265		Gen. Variant: SDS_US_GHS		
Version 1.3 Revision Date	10/01/2019 Print Date 12/2	21/2019 SDS No.: BE144		
No additional information a	vailable.			
. COMPOSITION/INFORMATION	ON INGREDIENTS			
lixtures				
Components				
Chemical name	CAS-No.	Weight %		
1-Octene, polymer with ethene	26221-73-8	>= 99.5 %		
<u> </u>	1			
Contains: Stabilizers				
FIRST AID MEASURES				
General advice	: Take proper precautions to	ensure your own health and safety		
	before attempting rescue a			
If inhaled	: Remove person to fresh air medical attention.	r. If signs/symptoms continue, get		
	In case of excessive inhalation of fumes that may be generated			
	during heating of this material, move the person to fresh air. Obtain medical attention.			
	Keep person warm, if nece	ssary give Cardio-Pulmonary		
	Resuscitation (CPR)			
In case of skin contact	· If molten material contacts	the skin, immediately flush with		
	large amounts of water to o	cool the affected tissue and polyme		
	Do not attempt to peel poly skin.	mer from skin as this will remove the		
		cy medical attention if burn is deep		
	or extensive.			
In case of eye contact		water for several minutes and seek		
	medical attention if discom	fort persists.		
	: In case of eye contact with			
	Continuously flush eye(s) v minutes.	vith cool running water for at least ?		
	Beyond flushing, DO NOT	attempt to remove the material		
	adherent to the eye(s). Immediately seek medical	attention.		
If swallowed	: Adverse health effects due	to ingestion are not anticipated.		
	2 / 13			
	2/13			

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbase
Alathon M5265	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date	10/01/2019 Print Date 12/21/2019 SDS No.: BE14
<b>Notes to physician</b> Symptoms	: Inhalation of process fumes and vapors may cause soreness the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control or symptoms and the clinical condition of the patient.
. FIRE-FIGHTING MEASURES Suitable extinguishing media	: SMALL FIRE:
	Use dry chemical, CO2, or water spray. : LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	<ul> <li>Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).</li> </ul>
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	<ul> <li>Combustible particulate solid, will decompose under fire conditions.</li> <li>Calorific Value: 8000 - 11000 kcal/kg</li> <li>Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors.</li> <li>Move containers from fire area if it can be done without risk.</li> <li>Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container Always stay away from tanks engulfed in fire.</li> <li>Do not attempt to get on top of storage containers involved in fire.</li> <li>Cool storage containers with large volumes of water even after fire is out.</li> </ul>
	3 / 13
	3 / 13

(+)	188 1699 6168
hon	grunplastics.com

	hongrunp	olastics.com		
SAFETY DATA SHEET			lyon	dellbas
Alathon M5265			Gen. Var	iant: SDS_US_G
Version 1.3 Revision Date	10/01/2019	Print Date 12	2/21/2019	SDS No.: BE
. ACCIDENTAL RELEASE MEAS	URES			
Personal precautions	Creates d surface. Equip emo equipment Avoid gen Avoid disp with comp Potential o	angerous slippi ergency respon (PPE) erating dust. persal of dust in ressed air). combustible dus	the air (i.e., clea	personal protecti aring dust surface
Environmental precautions	: Do not flue	sh into surface	water or sanitary	v sewer system.
Methods for containment / Methods for cleaning up	vacuum us On water, solid. All recovere transported applicable	ing equipment material is inso ed material sho d and disposed laws and regula	which avoids igr luble; collect and ould be packaged of or reclaimed	d contain as any d, labeled, in conformance w nformance with go
. Handling and storage Precautions for safe handling	n			
Advice on safe handling	: Material is If converted handling, c concentrati Avoid dust Use dust c dust accun Avoid gene presence c hazard. Static discl environmer explosion Electrostat Equipment	or by other mean ions in air. accumulation i ollection system nulation. erating dust; fin- of an ignition so harge (spark), o hts may ignite to ic charge may	cles during furthe ns, may form co n enclosed spac ms designed per e dust suspende burce is a potenti- br other ignition s the dust and resu build during conv ner should be co	mbustible dust e. NFPA 654 to avoin d in air and in the al dust explosion sources, in high du sources, in high du ult in a dust
	4	/ 13		
	4	/ 13		

	nongrunplastics.com
SAFETY DATA SHEET	lyondellbasell
Alathon M5265	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date 10	D/01/2019 Print Date 12/21/2019 SDS No.: BE1442
	Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts. After handling, always wash hands thoroughly with soap and water. When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.
Fire-fighting class	Polymer will burn but does not easily ignite.
Conditions for safe storage, in	cluding any incompatibilities
Requirements for storage areas and containers	<ul> <li>Store in a dry location.</li> <li>Use good housekeeping practices during storage, transferring and handling. Process enclosures and adequate ventilation should be used to avoid excessive dust accumulation.</li> <li>Store away from excessive heat and away from strong oxidizing agents.</li> <li>Keep container closed to prevent contamination.</li> <li>Take measures to prevent the build up of electrostatic charge.</li> </ul>
Specific end use(s)	
	See Section 1.
8. EXPOSURE CONTROLS/PERSON	IAL PROTECTION

## **Control parameters**

## Ingredients with workplace control parameters

## Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis	Additional
				Revision Date	Information
Materials that can		TWA	10 mg/m3	US (ACGIH)	
be formed when			inhalable	2005	
handling this					
product: Non-					
specified (inert or					
nuisance) dust					

		hongrun	plastics.com		
SAFETY DATA	SHEET			lyond	ellbasell
Alathon M52	65			Gen. Varian	t: SDS_US_GHS
Version 1.3	Revision Date 1	0/01/2019	Print Date 12	/21/2019	SDS No.: BE1442
Materials that can		TWA	3 mg/m3	US (ACGIH)	
be formed when			respirable	2005	
handling this					
product: Non-					
specified (inert or					
nuisance) dust					
Materials that can		TWA	15 mg/m3	US (OSHA)	
be formed when			total dust	2005	
handling this					
product: Non-					
specified (inert or					
nuisance) dust			- / -		
Materials that can		TWA	5 mg/m3	US (OSHA)	
be formed when			respirable	2005	
handling this					
product: Non-					
specified (inert or					
nuisance) dust					

Consult local authorities for acceptable exposure limits.

#### **Exposure controls**

#### Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

### Personal protective equipment

Respiratory protection	<ul> <li>Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.</li> <li>When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.</li> <li>Use appropriate respiratory protection where atmosphere exceeds recommended limits.</li> <li>Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.</li> </ul>
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 13

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbase
Alathon M5265	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date	e 10/01/2019 Print Date 12/21/2019 SDS No.: BE14
	injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	<ul> <li>Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.</li> <li>Use good personal hygiene practices.</li> <li>Wash hands before eating, drinking, smoking, or using toilet facilities.</li> <li>Take off contaminated clothing and wash before reuse.</li> </ul>
PHYSICAL AND CHEMICAL P	: Pellets.
Color	: Translucent to white
Odor	: Slight.
Odor Threshold	: No value available.
Flash point	: No Data Available.
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dua varies according to particle size distribution.
Upper explosion limit	: Not applicable.
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.
Oxidizing properties	: Not considered an oxidizing agent.
Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: < 1 g/cm3
Water solubility	: Insoluble.
	7 / 13

	hongrunplastics.com		
SAFETY DATA SHEET	lyondellbase		
Alathon M5265	Gen. Variant: SDS_US_GHS		
/ersion 1.3 Revision Date	e 10/01/2019 Print Date 12/21/2019 SDS No.: BE14		
Partition coefficient: n-	: No Data Available.		
octanol/water			
Viscosity, dynamic	: Not applicable.		
Relative vapor density	: Not applicable.		
Evaporation rate	: Not applicable.		
Explosive properties	: No Data Available.		
Other Information	: No additional information available.		
0. STABILITY AND REACTIVITY	(		
Reactivity	: No known reactivity hazards.		
Chemical stability	: Stable under normal conditions.		
Hazardous reactions	: Will not occur.		
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.		
Materials to avoid	: Material may be softened by some hydrocarbons.		
Hazardous decomposition products	: Not expected to decompose under normal conditions.		
Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.		
1. TOXICOLOGICAL INFORMAT	τιον		
Acute toxicity			
Acute oral toxicity	: Not classified		
Acute inhalation toxicity	: Not classified		
Acute dermal toxicity	: Not classified		
Skin corrosion/irritation	: Not a skin irritant.		
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.		
	8 / 13		

	nongrunp	lastics.com	
SAFETY DATA SHEET			lyondellbasell
Alathon M5265			Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date	10/01/2019	Print Date 12/21/	2019 SDS No.: BE1442
Respiratory or skin sensitization Chronic toxicity	: Not classifie	ed	
Carcinogenicity	: Not classifie	ed	
5 ,			
	Not classifie Not listed by	a y IARC, NTP, OS⊦	IA or EPA.
Germ cell mutagenicity	: Not classifie	ed	
Reproductive toxicity			
Effects on fertility / Effects on or via lactation	: Not classifie	ed	
Effects on Development	: Not classifie	ed	
Target Organ Systemic Toxicant - Single exposure		nce or mixture is n ant, single exposur	
Target Organ Systemic Toxicant - Repeated exposure		nce or mixture is n ant, repeated expo	ot classified as specific target sure.
Aspiration hazard	: Not applicat	ble.	
12. Ecological information			
Ecotoxicology Assessment			
Short-term (acute) aquatic hazard	: Not classifie	ed	
Long-term (chronic) aquatic hazard	: Not classifie	ed	
Persistence and degradability			
Biodegradability	: Not expecte	ed to be biodegrada	able.
	9 /	/ 13	

	hongrunplastics.com				
SAFETY DATA SHEET	lyondellbasell				
Alathon M5265	Gen. Variant: SDS_US_GHS				
Version 1.3 Revision Date 1					
Bioaccumulative potential					
Bioaccumulation	: This material is not expected to bioaccumulate.				
Mobility in soil					
Mobility	: no data available				
Other adverse effects					
pathways	: This material is not volatile and insoluble in water.				
Other information					
Additional ecological information	<ul> <li>Ecotoxicity is expected to be minimal based on the low water solubility of polymers.</li> <li>No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.</li> </ul>				
13. Disposal considerations Waste treatment methods					
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.				
	: This material is classified as a Non-hazardous Material by RCRA.				
14. TRANSPORT INFORMATION					
Not regulated for transport					
	10 / 12				
	10 / 13				

# SAFETY DATA SHEET

## Alathon M5265

Version 1.3

Revision Date 10/01/2019

Print Date 12/21/2019

Gen. Variant: SDS US GHS

lyondellbase ....

SDS No.: BE1442

## **15. REGULATORY INFORMATION**

## TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

## Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

### SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

### SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Combustible dust

### **SARA 313**

This product contains no known chemicals regulated under SARA 313.

### State Reporting

This material does not contain listed substance(s) known to the State of California to cause cancer, birth defects, or other reproductive harm that would require warning under the California Proposition 65 State Drinking Water and Toxic Enforcement Act. However, LyondellBasell has not tested for the presence of listed chemical substances.

This product contains no known chemicals regulated by New Jersey's Worker and Community Right to

Know Act.

No components are subject to the Massachusetts Right to Know Act.

This product contains no known chemicals regulated by Pennsylvania's Right to Know Act.

### Other international regulations

#### **Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

\*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
	11 / 1	3

(+) 188 1699 6168
hongrunplastics.com

		hongrunpla	stics.com	
SAFE	TY DATA SHEET			lyondellbase
۸lath	on M5265			Gen. Variant: SDS_US_GHS
		10/01/2010	Drint Data 1	
/ersion	1.3 Revision Date	10/01/2019	Print Date 12	2/21/2019 SDS No.: BE14
I	Canada	DSL	Complia	ant
F	China	IECSC	Complia	
ŀ	Europe	REACH		ACH Compliance Statement
ŀ	•	ENCS		
-	Japan		Complia	
-	Korea	KECI	Complia	
-	New Zealand	NZIoC	Complia	
_	Philippines	PICCS	Complia	
	United States of America	TSCA	Complia	
	Taiwan	TCSCA	Complia	ant
ontact	product.safety@lyb.com for	r additional global	l inventory ir	oformation.
. отн	product.safety@lyb.com for ER INFORMATION terial safety datasheet see			
). OTH Ma	ER INFORMATION			
5. OTH Ma Rev	ER INFORMATION terial safety datasheet set vised Section(s): 15 16		ve been upo	
5. OTH Ma Rev HM	ER INFORMATION terial safety datasheet sec vised Section(s): 15 16 IS Classification	ctions which ha : Health Hazard: Flammability: 1	ve been upo 0 ds: 0	dated:
5. OTH Ma Rev HMI	ER INFORMATION terial safety datasheet sec vised Section(s): 15 16 IS Classification	ctions which ha : Health Hazard: Flammability: 1 Physical hazard : Health Hazard: Fire Hazard: 1	ve been upo 0 ds: 0	dated:
5. OTH Ma Rev HMI NFF	ER INFORMATION Iterial safety datasheet set vised Section(s): 15 16 IS Classification PA Classification	<ul> <li>ctions which hat</li> <li>Health Hazard: Flammability: 1 Physical hazard: Fire Hazard: 1 Instability: 0</li> </ul>	ve been upo 0 ds: 0 0	dated:

(+)	188	1699	6168
hone	grun	olastic	s.com

SAFETY	DATA	SHEET	
• =		•••••••••••••••••••••••••••••••••••••••	

## Alathon M5265

Version 1.3

Revision Date 10/01/2019

Print Date 12/21/2019

Gen. Variant: SDS\_US\_GHS 19 SDS No.: BE1442

ondellbase

....

### Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

#### Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg.

#### Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

### End of Material Safety Data Sheet