(+) 188 1699 6168

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbasel
Hostalen ACP 5531 B	Gen. Variant: SDS US GHS
Version 1.3 Revision Date	e 10/01/2019 Print Date 01/05/2022 SDS No.: BE776
I. IDENTIFICATION OF THE SUE	STANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
Trade name CAS Number:	: Hostalen ACP 5531 B : 25087-34-7
Chemical characterization	: Polyethylene copolymer
Chemical name	: 1-Butene, polymer with ethene
Synonyms	: Ethylene, polymer with 1-butene, Ethene-Butene copolymer
Identified uses	: Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses	: FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices;
	Applications involving permanent implantation into the body; Life-sustaining medical applications
Company Address	<u>Company Telephone</u>
Equistar Chemicals, LP	Customer Service 888 777-0232
LyondellBasell Tower, Suite	300 product.safety@lyb.com
1221 McKinney St. P.O. Box 2583	
Houston Texas 77252-2583	
Emergency telephone num EQUISTAR 800-245-4532	<u>ber</u>
E-mail address Responsible/issuing person	: product.safety@lyb.com
HAZARDS IDENTIFICATION	
GHS Classification	
Combustible dust	
Label elements	
Signal word	: Warning
Hazard Statements	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
Other hazards	
	1 / 13

medical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmona Resuscitation (CPR) In case of skin contact If molten material contacts the skin, immediately flush large amounts of water to cool the affected tissue and Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if bur or extensive. In case of eye contact Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. In case of eye contact In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for			
In case of skin contact If in case of skin contact If moltand information If in case of eye contact If moltand information			
Version 1.3 Revision Date 10/01/2019 Print Date 01/05/2022 SDS No No additional information available. No additional information available. SCOMPOSITION/INFORMATION ON INGREDIENTS Mixtures Chemical nature : Substance Components Chemical name CAS-No. Weight % 1-Butene, polymer with ethene 25087-34-7 > 99.5 % Contains: Stabilizers J. FIRST AID MEASURES General advice : General advice : Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms continmedical attention. In case of skin contact : If molten material, mowe the person to fresh air. If signs/symptoms continmedical attention. In case of skin contact : If molten material contacts the skin, immediately flust large amounts of water to cool the affected tissue an Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if but or extensive. Obtain immediate emergency medical attention if but or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort pe			
No additional information available. 3. COMPOSITION/INFORMATION ON INGREDIENTS Wixtures Chemical nature : Substance Components Chemical name CAS-No. Weight % 1-Butene, polymer with ethene 25087-34-7 99.5 % Contains: Stabilizers 4. FIRST AID MEASURES General advice : Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms continmedical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmoni Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flusi large amounts of water to cool the affected tissue an Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if but or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. In case of eye contact : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for			
3. COMPOSITION/INFORMATION ON INGREDIENTS Mixtures Chemical nature : Substance Components Chemical name CAS-No. Weight % 1-Butene, polymer with ethene 25087-34-7 99.5 % Contains: Stabilizers 4. FIRST AID MEASURES General advice : Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms continmedical attention. In case of skin contact : If molten material contacts the skin, immediately flusilarge amounts of water to cool the affected tissue an Do not attempt to peel polymer from skin as this will skin. Obtain immedical attention if discomfort persists. : In case of eye contact In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists.	.: BE776		
3. COMPOSITION/INFORMATION ON INGREDIENTS Mixtures Chemical nature : Substance Components Chemical name CAS-No. Weight % 1-Butene, polymer with ethene 25087-34-7 99.5 % Contains: Stabilizers FIRST AID MEASURES General advice Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled Remove person to fresh air. If signs/symptoms continmedical attention. In case of skin contact If molten material contacts the skin, immediately flusilarge amounts of water to cool the affected tissue an Do not attempt to peel polymer from skin as this will skin. Obtain immedical attention if discomfort persists. In case of eye contact Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for 			
Mixtures Chemical nature : Substance Components Chemical name CAS-No. Weight % 1-Butene, polymer with ethene 25087-34-7 > 99.5 % Contains: Stabilizers FIRST AID MEASURES General advice Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms continmedical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to fresh obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonic Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flusi large amounts of water to cool the affected tissue an Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if bui or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. In case of eye contact : Flush eyes thoroughly with cool running water for Continuously flush eye(s) with cool running water for Con			
Components Chemical name CAS-No. Weight % 1-Butene, polymer with ethene 25087-34-7 > 99.5 % Contains: Stabilizers A. FIRST AID MEASURES General advice : Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms contiin medical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. In case of skin contact : If molten material contacts the skin, immediately flush large amounts of water to cool the affected tissue am Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if but or extensive. : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. In case of eye contact : Flush eyes thoroughly with cool running water for			
Chemical name CAS-No. Weight % 1-Butene, polymer with ethene 25087-34-7 > 99.5 % Contains: Stabilizers Contains: Stabilizers 4. FIRST AID MEASURES Eneral advice : Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms continmedical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmona Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flust large amounts of water to cool the affected tissue and Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if but or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists.			
1-Butene, polymer with ethene 25087-34-7 > 99.5 % Contains: Stabilizers 4. FIRST AID MEASURES General advice : Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms continmedical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmona Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flusi large amounts of water to cool the affected tissue and Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if but or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. In case of eye contact : Flush eyes thoroughly with molten polymer: Continuously flush eye(s) with cool running water for			
Contains: Stabilizers 4. FIRST AID MEASURES General advice : Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms contine medical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonia Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flusi large amounts of water to cool the affected tissue am Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if but or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. In case of eye contact : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for			
Contains: Stabilizers 4. FIRST AID MEASURES General advice : Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms contine medical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonia Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flusi large amounts of water to cool the affected tissue am Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if but or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. In case of eye contact : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for			
4. FIRST AID MEASURES General advice : Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms continmedical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmona Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flush large amounts of water to cool the affected tissue amondo not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if bur or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. In case of eye contact : Flush eyes thoroughly with molten polymer: Continuously flush eye(s) with cool running water for			
General advice : Take proper precautions to ensure your own health a before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms continmedical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmona Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flush large amounts of water to cool the affected tissue and Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if but or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. : In case of eye contact : Flush eyes contact with molten polymer: Continuously flush eye(s) with cool running water for			
before attempting rescue and providing first aid. If inhaled : Remove person to fresh air. If signs/symptoms continer medical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmona Resuscitation (CPR) In case of skin contact : If molten material contacts the skin, immediately flush large amounts of water to cool the affected tissue and Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if bur or extensive. : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. : In case of eye contact : Flush eyes contact with molten polymer: Continuously flush eye(s) with cool running water for			
medical attention. In case of excessive inhalation of fumes that may be during heating of this material, move the person to free Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmona Resuscitation (CPR) In case of skin contact If molten material contacts the skin, immediately flush large amounts of water to cool the affected tissue and Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if bur or extensive. In case of eye contact Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. In case of eye contact In case of eye contact	nd safety		
Iarge amounts of water to cool the affected tissue and Do not attempt to peel polymer from skin as this will skin. Obtain immediate emergency medical attention if bur or extensive. In case of eye contact : Flush eyes thoroughly with water for several minutes medical attention if discomfort persists. : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for	In case of excessive inhalation of fumes that may be generate during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary		
medical attention if discomfort persists. : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for	d polymer remove th		
Continuously flush eye(s) with cool running water for	and seek		
minutes. Beyond flushing, DO NOT attempt to remove the ma adherent to the eye(s). Immediately seek medical attention.			
If swallowed : Adverse health effects due to ingestion are not antici	pated.		
2 / 13			

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbasel
Hostalen ACP 5531 B	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date 2	0/01/2019 Print Date 01/05/2022 SDS No.: BE776
Notes to physician	
Symptoms	: Inhalation of process fumes and vapors may cause soreness the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control or symptoms and the clinical condition of the patient.
5. FIRE-FIGHTING MEASURES Suitable extinguishing media	: SMALL FIRE: Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors. Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container. Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved in fire. Cool storage containers with large volumes of water even after fire is out.

(+) 188 1699 6168	
hongrunplastics.com	

	(+) 188	1699 6168	
	hongrun	plastics.com	
AFETY DATA SHEET			lyondellbase
ostalen ACP 5531 B			Gen. Variant: SDS_US_GH
ersion 1.3 Revision Da	te 10/01/2019	Print Date 01/05/2	2022 SDS No.: BE7
ACCIDENTAL RELEASE MEA	SURES		
Personal precautions	Creates o surface. Equip em equipmen	ergency responders at (PPE)	protection. azard on any hard smooth with proper personal protective
	Avoid dis with comp	nerating dust. persal of dust in the pressed air). combustible dust ha	air (i.e., clearing dust surfaces zard.
		particles create slipp	ing hazard on hard smooth
Environmental precautions	: Do not flu	ish into surface wate	er or sanitary sewer system.
Methods for containment / Methods for cleaning up	vacuum us On water, solid. All recover transporte applicable	sing equipment whic material is insoluble red material should b d and disposed of or	itable disposal containers or h avoids ignition risk. ; collect and contain as any be packaged, labeled, r reclaimed in conformance wit s and in conformance with goo n where possible.
Handling and storage Precautions for safe handl Advice on safe handling	: Material is If converte handling, concentrat Avoid dus Use dust of dust accur Avoid gen presence hazard. Static disc environme explosion	or by other means, n tions in air. t accumulation in end collection systems de mulation. erating dust; fine dus of an ignition source charge (spark), or oth nts may ignite the d	during further processing, nay form combustible dust closed space. esigned per NFPA 654 to avoid st suspended in air and in the is a potential dust explosion her ignition sources, in high dust lust and result in a dust during conveying or handling.
		4 / 13	

		hongrun	plastics.com		
SAFETY DATA S	HEET			lyonde	ellbasell
Hostalen ACP 5	5531 B			Gen. Variant:	SDS_US_GHS
	vision Date 10/	/01/2019	Print Date 01/	05/2022 8	SDS No.: BE7768
Equipment handling polymer should be conductive and grounded (earthed) and bonded. Metal containers involved in the transfer of this material should be grounded and bonded. All electrical equipment should conform to applicable electr codes and regulatory requirements for areas handling combustible dusts. After handling, always wash hands thoroughly with soap ar water. When bringing the material to processing temperatures vap may develop may condense in the exhaust ventilation. See section 10. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and			s material licable electric andling with soap and peratures vapors ntilation. See n of Fire and		
Fire-fighting class	:	Ū	ill burn but does		Sale handling.
Conditions for sat	e storage, inc	luding any	incompatibiliti	es	
Requirements for s areas and containe				te ventilation nulation. n strong n.	
Specific end use(s		See Sectio	on 1.		
8. EXPOSURE CONTR Control parameters	OLS/PERSON/	AL PROTE	CTION		
Ingredients with v	vorkplace con	trol param	eters		
Occupational Exp	osure Limits				
Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	
		5	/ 13		

	hongrun	plastics.com		
SAFETY DATA SHEE	Т		lyond	ellbasell
				: SDS_US_GHS
Hostalen ACP 553	B			. 303_03_6⊓3
Version 1.3 Revision	Date 10/01/2019	Print Date 01/	/05/2022	SDS No.: BE7768
Materials that can	TWA	3 mg/m3	US (ACGIH)	
be formed when		respirable	2005	
handling this				
product: Non- specified (inert or				
nuisance) dust Materials that can	TWA	15 mg/m2		
be formed when	IVVA	15 mg/m3 total dust	US (OSHA) 2005	
handling this		lotal dust	2005	
product: Non-				
specified (inert or				
nuisance) dust				
Materials that can	TWA	5 mg/m3	US (OSHA)	
be formed when		respirable	2005	
handling this				
product: Non-				
specified (inert or				
nuisance) dust				

Consult local authorities for acceptable exposure limits.

Exposure controls

Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 13

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbase
Hostalen ACP 5531 B	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date	e 10/01/2019 Print Date 01/05/2022 SDS No.: BE776
	injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	 Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse.
. PHYSICAL AND CHEMICAL P Appearance	: Pellets.
Color	: Translucent to white
Odor	: Slight.
Odor Threshold	: No value available.
Flash point	: No Data Available.
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer dus varies according to particle size distribution.
Upper explosion limit	: Not applicable.
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.
Oxidizing properties	: Not considered an oxidizing agent.
Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: < 1 g/cm3
Water solubility	: Insoluble.
	7 / 13

	hongrunplastics.com		
SAFETY DATA SHEET	lyondellbase		
Hostalen ACP 5531 B	Gen. Variant: SDS_US_GHS		
Version 1.3 Revision Date	e 10/01/2019 Print Date 01/05/2022 SDS No.: BE770		
Partition coefficient: n- octanol/water Viscosity, dynamic	: No Data Available. : Not applicable.		
Relative vapor density	: Not applicable.		
Evaporation rate	: Not applicable.		
Explosive properties	: No Data Available.		
Other Information	: No additional information available.		
0. STABILITY AND REACTIVITY	,		
Reactivity	: No known reactivity hazards.		
Chemical stability	: Stable under normal conditions.		
Hazardous reactions	: Will not occur.		
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.		
Materials to avoid	: Material may be softened by some hydrocarbons.		
Hazardous decomposition products	: Not expected to decompose under normal conditions.		
Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.		
1. TOXICOLOGICAL INFORMAT	ΓΙΟΝ		
Acute toxicity			
Acute oral toxicity	: Not classified		
Acute inhalation toxicity	: Not classified		
Acute dermal toxicity	: Not classified		
Skin corrosion/irritation	: Not a skin irritant.		
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.		
	8 / 13		

	hongrunp	lastics.com
SAFETY DATA SHEET		lyondellbasell
Hostalen ACP 5531 B		Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date	10/01/2019	Print Date 01/05/2022 SDS No.: BE7768
Respiratory or skin sensitization	: Not classifie	ed
Chronic toxicity		
Carcinogenicity	: Not classifie	ed
	Not classifie Not listed by	ed y IARC, NTP, OSHA or EPA.
Germ cell mutagenicity	: Not classifie	əd
Reproductive toxicity		
Effects on fertility / Effects on or via lactation	: Not classifie	эd
Effects on Development	: Not classifie	ed
Target Organ Systemic Toxicant - Single exposure		nce or mixture is not classified as specific target ant, single exposure.
Target Organ Systemic Toxicant - Repeated exposure		nce or mixture is not classified as specific target ant, repeated exposure.
Aspiration hazard	: Not applicat	ble.
12. Ecological information		
Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	: Not classifie	ed and the second se
Long-term (chronic) aquatic hazard	: Not classifie	•d
Persistence and degradability		
Biodegradability	: Not expecte	ed to be biodegradable.
	9 /	/ 13

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbasell
Hostalen ACP 5531 B	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date 1	0/01/2019 Print Date 01/05/2022 SDS No.: BE7768
Bioaccumulative potential	
Bioaccumulation	: This material is not expected to bioaccumulate.
Mobility in soil	
Mobility	: no data available
Other adverse effects	
Environmental fate and pathways	: This material is not volatile and insoluble in water.
Other information	
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.
13. Disposal considerations	
Waste treatment methods	
Product	 All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible. This material is classified as a Non-hazardous Material by
	RCRA.
14. TRANSPORT INFORMATION	
Not regulated for transport	
	10 / 13

SAFETY DATA SHEET

Hostalen ACP 5531 B

Version 1.3

Revision Date 10/01/2019

Print Date 01/05/2022

.... Gen. Variant: SDS US GHS

lyondellbase

SDS No.: BE7768

15. REGULATORY INFORMATION

TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Combustible dust

SARA 313

Know Act.

This product contains no known chemicals regulated under SARA 313.

State Reporting

This material does not contain listed substance(s) known to the State of California to cause cancer, birth defects, or other reproductive harm that would require warning under the California Proposition 65 State Drinking Water and Toxic Enforcement Act. However, LyondellBasell has not tested for the presence of listed chemical substances.

This product contains no known chemicals regulated by New Jersey's Worker and Community Right to

No components are subject to the Massachusetts Right to Know Act.

This product contains no known chemicals regulated by Pennsylvania's Right to Know Act.

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description	
Australia	AICS	Compliant	
	11 / 1	3	

SAFETY DATA SHEET

Hostalen ACP 5531 B

Version 1.3 Revision Date 10/01/2019

Print Date 01/05/2022

Gen. Variant: SDS_US_GHS 22 SDS No.: BE7768

lyondellbasel

Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Contact product.safety@lyb.com for additional global inventory information.

16. OTHER INFORMATION

Material safety datasheet sections which have been updated:

Revised Section(s): 15 16

HMIS Classification	: Health Hazard: 0 Flammability: 1 Physical hazards: 0	0 1 0
NFPA Classification	: Health Hazard: 0 Fire Hazard: 1 Instability: 0	
Further information		
- ,	ninimal hazard; 4 = severe hazard) ninimal hazard; 4 = severe hazard)	
	12 / 13	

SAFETY DATA SHEET

Hostalen ACP 5531 B

Version 1.3

Revision Date 10/01/2019

Print Date 01/05/2022



SDS No.: BE7768

Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg.

Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

End of Material Safety Data Sheet