	hongrunplastics.com
SAFETY DATA SHEET	lyondellbasell
Hostalen CRP 100 RESI	IST CR BLACK Gen. Variant: SDS_US_GHS
Version 1.2 Revision Date	10/01/2019 Print Date 01/05/2022 SDS No.: BE7781
1. IDENTIFICATION OF THE SUBS	TANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
Trade name CAS Number: Chemical characterization Chemical name Synonyms	 Hostalen CRP 100 RESIST CR BLACK 25087-34-7 Polyethylene copolymer 1-Butene, polymer with ethene Ethylene, polymer with 1-butene, Ethene-Butene copolymer
Identified uses	: Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses	: FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications
<u>Company Address</u> Equistar Chemicals, LP LyondellBasell Tower, Suite 30 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583	Customer Service 888 777-0232 product.safety@lyb.com
Emergency telephone number EQUISTAR 800-245-4532	<u>>r</u>
E-mail address Responsible/issuing person	: product.safety@lyb.com
2. HAZARDS IDENTIFICATION	
GHS Classification	
Combustible dust	
Label elements	
Signal word	: Warning
Hazard Statements	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
Other hazards	
	1 / 13

	(+) 188 1699 6168		
	hongrunplastics.com		
SAFETY DATA SHEET		lyondellbasell	
Hostalen CRP 100 RES Version 1.2 Revision Date		Gen. Variant: SDS_US_GHS 05/2022 SDS No.: BE7781	
	<u></u>		
No additional information a	vailable.		
3. COMPOSITION/INFORMATION	ON INGREDIENTS		
Mixtures			
Components		Maight 0/	
Chemical name	CAS-No.	Weight %	
1-Butene, polymer with ethene	25087-34-7	95.0 - 100.0 %	
Contains: Additives and stabil	lizers		
4. FIRST AID MEASURES			
General advice	: Take proper precautions to before attempting rescue a	o ensure your own health and safety and providing first aid.	
If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR) 		
In case of skin contact	large amounts of water to Do not attempt to peel poly skin.	the skin, immediately flush with cool the affected tissue and polymer. mer from skin as this will remove the ncy medical attention if burn is deep	
In case of eye contact	: Flush eyes thoroughly with medical attention if discom	water for several minutes and seek fort persists.	
	minutes.	with cool running water for at least 15 attempt to remove the material	
If swallowed	: Adverse health effects due	e to ingestion are not anticipated.	
	2 / 13		

	hongrunplastics.com
AFETY DATA SHEET	lyondellbase
lostalen CRP 100 RES	IST CR BLACK Gen. Variant: SDS_US_GH
ersion 1.2 Revision Date	10/01/2019 Print Date 01/05/2022 SDS No.: BE7
Notes to physician	
Symptoms	: Inhalation of process fumes and vapors may cause soreness the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control symptoms and the clinical condition of the patient.
FIRE-FIGHTING MEASURES Suitable extinguishing media	: SMALL FIRE:
	Use dry chemical, CO2, or water spray.
	: LARGE FIRES: Use water spray hose nozzles from a safe location.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	 Keep away from heat and sources of ignition. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbo (smoke).
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	 Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzl Heat from fire may melt, decompose polymer, and generate flammable vapors.
	Move containers from fire area if it can be done without risk. Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container Always stay away from tanks engulfed in fire. Do not attempt to get on top of storage containers involved if fire.
	Cool storage containers with large volumes of water even af fire is out.
	3 / 13

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbasel
Hostalen CRP 100 RES	Gen. Variant: SDS_US_GHS
Version 1.2 Revision Date	10/01/2019 Print Date 01/05/2022 SDS No.: BE778
6. ACCIDENTAL RELEASE MEAS	SURES
Personal precautions	 Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface. Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces.
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
Methods for containment / Methods for cleaning up	 On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid. All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.
7. Handling and storage	
Precautions for safe handlin	g
Advice on safe handling	 Material is in a pellet form. If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air. Avoid dust accumulation in enclosed space. Use dust collection systems designed per NFPA 654 to avoid dust accumulation. Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard. Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion Electrostatic charge may build during conveying or handling. Equipment handling polymer should be conductive and grounded (earthed) and bonded.
	4 / 13

	nongrun	plastics.com		
SAFETY DATA SHEET			lyor	ndellbasel
lostalen CRP 100 RE		ACK	Gen V	ariant: SDS_US_GHS
Version 1.2 Revision Date		Print Date 01/		SDS No.: BE778
	8 10/01/2019		03/2022	505 No DE//C
	should be All electric codes and combustib After hand water. When brin may develo section 10 Refer to N Dust Explo	regulatory required le dusts. ling, always was ging the material op may condens FPA 654, Standa osions from the M	onded. ould conform rements for a h hands thoro to processing e in the exhau ard for the Pre Manufacturing,	to applicable electric
Fire-fighting class	: Polymer w	ill burn but does	not easily ign	ite.
Conditions for safe storage	, including any	, incompatibiliti	es	
Requirements for storage areas and containers	and handli should be Store awa oxidizing a Keep cont	housekeeping pr ng. Process enc used to avoid ex y from excessive agents. ainer closed to p	losures and a cessive dust heat and awa revent contan	ay from strong
Specific end use(s)				
	: See Section	on 1.		

Control parameters

Ingredients with workplace control parameters

Occupational Exposure Limits

Components	CAS-No.	Туре	Limit Value	Basis	Additional
				Revision Date	Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	

SAFETY DATA SHEET

Version 1.2

Iyondellbasel 111

	Hostalen CRP	100 RESIST	CR BL	ACK
--	--------------	-------------------	-------	-----

Revision Date 10/01/2019

Gen. Variant: SDS_US_GHS Print Date 01/05/2022 SDS No.: BE7781

Materials that can be formed when handling this product: Non- specified (inert or	TWA	3 mg/m3 respirable	US (ACGIH) 2005	
nuisance) dust Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	15 mg/m3 total dust	US (OSHA) 2005	
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust	TWA	5 mg/m3 respirable	US (OSHA) 2005	

Consult local authorities for acceptable exposure limits.

Exposure controls

Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection	 Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 13

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbase
lostalen CRP 100 RES	
Version 1.2 Revision Date	e 10/01/2019 Print Date 01/05/2022 SDS No.: BE77
	injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	 Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities
	facilities. Take off contaminated clothing and wash before reuse.
PHYSICAL AND CHEMICAL P	ROPERTIES
Appearance Color	: Pellets. : Black
Odor	: Slight.
Odor Threshold	: No value available.
Flash point	: No Data Available.
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer due varies according to particle size distribution.
Upper explosion limit	: Not applicable.
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.
Oxidizing properties	: Not considered an oxidizing agent.
Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: <1 g/cm3
Water solubility	: Insoluble.
	7 / 13

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbase
Hostalen CRP 100 RES	
/ersion 1.2 Revision Date	e 10/01/2019 Print Date 01/05/2022 SDS No.: BE77
Partition coefficient: n- octanol/water	: No Data Available.
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
Other Information	: No additional information available.
D. STABILITY AND REACTIVITY	(
Reactivity	: No known reactivity hazards.
Chemical stability	: Stable under normal conditions.
Hazardous reactions	: Will not occur.
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
Materials to avoid	: Material may be softened by some hydrocarbons.
Hazardous decomposition products	: Not expected to decompose under normal conditions.
Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
1. TOXICOLOGICAL INFORMAT	ΓΙΟΝ
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.

(+)	188	1699	6168
hon	arung	lastic	s.com

	hongrunpl	lastics.com	
FETY DATA SHEET			lyondellbas
ostalen CRP 100 RES		ACK	Gen. Variant: SDS_US_G
rsion 1.2 Revision Date		Print Date 01/05/20	
Respiratory or skin sensitization	: Not classifie	id	
Chronic toxicity			
Component Name	NTP	IARC	OSHA
Carbon Black		2B	Present
Carcinogenicity	: Not classifie		
	carcinogenic This materia	se under normal cor	ARC as possibly a thermoplastic resin with nditions of use, transportation
Germ cell mutagenicity	: Not classifie	؛ط	
Reproductive toxicity			
Effects on fertility / Effects on or via lactation	: Not classifie	d	
Effects on Development	: Not classifie	d	
Target Organ Systemic Toxicant - Single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.		
Target Organ Systemic Toxicant - Repeated exposure		nce or mixture is not ant, repeated exposu	classified as specific target ire.
Aspiration hazard	: Not applicab	vle.	
Ecological information			
cotoxicology Assessment Short-term (acute) aquatic	: Not classifie	d	
hazard Long-term (chronic) aquatic hazard	: Not classified	d	
	9 /	10	

	hongrunplastics.com			
SAFETY DATA SHEET	lyondellba	asell		
Hostalen CRP 100 RES	Gen. Variant: SDS_L	JS_GHS		
Version 1.2 Revision Date	10/01/2019 Print Date 01/05/2022 SDS No.	: BE7781		
Persistence and degradability				
Biodegradability	: Not expected to be biodegradable.			
Bioaccumulative potential				
Bioaccumulation	: This material is not expected to bioaccumulate.			
Mobility in soil				
Mobility	: no data available			
Other adverse effects				
Environmental fate and pathways	: This material is not volatile and insoluble in water.	This material is not volatile and insoluble in water.		
Other information				
Additional ecological information	Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.			
13. Disposal considerations				
Waste treatment methods				
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conforman applicable laws and regulations and in conformance with engineering practices. Reclaim where possible. Recycle if possible.			
	: This material is classified as a Non-hazardous Materia RCRA.	l by		
14. TRANSPORT INFORMATION				
	10 / 13			

SAFETY DATA SHEET

Iyondellbase

Hostalen CRP 100 RESIST CR BLACK Revision Date 10/01/2019

Version 1.2

Print Date 01/05/2022

Gen. Variant: SDS US GHS SDS No.: BE7781

Not regulated for transport

15. REGULATORY INFORMATION

TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Combustible dust

SARA 313

This product contains no known chemicals regulated under SARA 313.

State Reporting

This material does not contain listed substance(s) known to the State of California to cause cancer, birth defects, or other reproductive harm that would require warning under the California Proposition 65 State Drinking Water and Toxic Enforcement Act.

However, LyondellBasell has not tested for the presence of listed chemical substances.

This product contains the following chemicals regulated by New Jersey's Worker and Community Right to Know Act:

1333-86-4 Carbon Black

This product contains the following chemicals regulated by Massachusetts' Right to Know Law:

1333-86-4 Carbon Black

This product contains the following chemicals regulated by Pennsylvania's Right to Know Act:

1333-86-4 Carbon Black

11 / 13

hongrunplastics.com

SAFETY DATA SHEET

Hostalen CRP 100 RESIST CR BLACK

Version 1.2

Revision Date 10/01/2019 Print Date 01/05/2022

Gen. Variant: SDS US GHS SDS No.: BE7781

Iyondellbase

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

REACh status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Contact product.safety@lyb.com for additional global inventory information.


16. OTHER INFORMATION

HMIS Classification

Material safety datasheet sections which have been updated:

Revised Section(s): 15 16

: Health Hazard: 0 Flammability: 1 Physical hazards: 0



12 / 13

(+	·) 188 1699 6168				
hc	ongrunplastics.com				
SAFETY DATA SHEET		lyondellbasell			
Hostalen CRP 100 RESIST CR BLACK Gen. Variant: SDS_US_GHS					
Version 1.2 Revision Date 10/01,	/2019 Print Date 01/05/2	2022 SDS No.: BE7781			
Fire	alth Hazard: 0 9 Hazard: 1 ability: 0				
		\sim			
Further information					
HMIS rating scale (0 = minimal haza NFPA rating scale (0 = minimal haza					
	Disclaimer				
Information in this document is acc The document is designed to provid processing, storage, transportation, or quality specification, either expre fitness for any particular purpose. U their use and can be used safely ar	le users general information disposal and release and do ess or implied, including any Jsers shall determine whethe	for safe handling, use, bes not constitute any warranty warranty of merchantability or			
In addition to any prohibitions of us further prohibit or restrict the sale o information, please contact a Lyono at: https://www.lyondellbasell.com/e The Trade Name referenced in sec family of companies.	f its products into certain app dellBasell representative or v en/products-technology/produ	lications. For further isit the LyondellBasell website ict-safety-stewardship/			
<u>Numerical Data Presentation</u> The presentation of numerical data toxicological values, is expressed u a period (.) as the decimal marker.	ising a comma (,) to separate	e digits into groups of three and			
Language Translations The information presented in this LyondellBasell believes to be relia effort to verify the accuracy of the any errors that may have occurred the original document written in Eng	ble. LyondellBasell and its v translation, but assume no li . Please refer to our web si	vendor have made a good-faith ability or other responsibility for			
End of Material Safety Data Sheet					
	13 / 13				