
	(+) 18	8 1699 6168	
	hongru	inplastics.com	
SAFETY DATA SHEET	-		lvoodollbacoll
according to Regulation (EC)	No. 1907/2006		lyondellbasell
Hostalen CRP 100 S	RED		Gen. Variant: SDS_AT
	Date 05/22/2020	Print Date 01/05/20	022 SDS No.: BE5365
<ol> <li>Identification of the substance</li> <li>I.1 Product identifier</li> <li>Trade name</li> <li>Synonyms</li> </ol>	: Hostalen C : Ethene, ho	RP 100 S RED mopolymer, PE	aking
Substance name Substance No.	: Polyethyler : 9002-88-4	ne	
Chemical characterization		ne Homopolymer	
1.2 Relevant identified uses	of the substance o	r mixture and uses ad	vised against
Identified uses		e of plastic articles by ir nversion process.	njection molding, extrusion
Prohibited uses	devices; He Application	III medical devices; Eur ealth Canada class IV M s involving permanent in ing medical applications	ledical Devices; mplantation into the body;
1.3 Details of the supplier of	the safety data she	eet	
<b>Company</b> Basell Sales & Marketing Co Delftseplein 27E 3013 AA Rotterdam Netherlands	mpany B.V.	<b>Registration number</b> NA	<b>Telephone</b> 31 (0) 10 275 55 00
E-mail address Responsible/issuing person	: product.safet	y@lyb.com	
1.4 Emergency telephone nu	mber		
Basell Sales & Marketing Co	mpany B.V.		+32 3 575 1235
Poison Center: Gesundheid Österreich GME AT: +43 1 406 43 43 24 hours all days	3H		
		1 / 16	



	(+) 188 16	99 6168	
	hongrunplas	stics.com	
SAFETY DATA SHEET according to Regulation (EC) N	lo. 1907/2006	lyor	ndellbasell
Hostalen CRP 100 S		Gen. Va	ariant: SDS_AT
Version 1.3 Revision	Date 05/22/2020 P	rint Date 01/05/2022	SDS No.: BE5365
In case of skin contact	generated during fresh air. Obtain medical at Keep person warr Resuscitation (CF : If molten material large amounts of polymer. Do not attempt to the skin.	ive inhalation of fumes that heating of this material, m ttention. m, if necessary give Cardio PR) contacts the skin, immedi water to cool the affected peel polymer from skin as	ove the person to p-Pulmonary ately flush with tissue and s this will remove
In case of eye contact	or extensive. : Flush eyes thorou	e emergency medical atter ighly with water for severa if discomfort persists.	
	Continuously flush 15 minutes. Beyond flushing, adherent to the ey	ntact with molten polymer: h eye(s) with cool running DO NOT attempt to remov ye(s). medical attention.	water for at least
If swallowed	: Adverse health ef	fects due to ingestion are	not anticipated.
4.2 Most important symptoms	and effects, both acute	e and delayed	
Symptoms		ess fumes and vapors ma nroat and coughing.	y cause soreness
Hazards		the eyes can lead to mechany cause thermal burns.	nanical irritation.
4.3 Indication of any immedia	te medical attention and	d special treatment need	ed
Treatment		exposure should be direct e clinical condition of the p	
5. Fire-fighting measures			
5.1 Extinguishing media			
	3 / 16		

	(+) 188 1699 6168
	hongrunplastics.com
SAFETY DATA SHEET according to Regulation (EC) No. 19	907/2006 lyondellbasell
Hostalen CRP 100 S RE	
Version 1.3 Revision Date	05/22/2020 Print Date 01/05/2022 SDS No.: BE5365
Suitable extinguishing media	<ul> <li>SMALL FIRE: Use dry chemical, CO2, or water spray.</li> <li>LARGE FIRES: Use water spray hose nozzles from a safe location.</li> </ul>
Unsuitable extinguishing	: None known.
media	
5.2 Special hazards arising from t Specific hazards during fire fighting	<ul> <li>Keep away from heat and sources of ignition.</li> <li>In case of fire hazardous decomposition products may be produced such as:</li> <li>Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).</li> </ul>
5.3 Advice for firefighters	
Special protective equipment for fire-fighters	: Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.
Further information	<ul> <li>Combustible particulate solid, will decompose under fire conditions.</li> <li>Calorific Value: 8000 - 11000 kcal/kg</li> <li>Fight fire from safe distance with hose lines or monitor nozzles.</li> <li>Heat from fire may melt, decompose polymer, and generate flammable vapors.</li> <li>Move containers from fire area if it can be done without risk.</li> <li>Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of container.</li> <li>Always stay away from tanks engulfed in fire.</li> <li>Do not attempt to get on top of storage containers involved in fire.</li> <li>Cool storage containers with large volumes of water even after fire is out.</li> </ul>
6. Accidental release measures	
6.1 Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	: Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface.
	4 / 16

	(+) 188 1699 616	8
	hongrunplastics.co	n
SAFETY DATA SHEET according to Regulation (EC) No. 190	07/2006	lyondellbasell
Hostalen CRP 100 S REE	)	Gen. Variant: SDS_AT
Version 1.3 Revision Date 0	5/22/2020 Print Date	01/05/2022 SDS No.: BE5365
<b>6.2 Environmental precautions</b> Environmental precautions :	equipment (PPE) Avoid generating dust. Avoid dispersal of dust in t with compressed air). Potential combustible dust Polymer particles create sl surfaces.	ers with proper personal protective he air (i.e., clearing dust surfaces hazard. ipping hazard on hard smooth
6.3 Methods and materials for conta	ainment and cleaning up	
	On land, sweep/shovel into vacuum using equipment v On water, material is insolu solid. All recovered material show transported and disposed of	uble; collect and contain as any uld be packaged, labeled, of or reclaimed in conformance with tions and in conformance with good
7. Handling and storage		
7.1 Precautions for safe handling		
Advice on safe handling :	handling, or by other mean concentrations in air. Avoid dust accumulation in Avoid generating dust; fine presence of an ignition sou hazard. Static discharge (spark), o environments may ignite th explosion Electrostatic charge may b Equipment handling polym grounded (earthed) and bo	dust suspended in air and in the urce is a potential dust explosion r other ignition sources, in high dust he dust and result in a dust uild during conveying or handling. er should be conductive and
	5 / 16	

		(+) 18	8 1699 6168	]	
		hongru	nplastics.com		
SAFETY DATA SH according to Regulation		/2006		lyon	dellbasell
Hostalen CRP 1	00 S RED			Gen. Var	riant: SDS_AT
Version 1.3 Rev	ision Date 05/	22/2020	Print Date 01	1/05/2022	SDS No.: BE5365
Fire-fighting class 7.2 Conditions for safe Requirements for sto areas and containers 7.3 Specific end use(s)	storage, inclu	All electrical codes and r combustible After handlir water. When bringi may develop section 10. Polymer will <b>ding any ir</b> Store in a di Use good hi and handling should be u Store away oxidizing ag Keep contai	ng, always wash ng the material t o may condense I burn but does n <b>ncompatibilities</b> ry location. ousekeeping prac g. Process enclo sed to avoid exce from excessive h ents. ner closed to pre- ures to prevent th	Id conform to apprention of the ands thorough on processing term in the exhaust of the exhaust o	handling ly with soap and mperatures vapors ventilation. See prage, transferring uate ventilation umulation. rom strong
8. Exposure controls/pe 8.1 Control parameters Ingredients with wo Occupational Expo Components	orkplace contr	rol parame	ters Limit Value	Basis Revision Dat	Additional e Information

	(+) 188	8 1699 6168		
	hongrur	nplastics.com		
SAFETY DATA SHEET according to Regulation (EC) No. 19	07/2006		lyond	lellbasell
Hostalen CRP 100 S RE				nt: SDS_AT
Version 1.3 Revision Date	05/22/2020	Print Date 01/	05/2022	SDS No.: BE5365
Materials that can be formed when handling this product: Non- 	TWA	10 mg/m3 inhalable 3 mg/m3 respirable	US (ACGIH) 2005 US (ACGIH) 2005	
8.2 Exposure controls Engineering measures Follow the recommendations in equipment used to handle this p Engineering controls, i.e. enclos exposures below acceptable crit conformance, other engineering Ensure that dust-handling syste equipment) are designed in a ma no leakage from the equipment).	roduct. ed systems, sh teria. When suc controls such ms (such as ex anner to prever	hould be used whe ch controls are no as local exhaust v chaust ducts, dust	enever feasible to t feasible, or suffic rentilation should collectors, vessel	maintain cient to achieve full be used. Is, and processing
Personal protective equipmer	nt			
Respiratory protection : Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators above the exposure limits.			low the exposure tors. tmosphere entrations	
Hand protection		that provide ther contact with heat	mal protection wh ed material.	ere there is a
	7	7 / 16		


	(+) 188 1699 6168			
	hongrunplastics.com	┛		
SAFETY DATA SHEET according to Regulation (EC) No	. 1907/2006	lyondellbasell		
Hostalen CRP 100 S F		Gen. Variant: SDS_AT		
Version 1.3 Revision Da	ate 05/22/2020 Print Date 0'	1/05/2022 SDS No.: BE5365		
Eye and face protection		be worn to prevent mechanical es due to airborne particles which		
Skin and body protection	: Wear suitable protective clot	thing.		
Hygiene measures	be based on an evaluation of of the protective equipment performed, conditions presen hazards and/or potential haz during use. Use good personal hygiene	nt, duration of use, and the zards that may be encountered practices. drinking, smoking, or using toilet		
Environmental exposure c	Environmental exposure controls			
General advice	: See section 6.			
9. Physical and chemical prope 9.1 Information on basic physic	al and chemical properties			
Appearance	: Pellets.			
Color	: Red.			
Odor	: Slight.			
Flash point	: No Data Available.			
Lower explosion limit	: The minimum explosive convaries according to particle s	centration (MEC) for polymer dust size distribution.		
Upper explosion limit	: Not applicable.			
Flammability (solid, gas)	: Polymer will burn but does n	not easily ignite.		
Oxidizing properties	: Not considered an oxidizing	agent.		
Autoignition temperature	: > 300 °C			
	8 / 16			

	(+) 188 1699 616	58		
	hongrunplastics.co	m		
SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006				
Hostalen CRP 100 S R		Gen. Variant: SDS_AT		
Version 1.3 Revision Da	te 05/22/2020 Print Date	01/05/2022 SDS No.: BE536		
Decomposition temperature	: not determined			
Melting point/range	: 50 - 170 °C			
Boiling point/boiling range	: Not applicable.			
Vapor pressure	: Not applicable.			
Density	: <1 g/cm3			
Water solubility	: Insoluble.			
Partition coefficient: n- : No Data Available. octanol/water				
octanol/water Viscosity, dynamic : Not applicable.				
Relative vapor density	: Not applicable.			
Evaporation rate	: Not applicable.			
Explosive properties	: No Data Available.			
9.2 Other information Other information	: No additional information a	a cilabla		
10. Stability and reactivity				
10.1 Reactivity				
No known reactivity hazards.				
10.2 Chemical stability				
Stable under normal condition	NS.			
10.3 Possibility of hazardous re	actions			
Hazardous reactions	: Will not occur.			
10.4 Conditions to avoid				
Conditions to subid		oxidizers, excessive heat, sparks or		
Conditions to avoid	open flame.			

	(+) 188	1699 6168		
	hongrunp	lastics.com		
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006		lyondellbasi	ell
Hostalen CRP 100 S R			Gen. Variant: SDS_AT	
Version 1.3 Revision Da	te 05/22/2020	Print Date 01/05	5/2022 SDS No.: BE	5365
10.5 Incompatible materials	. Motorial may k	as astronad by sar		
Materials to avoid	: Material may t	be softened by sor	me nydrocarbons.	
10.6 Hazardous decomposition	products			
Hazardous decomposition products	: Not expected	to decompose und	der normal conditions.	
Thermal decomposition		of organic acids,	and paraffinic compounds, ketones, aldehydes and	
11. Toxicological information				
11.1 Information on toxicologica	al effects			
Acute toxicity				
Acute oral toxicity	: Not classified			
Acute inhalation toxicity	: Not classified			
Acute dermal toxicity	: Not classified			
Skin corrosion/irritation	: Not a skin irrita	ant.		
Serious eye damage/eye irritation	: Not an eye irri Mechanical irri	tant. itation is possible.		
Respiratory or skin sensitization	: Not classified			
Chronic toxicity				
Carcinogenicity	: Not classified			
	10 /	′ 16		

	(+) 188	1699 6168	
	hongrun	olastics.com	
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006		lyondellbasel
Hostalen CRP 100 S R			Gen. Variant: SDS_AT
Version 1.3 Revision Da	te 05/22/2020	Print Date 01/0	5/2022 SDS No.: BE536
Germ cell mutagenicity	: Not classified		
Reproductive toxicity			
Effects on fertility /	: Not classified		
Effects on or via lactation Effects on Development	: Not classified		
Target Organ Systemic Tox	icant - Single exp	osure	
			t classified as specific target
	organ toxican	t, single exposure	).
Target Organ Systemic Tox	icant - Repeated e	exposure	
		e or mixture is no t, repeated expos	t classified as specific target ure.
Aspiration hazard	: Not applicable	).	
12. Ecological information			
12.1 Ecotoxicology Assessment			
Short-term (acute) aquatic	: Not classified		
hazard Long-term (chronic) aquatic hazard	: Not classified		
12.2 Persistence and degradabi	lity		
Biodegradability	: Not expected	to be biodegradat	ble.
12.3 Bioaccumulative potential			
Bioaccumulation	: This material	is not expected to	bioaccumulate.
	11	/ 16	

	(+) 188 1699 6168
	hongrunplastics.com
SAFETY DATA SHEE according to Regulation (EC)	
Hostalen CRP 100	
Version 1.3 Revision	n Date 05/22/2020 Print Date 01/05/2022 SDS No.: BE5365
12.4 Mobility in soil	
Mobility	: no data available
12.5 Results of PBT and vP	vB assessment
Result	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).
12.6 Other adverse effects	
Environmental fate and pathways	: This material is not volatile and insoluble in water.
12.7 Other information	
Additional ecological information	<ul> <li>Ecotoxicity is expected to be minimal based on the low water solubility of polymers.</li> <li>No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.</li> </ul>
13. Disposal considerations	}
13.1 Waste treatment metho	ods
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.
14. Transport information	
	12 / 16



## 15. Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## **REACh** status

If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

#### Other international regulations

#### **Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

\*Additional Explanatory Status Statements follow the table, as necessary.


Country/Region	Inventory	Status Description
Australia	AICS	Compliant
Canada	DSL	Compliant
China	IECSC	Compliant
Europe	REACH	See REACH Compliance Statement
Japan	ENCS	Compliant
Korea	KECI	Compliant
New Zealand	NZIoC	Compliant
Philippines	PICCS	Compliant
United States of America	TSCA	Compliant
Taiwan	TCSCA	Compliant

Contact product.safety@lyb.com for additional global inventory information.

## 15.2 Chemical safety assessment

No information available.

13 / 16



IC50 - Inhibitory Concentration fifty IL50 = Inhibitory Level fifty

IMDG - International Maritime Dangerous Goods

**IECSC** - Chinese Chemicals Inventory

**IOELV - Indicative Occupational Exposure Limit Values** 

IP346 - Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables

KECI - Korea Existing Chemicals Inventory

Koc - Organic Carbon/Water Partition Coefficient

14 / 16

(+) 188 1699 6168 hongrunplastics.com

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Hostalen CRP 100 S RED

Version 1.3

Revision Date 05/22/2020

Print Date 01/05/2022

SDS No.: BE5365

lvondellbasell

Gen. Variant: SDS AT

LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE\_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment PROC - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average UN - United Nations vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

## Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

15 / 16



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

# Hostalen CRP 100 S RED

Version 1.3

Revision Date 05/22/2020

Print Date 01/05/2022

SDS No.: BE5365

lvondellbasell

Gen. Variant: SDS AT

#### Disclaimer

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

## Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1.234,56 mg/kg.

## Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

## End of Material Safety Data Sheet