	(+) 18	8 1699 6168		
	hongru	nplastics.com		
SAFETY DATA SHEET according to Regulation (EC) No. 190	07/2006		lyc	ondellbasell
Hostalen CRP 100 S YEL				Variant: SDS_BE
Version 1.4 Revision Date (Print Date 01/0		SDS No.: BE7794
1. Identification of the substance/m	ixture and of	f the company/und	lertaking	
1.1 Product identifier				
Trade name :	Hostalen CF	RP 100 S YELLOW		
Synonyms :	HS CRP 10	0 S YELLOW	e, Ethene	e-Butene copolymer,
Substance name :		olymer with ethene		
Substance No.:Chemical characterization:	25087-34-7 Polyethylen	e copolymer		
1.2 Relevant identified uses of the	substance or	mixture and uses	advised	against
Identified uses :		e of plastic articles b oversion process.	by injectio	on molding, extrusion
Prohibited uses :	devices; He Applications	III medical devices; alth Canada class l' is involving permaner ng medical applicat	V Medica nt implan	
1.3 Details of the supplier of the sa	ety data she	et		
Company Basell Sales & Marketing Company Delftseplein 27E 3013 AA Rotterdam Netherlands		Registration numb NA	ber	Telephone 31 (0) 10 275 55 00
E-mail address : Responsible/issuing person	product.safety	@lyb.com		
1.4 Emergency telephone number				
Basell Sales & Marketing Company	B.V.			+32 3 575 1235
Poison Center: Belgium Poison Center BE: +32 70 245 245 24 hours all days				
		1 / 16		

	(+) 188	6168				
	hongrun	plastics.com				
SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006						
Hostalen CRP 100	S YELLOW	C	Gen. Variant: SDS_BE			
Version 1.4 Revisio	on Date 05/23/2020	Print Date 01/05/202	2 SDS No.: BE7794			
2. Hazards identification						
2.1 Classification of the su	bstance or mixture					
Classification (REGUL	ATION (EC) No 1272/2	2008)				
Not a hazardous substa	nce or mixture accordin	g to Regulation (EC) No	o 1272/2008.			
2.2 Label elements						
Labeling (REGULATIO	N (EC) No 1272/2008)					
Not a hazardous substa	nce or mixture accordin	g to Regulation (EC) No	0 1272/2008.			
2.3 Other hazards						
combustible dust conce	ntrations in air. contains no component	s considered to be eithe	ey other means, may form er persistent, bioaccumulative			
3. Composition/information	on ingredients					
3.2 Mixtures						
Components						
Chemical name	CAS-No.	Classification	<u>Weight %</u>			
	EC-No.	(REGULATION (EC) No 1272/2008)				
1-Butene, polymer with ethene	25087-34-7	Not Classified	95.0 - 100.0 %			
Contains: Additives and	l stabilizers					
4. First aid measures						
4.1 Description of first-aid	measures					
General advice	: Take proper	precautions to ensure y pting rescue and providi	your own health and safety ng first aid.			
If inhaled	: Remove pers	son to fresh air. If signs/	symptoms continue, get			
	2	/ 16				

		(+) 188	1699 6168		
		hongrun	plastics.com		
SAFETY DA according to Reg		o. 1907/2006		lyonde	llbasell
Hostalen C	RP 100 S \	YELLOW		Gen. Variant:	SDS_BE
Version 1.4	Revision D	ate 05/23/2020	Print Date 01/05	5/2022 S	DS No.: BE7794
In case of sk	in contact	generated du fresh air. Obtain medic Keep person Resuscitation : If molten mat large amount polymer. Do not attem	cessive inhalation ouring heating of this cal attention. warm, if necessary	material, move the give Cardio-Pulme skin, immediately fluch he affected tissue	e person to onary ush with and
		the skin. Obtain imme or extensive.	diate emergency m	nedical attention if I	ourn is deep
In case of ey	e contact		noroughly with wate ntion if discomfort p		es and seek
		Continuously 15 minutes. Beyond flush adherent to t	e contact with molto flush eye(s) with c ing, DO NOT attem he eye(s). seek medical attent	not running water t	
If swallowed		: Adverse heal	Ith effects due to in	gestion are not ant	ticipated.
4.2 Most importa	nt symptoms	and effects, both a	acute and delayed	I	
Symptoms			process fumes and nd throat and coug		e soreness
Hazards			with the eyes can I her may cause them		irritation.
4.3 Indication of	any immediat	e medical attentio	n and special treat	tment needed	
Treatment			overexposure shound the clinical condi		he control of
5. Fire-fighting m	neasures				
5.1 Extinguishing	g media				
		3	/ 16		

	(+) 188 1699 6168	
	hongrunplastics.com	1
SAFETY DATA SHEET according to Regulation (EC) No. 1	907/2006	lyondellbasell
Hostalen CRP 100 S YE	LLOW	Gen. Variant: SDS_BE
Version 1.4 Revision Date	e 05/23/2020 Print Date 0	1/05/2022 SDS No.: BE7794
Suitable extinguishing media	 SMALL FIRE: Use dry chemical, CO2, or v LARGE FIRES: Use water spray hose nozzl 	
Unsuitable extinguishing media	: None known.	
5.2 Special hazards arising from t	he substance or mixture	
Specific hazards during fire fighting	 Keep away from heat and so In case of fire hazardous de produced such as: Carbon monoxide, carbon d hydrocarbons (smoke). 	composition products may be
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	: Wear approved positive pres apparatus and firefighter pro	
Further information	flammable vapors. Move containers from fire ar Evacuate immediately in the container pressure relief dev Always stay away from tank Do not attempt to get on top fire.	0 kcal/kg with hose lines or monitor compose polymer, and generate rea if it can be done without risk. e event of opening of storage vices or discoloration of container.
6. Accidental release measures		
6.1 Personal precautions, protecti		
Personal precautions	: Equip responders with prope Creates dangerous slipping surface.	er protection. hazard on any hard smooth
	4 / 16	

	(+) 188 1699 6168	
	hongrunplastics.com	
SAFETY DATA SHEET according to Regulation (EC) No. 190	07/2006	lyondellbasell
Hostalen CRP 100 S YEL	LOW	Gen. Variant: SDS_BE
Version 1.4 Revision Date C	5/23/2020 Print Date 01	/05/2022 SDS No.: BE7794
	equipment (PPE) Avoid generating dust.	
6.2 Environmental precautions		
Environmental precautions :	Do not flush into surface wate	er or sanitary sewer system.
6.3 Methods and materials for conta	ainment and cleaning up	
Methods for containment / : Methods for cleaning up		ch avoids ignition risk. e; collect and contain as any l be packaged, labeled, or reclaimed in conformance with ns and in conformance with good
7. Handling and storage		
7.1 Precautions for safe handling		
Advice on safe handling :	presence of an ignition sourc hazard. Static discharge (spark), or o environments may ignite the explosion	may form combustible dust nclosed space. ust suspended in air and in the e is a potential dust explosion ther ignition sources, in high dust dust and result in a dust d during conveying or handling. should be conductive and led.
	5 / 16	

		(+) 18	8 1699 6168		
		hongru	nplastics.com		
SAFETY DATA SHEE according to Regulation (EC		2006		lyond	lellbasell
Hostalen CRP 100	S YELL	OW			nt: SDS_BE
Version 1.4 Revisio	n Date 05/2	23/2020	Print Date 01	/05/2022	SDS No.: BE7794
Fire-fighting class	A C C A W V R S	Il electrical odes and re ombustible after handlir vater. Vhen bringi nay develop ection 10.	egulatory require dusts. ng, always wash ng the material t	Id conform to appl ments for areas ha hands thoroughly o processing temp in the exhaust ven	andling with soap and eratures vapors
	. г	orymer wii		or easily ignite.	
7.2 Conditions for safe stor	age, incluc	ling any ir	ncompatibilities		
Requirements for storag areas and containers	L a s S o K	nd handling hould be us tore away xidizing ag teep contai	ousekeeping prac g. Process enclo sed to avoid exce from excessive h ents. ner closed to pre	ctices during stora sures and adequat essive dust accum heat and away from event contamination he build up of elect	e ventilation ulation. n strong n.
7.3 Specific end use(s)	: S	see Section	1.2.		
8. Exposure controls/perso 8.1 Control parameters Ingredients with workp	·		ters		
Occupational Exposure		•			
Components C	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
		6	6 / 16		
i la					

		(+) 188	8 1699 6168		
		hongrur	plastics.com		
SAFETY DATA according to Regular	-	2006		lyond	lellbasell
Hostalen CRF	9 100 S YELL	WO		Gen. Variar	nt: SDS_BE
Version 1.4	Revision Date 05/2	23/2020	Print Date 01/	05/2022	SDS No.: BE7794
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA TWA	10 mg/m3 inhalable 3 mg/m3 respirable	US (ACGIH) 2005 US (ACGIH) 2005	
equipment used Engineering con exposures below conformance, of Ensure that dus	ols easures nmendations in inte to handle this produ trols, i.e. enclosed s v acceptable criteria ther engineering cor t-handling systems	rnational st uct. systems, sh a. When suc ntrols such a (such as ex	andard NFPA 654 hould be used whe ch controls are no as local exhaust v haust ducts, dust	enever feasible to t feasible, or suffi- ventilation should collectors, vesse	maintain cient to achieve full be used. Is, and processing
no leakage from	designed in a manne the equipment).	er to preven	t the escape of c	lust into the work	area (i.e., there is
Personal protective equipment Respiratory protection : Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use appropriate respiratory protection where atmosphere exceeds recommended limits. Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.					
Hand protection			that provide ther contact with heat	mal protection wh ed material.	nere there is a
		7	7 / 16		


		(+) 188 1699 6168 hongrunplastics.com				
Version 1.4 Revision Date 05/23/2020 Print Date 01/05/2022 SDS No.: BE774 Eye and face protection : Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product. Skin and body protection : Wear suitable protective clothing. Hygiene measures : Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse. Environmental exposure controls General advice : See section 6. Physical and chemical properties Appearance : Pellets. Color : yellow Odor : Slight. Plash point : No Data Available. Lower explosion limit : Not applicable. I paper explosion limit : Not applicable. Eater an oxidizing agent. Autoignition temperature Qidizing properties : Not considered an oxidizing agent. Autoignition temperature : > 300 °C			lyondellbasel			
Eye and face protection : Dust service goggles should be worn to prevent mechanical injury or other irritation to eyes due to airborne particles which may result from handling this product. Skin and body protection : Wear suitable protective clothing. Hygiene measures : Selection of appropriate personal protective equipment should be based on an evaluation of the performace characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be consumered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse. Take off contaminated clothing and wash before reuse. Physical and chemical properties . Appearance : Pellets. Color : yellow Odor : Slight. Flash point : No Data Available. Lower explosion limit : Not applicable. Flammability (solid, gas) : Polymer will burn but does not easily ignite. Oxidizing properties : Not considered an oxidizing agent.						
injury or other initiation to eyes due to airborne particles which may result from handling this product. Skin and body protection : Wear suitable protective clothing. Hygiene measures : Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse. Environmental exposure controls General advice : See section 6. Physical and chemical properties Appearance : Pellets. Color : Yellow Odor : Slight. Flash point : No Data Available. Lower explosion limit : No Data Available. Lower explosion limit : No tapplicable. Flammability (solid, gas) : Polymer will burn but does not easily ignite. Oxidizing properties : Not considered an oxidizing agent. Autoignition temperature : > 300 °C	Persion 1.4 Revision D	ate 05/23/2020 Print Date 01	1/05/2022 SDS No.: BE779			
Hygiene measures Selection of apropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse. Environmental exposure controls General advice : See section 6. Physical and chemical properties See section 6. Deparance : Pellets. Color : gellow Odor : Slight. Flash point : No Data Available. Lower explosion limit : Not applicable. Upper explosion limit : Not applicable. Flammability (solid, gas) : Polymer will burn but does not easily ignite. Oxidizing properties : Not considered an oxidizing agent.	Eye and face protection	injury or other irritation to eye	es due to airborne particles which			
be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Take off contaminated clothing and wash before reuse. Environmental exposure controls General advice : See section 6. Physical and chemical properties Appearance : Pellets. Color : yellow Odor : Slight. Flash point : No Data Available. Lower explosion limit : Not applicable. Immability (solid, gas) : Polymer will burn but does not easily ignite. Oxidizing properties : Not considered an oxidizing agent.	Skin and body protection	: Wear suitable protective clot	hing.			
General advice : See section 6. Appearance : Pellets. Color : yellow Odor : Sight. Flash point : No Data Available. Lower explosion limit : No Data Available. Upper explosion limit : Not applicable. Flammability (solid, gas) : Not applicable. Oxidizing properties : Not considered an oxidizing agent. Autoignition temperature : > 300 °C	Hygiene measures	be based on an evaluation of of the protective equipment r performed, conditions preser hazards and/or potential haz during use. Use good personal hygiene p Wash hands before eating, d facilities.	f the performance characteristics relative to the task(s) to be nt, duration of use, and the ards that may be encountered practices. drinking, smoking, or using toilet			
A Physical and chemical properties Appearance : Pellets. Color : yellow Odor : Slight. Flash point : No Data Available. Lower explosion limit : The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution. Upper explosion limit : Not applicable. Flammability (solid, gas) : Polymer will burn but does not easily ignite. Oxidizing properties : Not considered an oxidizing agent. Autoignition temperature : > 300 °C	Environmental exposure c	ontrols				
Appearance: Pellets.Color: yellowOdor: Slight.Flash point: No Data Available.Lower explosion limit: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.Upper explosion limit: Not applicable.Flammability (solid, gas): Polymer will burn but does not easily ignite.Oxidizing properties: Not considered an oxidizing agent.Autoignition temperature: > 300 °C	General advice	: See section 6.				
Odor: Slight.Flash point: No Data Available.Lower explosion limit: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.Upper explosion limit: Not applicable.Flammability (solid, gas): Polymer will burn but does not easily ignite.Oxidizing properties: Not considered an oxidizing agent.Autoignition temperature: > 300 °C						
Flash point: No Data Available.Lower explosion limit: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.Upper explosion limit: Not applicable.Flammability (solid, gas): Polymer will burn but does not easily ignite.Oxidizing properties: Not considered an oxidizing agent.Autoignition temperature: > 300 °C	1 Information on basic physic	cal and chemical properties				
Lower explosion limit: The minimum explosive concentration (MEC) for polymer dust varies according to particle size distribution.Upper explosion limit: Not applicable.Flammability (solid, gas): Polymer will burn but does not easily ignite.Oxidizing properties: Not considered an oxidizing agent.Autoignition temperature: > 300 °C	1 Information on basic physic Appearance	cal and chemical properties : Pellets.				
varies according to particle size distribution.Upper explosion limit: Not applicable.Flammability (solid, gas): Polymer will burn but does not easily ignite.Oxidizing properties: Not considered an oxidizing agent.Autoignition temperature: > 300 °C	1 Information on basic physic Appearance Color	cal and chemical properties : Pellets. : yellow				
Flammability (solid, gas): Polymer will burn but does not easily ignite.Oxidizing properties: Not considered an oxidizing agent.Autoignition temperature: > 300 °C	1 Information on basic physic Appearance Color Odor	cal and chemical properties : Pellets. : yellow : Slight.				
Oxidizing properties: Not considered an oxidizing agent.Autoignition temperature: > 300 °C	1 Information on basic physic Appearance Color Odor Flash point	 cal and chemical properties Pellets. yellow Slight. No Data Available. The minimum explosive conditioned 				
Autoignition temperature : > 300 °C	1 Information on basic physic Appearance Color Odor Flash point Lower explosion limit	 cal and chemical properties Pellets. yellow Slight. No Data Available. The minimum explosive cond varies according to particle s 				
	1 Information on basic physic Appearance Color Odor Flash point Lower explosion limit Upper explosion limit	 cal and chemical properties Pellets. yellow Slight. No Data Available. The minimum explosive cond varies according to particle s Not applicable. 	ize distribution.			
8 / 16	1 Information on basic physic Appearance Color Odor Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas)	 cal and chemical properties Pellets. yellow Slight. No Data Available. The minimum explosive cond varies according to particle s Not applicable. Polymer will burn but does not 	ize distribution.			
	1 Information on basic physic Appearance Color Odor Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas) Oxidizing properties	 cal and chemical properties Pellets. yellow Slight. No Data Available. The minimum explosive cond varies according to particle s Not applicable. Polymer will burn but does not Not considered an oxidizing s 	ize distribution.			
	1 Information on basic physic Appearance Color Odor Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas) Oxidizing properties	 cal and chemical properties Pellets. yellow Slight. No Data Available. The minimum explosive cond varies according to particle s Not applicable. Polymer will burn but does not Not considered an oxidizing s > 300 °C 	ize distribution.			
	1 Information on basic physic Appearance Color Odor Flash point Lower explosion limit Upper explosion limit Flammability (solid, gas) Oxidizing properties	 cal and chemical properties Pellets. yellow Slight. No Data Available. The minimum explosive cond varies according to particle s Not applicable. Polymer will burn but does not Not considered an oxidizing s > 300 °C 	ize distribution.			

	(+) 188 1699 6168
	hongrunplastics.com
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006 Iyondellbase
Hostalen CRP 100 S Y	
Version 1.4 Revision Da	te 05/23/2020 Print Date 01/05/2022 SDS No.: BE779
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: <1 g/cm3
Water solubility	: Insoluble.
Partition coefficient: n- octanol/water	: No Data Available.
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
9.2 Other information	
Other information	: No additional information available.
10. Stability and reactivity	
10.1 Reactivity	
No known reactivity hazards.	
10.2 Chemical stability	
Stable under normal condition	IS.
10.3 Possibility of hazardous rea	actions
Hazardous reactions	: Will not occur.
10.4 Conditions to avoid	
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
	9 / 16

	(+) 188 16	699 6168	
	hongrunpla	stics.com	
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006		lyondellbasell
Hostalen CRP 100 S Y			Gen. Variant: SDS_BE
Version 1.4 Revision Da	te 05/23/2020	Print Date 01/05/	/2022 SDS No.: BE7794
 10.5 Incompatible materials Materials to avoid 10.6 Hazardous decomposition Hazardous decomposition products Thermal decomposition 	Not expected to Note: Carbon m	decompose und onoxide, olefinic f organic acids, l	ne hydrocarbons. ler normal conditions. and paraffinic compounds, ketones, aldehydes and
11. Toxicological information 11.1 Information on toxicologica Acute toxicity	al effects		
Acute oral toxicity	:		
Acute inhalation toxicity	Not classified : Not classified		
Acute dermal toxicity	: Not classified		
Skin corrosion/irritation	: Not a skin irritan	t.	
Serious eye damage/eye irritation	: Not an eye irritar Mechanical irrita		
Respiratory or skin sensitization	: Not classified		
Chronic toxicity			
Carcinogenicity	: Not classified		
	10 / 1	6	

	(+) 188 1	699 6168	
	hongrunpl	astics.com	
SAFETY DATA SHEET according to Regulation (EC) No.	1907/2006		lyondellbasell
Hostalen CRP 100 S YI	ELLOW		Gen. Variant: SDS_BE
Version 1.4 Revision Date	e 05/23/2020	Print Date 01/05/20	022 SDS No.: BE7794
Germ cell mutagenicity	: Not classified		
Reproductive toxicity			
Effects on fertility /	: Not classified		
Effects on or via lactation Effects on Development	: Not classified		
Target Organ Systemic Toxi	cant - Single expo	sure	
		or mixture is not cla single exposure.	assified as specific target
Target Organ Systemic Toxi		0	
	-	-	assified as specific target
		repeated exposure	
Acciention beyond	. Net en lieghte		
Aspiration hazard	: Not applicable.		
12. Ecological information			
12.1 Ecotoxicology Assessment			
Short-term (acute) aquatic hazard	: Not classified		
Long-term (chronic)	: Not classified		
aquatic hazard			
12.2 Persistence and degradabil	ity		
Biodegradability	: Not expected to	be biodegradable.	
12.3 Bioaccumulative potential			
Bioaccumulation	: This material is	not expected to bio	paccumulate.
	11 /	16	
1			

	(+) 188 1699 6168
	hongrunplastics.com
SAFETY DATA SHEET according to Regulation (EC) No	. 1907/2006 Iyondellbasell
Hostalen CRP 100 S Y	
Version 1.4 Revision Da	ate 05/23/2020 Print Date 01/05/2022 SDS No.: BE7794
12.4 Mobility in soil	
Mobility	: no data available
12.5 Results of PBT and vPvB a	assessment
Result	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).
12.6 Other adverse effects	
Environmental fate and pathways	: This material is not volatile and insoluble in water.
12.7 Other information	
Additional ecological information	 Ecotoxicity is expected to be minimal based on the low water solubility of polymers. No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.
13. Disposal considerations	
13.1 Waste treatment methods	
Product	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.
14. Transport information	
	12 / 16



If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that all substances in this preparation have been registered under REACh, in accordance with the deadlines set forth in REACh. (Regulation (EU) No. 1907/2006)

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

*Additional Explanatory Status Statements follow the table, as necessary.


Country/Region	Inventory	Status Description	
Australia	AICS	Compliant	
Canada	DSL	Compliant	
China	IECSC	Compliant	
Europe	REACH	See REACH Compliance Statement	
Japan	ENCS	Compliant	
Korea	KECI	Compliant	
New Zealand	NZIoC	Compliant	
Philippines	PICCS	Compliant	
United States of America	TSCA	Compliant	
Taiwan	TCSCA	Compliant	

Contact product.safety@lyb.com for additional global inventory information.

15.2 Chemical safety assessment

No information available.

13 / 16



(+) 188 1699 6168 hongrunplastics.com

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Hostalen CRP 100 S YELLOW

Version 1.4

Revision Date 05/23/2020

Print Date 01/05/2022

SDS No.: BE7794

lvondellbasell

Gen. Variant: SDS BE

LC50 - Lethal Concentration fifty LD50 - Lethal Dose fifty per cent. LL/EL/IL - Lethal Loading/Effective Loading/Inhibitory Loading LL50 - Lethal Loading fifty MAK Commission - Permanent Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area MARPOL - International Convention for the Prevention of Pollution from Ships No. - Number NOEC/NOEL - No Observed Effect Concentration / No Observed Effect Level NZIoC - New Zealand Inventory of Chemicals OE_HPV - Occupational Exposure - High Production Volume OECD - Organization for Economic Co-operation and Development **OEL - Occupational Exposure Limit** PBT - Persistent, Bio accumulative and Toxic PICCS - Philippine Inventory of Chemicals and Chemical Substances PNEC - Predicted No Effect Concentration PPE - Personal Protective Equipment PROC - Process Category QSAR - Quantitative Structure-Activity Relationship REACh - Registration Evaluation and Authorization of Chemicals RID - Regulations Relating to International Carriage of Dangerous Goods by Rail SDS - Safety Data Sheet SKIN DES - Skin Designation STEL - Short term exposure limit STP - Standard Temperature and Pressure TCSCA - Taiwan inventory of chemicals TGD - Technical Guidance Document TRA - Targeted Risk Assessment TSCA - US Toxic Substances Control Act TWA - Time-Weighted Average UN - United Nations vPvB - very Persistent and very Bioaccumulative WGK - German Water Endangerment Class

Disclaimer

Multiple legal entities and registration numbers may be displayed in Section 1. The Recipient shall refer to the shipping documents to identify the legal entity that supplied this product.

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

15 / 16

	(+) 188 1699 616	8
	hongrunplastics.co	m
SAFETY DATA SHEET according to Regulation (EC) No. 1907/	2006	lyondellbasell
Hostalen CRP 100 S YELL	OW	Gen. Variant: SDS_BE
Version 1.4 Revision Date 05/2	23/2020 Print Date	01/05/2022 SDS No.: BE7794
	Disclaimer	
In addition to any prohibitions of u further prohibit or restrict the sale information, please contact a Lyor at: https://www.lyondellbasell.com, The Trade Name referenced in se family of companies.	of its products into certain dellBasell representative /en/products-technology/p	applications. For further or visit the LyondellBasell website roduct-safety-stewardship/
	using a comma (,) to sep	hysical and chemical properties and arate digits into groups of three and ng/kg = 1 234,56 mg/kg.
LyondellBasell believes to be reli effort to verify the accuracy of the	able. LyondellBasell and translation, but assume d. Please refer to our we	anslated from English by a vendor its vendor have made a good-faith no liability or other responsibility for ab site (www.lyondellbasell.com) for
End	of Material Safety Data S	Sheet

16 / 16