|   |   | (+) 188                           | 1699 6168                              |                                |  |
|---|---|-----------------------------------|--|--------------------------------|--|
|   | 0   | hongrunp                          | plastics.com                           |                                |  |
| SAFETY DATA<br>according to Regulati  | -   |                                   |  |                                | ndellbasell  |
|   | . ,   | 2000                              |  |                                | 1 111 11   |
| Purell ACP 65   |   |                                   |  |                                | ariant: SDS_IT                                       |
| Version 1.1   | Revision Date 12/0  | 04/2015                           | Print Date 03/                         | 01/2016                        | SDS No.: BE8871                                      |
| 1. Identification of th   | e substance/mix   | ture and of tl                    | ne company/ur                          | ndertaking                     |  |
| 1.1 Product identifier  | r   |                                   |  |                                |  |
| Trade name<br>Synonyms<br>Substance name<br>Substance No.   | : E   |                                   |  |                                | Butene copolymer                                     |
| 1.2 Relevant identifie  | ed uses of the su   | bstance or m                      | nixture and use                        | es advised ag                  | <b>jainst</b>  |
| Identified uses   |   |                                   | of plastic articles<br>ersion process. | s by injection                 | molding, extrusion                                   |
| Prohibited uses   | c<br>A  | levices; Healt<br>Applications ir | h Canada class                         | IV Medical D<br>nent implantat | class III medical<br>Devices;<br>tion into the body; |
| 1.3 Details of the supplier of the safety data sheet<br>Company<br>Basell Sales & Marketing<br>Company B.V.<br>Delftseplein 27E<br>3013 AA Rotterdam<br>Netherlands |   |                                   |  |                                |  |
| 2. Hazards identification   |   |                                   |  |                                |  |
| 2.1 Classification of the substance or mixture  |   |                                   |  |                                |  |
| Classification (REGULATION (EC) No 1272/2008)   |   |                                   |  |                                |  |
| Not a hazardous   | Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008. |                                   |  | /2008.                         |  |
|   |   | 1/                                | 13                                     |                                |  |
|   |   |                                   |  |                                |  |

hongrunplastics.com

(+) 188 1699 6168

according to Regulation (EC) No. 1907/2006

## Purell ACP 6541A

Version 1.1

Print Date 03/01/2016

SDS No.: BE8871

lyondellbasell

Gen. Variant: SDS IT

#### 2.2 Label elements

### Labeling (REGULATION (EC) No 1272/2008)

Revision Date 12/04/2015

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

### 2.3 Other hazards

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

#### 3. Composition/information on ingredients

#### 3.1 Substances

#### Ingredients

| Chemical Name                    | CAS-No.<br>EINECS-No. / ELINCS<br>No./EC-No. | <u>Weight %</u> | Component<br>Type |
|----------------------------------|--|-----------------|-------------------|
| 1-Butene, polymer with<br>ethene | 25087-34-7                                   | > 99.5 %        |                   |

Contains: Stabilizers

#### 4. First aid measures

#### 4.1 Description of first-aid measures

| General advice          | : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.   |
|-------------------------|--|
| If inhaled              | <ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air.</li> <li>Obtain medical attention.</li> <li>Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)</li> </ul> |
| In case of skin contact | <ul> <li>If molten material contacts the skin, immediately flush with<br/>large amounts of water to cool the affected tissue and<br/>polymer.</li> <li>Do not attempt to peel polymer from skin as this will remove<br/>the skin.</li> <li>Obtain immediate emergency medical attention if burn is deep</li> </ul>   |
|                         | 2/13   |
|                         |  |

|   | (+) 188 1699 6168   |  |  |
|---|---|--|--|
|   | hongrunplastics.com   |  |  |
| SAFETY DATA SHEET                                 | lvondellhacell  |  |  |
| according to Regulation (EC) No. 19               |   |  |  |
| Purell ACP 6541A                                  | Gen. Variant: SDS_IT  |  |  |
| Version 1.1 Revision Date                         | 12/04/2015 Print Date 03/01/2016 SDS No.: BE8871  |  |  |
|   |   |  |  |
|   | or extensive.   |  |  |
| In case of eye contact                            | : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.   |  |  |
|   | <ul> <li>In case of eye contact with molten polymer:<br/>Continuously flush eye(s) with cool running water for at least<br/>15 minutes.<br/>Beyond flushing, DO NOT attempt to remove the material<br/>adherent to the eye(s).<br/>Immediately seek medical attention.</li> </ul> |  |  |
| If swallowed                                      | : Adverse health effects due to ingestion are not anticipated.  |  |  |
| 4.2 Most important symptoms and                   | effects, both acute and delayed   |  |  |
|   | : Inhalation of process fumes and vapors may cause soreness   |  |  |
|   | in the nose and throat and coughing.  |  |  |
| Hazards   | : Dust contact with the eyes can lead to mechanical irritation.<br>Molten polymer may cause thermal burns.  |  |  |
| 4.3 Indication of any immediate me                | edical attention and special treatment needed   |  |  |
| Treatment   | : Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.  |  |  |
| 5. Fire-fighting measures                         |   |  |  |
| 5.1 Extinguishing media                           |   |  |  |
|   | : SMALL FIRE:<br>Use dry chemical, CO2, or water spray.   |  |  |
|   | : LARGE FIRES:<br>Use water spray hose nozzles from a safe location.  |  |  |
| Unsuitable extinguishing media                    | : None known.   |  |  |
| 5.2 Special hazards arising from the              | le substance or mixture   |  |  |
| Specific hazards during fire fighting             | <ul> <li>Keep away from heat and sources of ignition.</li> <li>In case of fire hazardous decomposition products may be<br/>produced such as:</li> <li>Carbon monoxide, carbon dioxide and unburned<br/>hydrocarbons (smoke).</li> </ul>   |  |  |
| 5.3 Advice for firefighters                       |   |  |  |
| Special protective equipment<br>for fire-fighters | : Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.   |  |  |
|   | 3/13  |  |  |
|   |   |  |  |
|   |   |  |  |

| SAFETY DATA SHEET<br>according to Regulation (EC) No. 1907/2006       Cen. Variant: SDS_IT         Yersion 1.1       Revision Date 12/04/2015       Print Date 03/01/2016       SDS No.: I         Further information       : Combustible particulate solid, will decompose under fire<br>conditions.<br>Calorific Value: 8000 - 11000 kcal/kg       Fight fire from safe distance with hose lines or monitor<br>nozzles.<br>Heat from fire may melt, decompose polymer, and generate<br>flammable vapors.<br>Move containers from fire area if it can be done without risk<br>Evacuate immediately in the event of opening of storage<br>container pressure relief devices or discoloration of containe.<br>Always stay away from tanks engulled in fire.<br>Do not attempt to get on top of storage containers involved<br>fire.<br>Cool storage containers with large volumes of water even<br>after fire is out.         6. Accidental release measures       Equip responders with proper protection.<br>Creates dangerous slipping hazard on any hard smooth<br>surface.<br>Equip emergency responders with proper personal protectin<br>equipment (PPE)<br>Avoid generating dust.<br>Avoid degressi and dust in the air (i.e., clearing dust surfaces<br>with compressed air).<br>Potential combustible dust hazard.<br>Polymer particles create slipping hazard on hard smooth<br>surfaces.         6.1 Dersonal precautions       : Do not flush into surface water or sanitary sever system.         6.1 Accidental release measures       .  |                                     | (+) 188 1699 6168  |   |  |
|--|-------------------------------------|--|---|--|
| Purcell ACP 6541A       Gen. Variant: SDS.IT         Version 1.1       Revision Date 12/04/2015       Print Date 03/01/2016       SDS No.: I         Further information       :       Combustible particulate solid, will decompose under fire conditions.<br>Calorific Value: 8000 - 11000 kcal/kg         Fight fire from safe distance with hose lines or monitor nozzles.<br>Heat from fire may melt, decompose polymer, and generate filammable vapors.<br>Move containers from fire area if it can be done without risk Evacuate immediately in the event of opening of storage container pressure felid devices or discoloration of containe Always stay away from tanks enguiled in fire.<br>Do not attempt to get on top of storage containers involved fire.<br>Cool storage containers with large volumes of water even after fire is out.         6. Accidental release measures       Equip responders with proper protection.<br>Creates dangerous slipping hazard on any hard smooth surface.<br>Equip emergency responders with proper personal protectin equipment (PPE)<br>Avoid generating dust.<br>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).<br>Potential combustible dust hazard.<br>Polymer particles create slipping hazard on hard smooth surfaces.         6.2 Environmental precautions       : Do not flush into surface water or sanitary sewer system.         6.3 Methods and materials for containment and cleaning up       : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.<br>On water, material is insoluble; collect and contain as any solid.         All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance wat applicable laws and regulations and  | SAFETY DATA SHEET                   | hongrunplastics.com  | lvoodollbacoll  |  |
| Version 1.1         Revision Date 12/04/2015         Print Date 03/01/2016         SDS No.: I           Further information         :         Combustible particulate solid, will decompose under fire conditions.<br>Calorific Value: 8000 - 11000 kcal/kg<br>Fight fire from safe distance with hose lines or monitor nozzles.<br>Heat from fire may melt, decompose polymer, and generate flammable vapors.<br>Move containers from fire area if it can be done without risk Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of contain Always stay away from tanks engulfed in fire.<br>Do not attempt to get on top of storage containers involved fire.<br>Cool storage containers with large volumes of water even after fire is out.           6. Accidental release measures         Equip responders with proper protection.<br>Creates dangerous slipping hazard on any hard smooth surface.<br>Equip emergency responders with proper presonal protective equipment (PPE)<br>Avoid generating dust.<br>Avoid generating dust.<br>All recovere |                                     | 07/2006  | Iyunuenbasen  |  |
| Further information       : Combustible particulate solid, will decompose under fire conditions.<br>Calorific Value: 8000 - 11000 kcal/kg<br>Fight fire from safe distance with hose lines or monitor nozzles.<br>Heat from fire may melt, decompose polymer, and generate filammable vapors.<br>Move containers from fire area if it can be done without risk Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of contain.<br>Always stay away from tanks enguffed in fire.<br>Do not attempt to get on top of storage containers involved fire.<br>Cool storage containers with large volumes of water even after fire is out.         6. Accidental release measures       6.1 Personal precautions, protective equipment and emergency procedures         Personal precautions       : Equip responders with proper protection.<br>Creates dangerous slipping hazard on any hard smooth surface.<br>Equip emergency responders with proper personal protectiv equipment (PPE)<br>Avoid generating dust.<br>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).<br>Potential combustible dust hazard.<br>Polymer partical condustible dust hazard on hard smooth surfaces.         6.2 Environmental precautions       : Do not flush into surface water or sanitary sever system.         6.3 Methods and materials for containment and cleaning up       : On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.<br>On water, material should be packaged, labeled, transported material should be packaged, labeled, transported material should be packaged, labeled, transported and disposed or or celainmed in conformance with ge engineering practices. Reclaim where possible.   | Purell ACP 6541A                    |  | Gen. Variant: SDS_IT  |  |
| <ul> <li>conditions.</li> <li>Calorific Value: 8000 - 11000 kcal/kg</li> <li>Fight fire from safe distance with hose lines or monitor nozzles.</li> <li>Heat from fire may met, decompose polymer, and generate flammable vapors.</li> <li>Move containers from fire area if it can be done without risk Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of contain Always stay away from tanks engulied in fire.</li> <li>Do not attempt to get on top of storage containers involved fire.</li> <li>Cool storage containers with large volumes of water even after fire is out.</li> </ul> 6. Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions <ul> <li>Equip responders with proper portection.</li> <li>Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Equip emergency responders with proper personal protection surface.</li> <li>Equip emergency responders with proper personal protection.</li> <li>Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Equip emergency responders with proper personal protection.</li> <li>Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).</li> <li>Potential combustible dust hazard.</li> <li>Polymer particles create slipping hazard on hard smooth surfaces.</li>  6.2 Environmental precautions <ul> <li>Do not flush into surface water or sanitary sewer system.</li> </ul> 6.3 Methods and materials for containment and cleaning up Methods for cleaning up <ul> <li>On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.</li> <li>On water, material is insoluble; collect and contain as any solid.</li> <li>All recovered materials should be packaged, labeled, transported a</li></ul></ul>   | Version 1.1 Revision Date 1         | 2/04/2015 Print Date 03/0  | 01/2016 SDS No.: BE8871   |  |
| <ul> <li>conditions.</li> <li>Calorific Value: 8000 - 11000 kcal/kg</li> <li>Fight fire from safe distance with hose lines or monitor nozzles.</li> <li>Heat from fire may met, decompose polymer, and generate flammable vapors.</li> <li>Move containers from fire area if it can be done without risk Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of contain Always stay away from tanks engulied in fire.</li> <li>Do not attempt to get on top of storage containers involved fire.</li> <li>Cool storage containers with large volumes of water even after fire is out.</li> </ul> 6. Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions <ul> <li>Equip responders with proper portection.</li> <li>Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Equip emergency responders with proper personal protection surface.</li> <li>Equip emergency responders with proper personal protection.</li> <li>Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Equip emergency responders with proper personal protection.</li> <li>Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).</li> <li>Potential combustible dust hazard.</li> <li>Polymer particles create slipping hazard on hard smooth surfaces.</li>  6.2 Environmental precautions <ul> <li>Do not flush into surface water or sanitary sewer system.</li> </ul> 6.3 Methods and materials for containment and cleaning up Methods for cleaning up <ul> <li>On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.</li> <li>On water, material is insoluble; collect and contain as any solid.</li> <li>All recovered materials should be packaged, labeled, transported a</li></ul></ul>   |                                     |  |   |  |
| 6.1 Personal precautions, protective equipment and emergency procedures         Personal precautions       : Equip responders with proper protection.<br>Creates dangerous slipping hazard on any hard smooth<br>surface.<br>Equip emergency responders with proper personal protective<br>equipment (PPE)<br>Avoid generating dust.<br>Avoid dispersal of dust in the air (i.e., clearing dust surfaces<br>with compressed air).<br>Potential combustible dust hazard.<br>Polymer particles create slipping hazard on hard smooth<br>surfaces.         6.2 Environmental precautions       : Do not flush into surface water or sanitary sewer system.         6.3 Methods and materials for containment and cleaning up       : On land, sweep/shovel into suitable disposal containers or<br>vacuum using equipment which avoids ignition risk.<br>On water, material is insoluble; collect and contain as any<br>solid.<br>All recovered material should be packaged, labeled,<br>transported and disposed of or reclaimed in conformance w<br>applicable laws and regulations and in conformance with genering practices. Reclaim where possible.   | Further information :               | <ul> <li>conditions.</li> <li>Calorific Value: 8000 - 11000</li> <li>Fight fire from safe distance we nozzles.</li> <li>Heat from fire may melt, deco flammable vapors.</li> <li>Move containers from fire area</li> <li>Evacuate immediately in the expressive relief device</li> <li>Always stay away from tanks</li> <li>Do not attempt to get on top of fire.</li> <li>Cool storage containers with I</li> </ul> | kcal/kg<br>with hose lines or monitor<br>ompose polymer, and generate<br>a if it can be done without risk.<br>event of opening of storage<br>ces or discoloration of container.<br>engulfed in fire.<br>of storage containers involved in |  |
| <ul> <li>Environmental precautions : Do not flush into surface water or sanitary sewer system.</li> <li>6.3 Methods and materials for containment and cleaning up</li> <li>Methods for cleaning up</li> <li>: On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.<br/>On water, material is insoluble; collect and contain as any solid.<br/>All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance w applicable laws and regulations and in conformance with go engineering practices. Reclaim where possible.</li> </ul>  | 6.1 Personal precautions, protectiv | <ul> <li>Equip responders with proper<br/>Creates dangerous slipping hi<br/>surface.</li> <li>Equip emergency responders<br/>equipment (PPE)</li> <li>Avoid generating dust.</li> <li>Avoid dispersal of dust in the<br/>with compressed air).</li> <li>Potential combustible dust ha<br/>Polymer particles create slipp</li> </ul>  | azard on any hard smooth<br>with proper personal protective<br>air (i.e., clearing dust surfaces  |  |
| <ul> <li>Environmental precautions : Do not flush into surface water or sanitary sewer system.</li> <li>6.3 Methods and materials for containment and cleaning up</li> <li>Methods for cleaning up</li> <li>: On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.<br/>On water, material is insoluble; collect and contain as any solid.<br/>All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance w applicable laws and regulations and in conformance with go engineering practices. Reclaim where possible.</li> </ul>  | 6 2 Environmental precautions       |  |   |  |
| <ul> <li>6.3 Methods and materials for containment and cleaning up</li> <li>Methods for cleaning up</li> <li>On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.<br/>On water, material is insoluble; collect and contain as any solid.<br/>All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance w applicable laws and regulations and in conformance with go engineering practices. Reclaim where possible.</li> </ul>   | -                                   | Do not flush into surface wate   | er or sanitary sewer system.  |  |
| <ul> <li>Methods for cleaning up</li> <li>On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk.<br/>On water, material is insoluble; collect and contain as any solid.<br/>All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with go engineering practices. Reclaim where possible.</li> </ul>   | ·                                   |  |   |  |
| 4 / 13   |                                     | <ul> <li>On land, sweep/shovel into su<br/>vacuum using equipment white<br/>On water, material is insoluble<br/>solid.</li> <li>All recovered material should<br/>transported and disposed of c<br/>applicable laws and regulation</li> </ul>  | ch avoids ignition risk.<br>e; collect and contain as any<br>be packaged, labeled,<br>or reclaimed in conformance with<br>ns and in conformance with good   |  |
| 4/10   |                                     | 1/12   |   |  |
|  | 4 / 13                              |  |   |  |
|  |                                     |  |   |  |

|  | (+) 188 1699 6168  |  |  |
|--|--|--|--|
|  | hongrunplastics.com  |  |  |
| SAFETY DATA SHEET<br>according to Regulation (EC) No. 11 | <sub>907/2006</sub> lyondellbasell   |  |  |
|  | Gen. Variant: SDS_IT   |  |  |
| Purell ACP 6541A<br>Version 1.1 Revision Date            |  |  |  |
|  |  |  |  |
|  |  |  |  |
| 7. Handling and storage                                  |  |  |  |
| r. Handling and storage                                  |  |  |  |
| 7.1 Precautions for safe handling                        |  |  |  |
| Advice on safe handling                                  | <ul> <li>Material is in a pellet form.</li> <li>If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air.</li> <li>Avoid dust accumulation in enclosed space.</li> <li>Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard.</li> <li>Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion</li> <li>Electrostatic charge may build during conveying or handling.</li> <li>Equipment handling polymer should be conductive and grounded (earthed) and bonded.</li> <li>Metal containers involved in the transfer of this material should be grounded and bonded.</li> <li>All electrical equipment should conform to applicable electric codes and regulatory requirements for areas handling combustible dusts.</li> <li>After handling, always wash hands thoroughly with soap and water.</li> <li>When bringing the material to processing temperatures vapors may develop may condense in the exhaust ventilation. See section 10.</li> </ul> |  |  |
| Fire-fighting class                                      | : Polymer will burn but does not easily ignite.  |  |  |
| 7.2 Conditions for safe storage, in                      | cluding any incompatibilities  |  |  |
| Requirements for storage areas and containers            | <ul> <li>Store in a dry location.</li> <li>Use good housekeeping practices during storage, transferring<br/>and handling. Process enclosures and adequate ventilation<br/>should be used to avoid excessive dust accumulation.</li> <li>Store away from excessive heat and away from strong<br/>oxidizing agents.</li> <li>Keep container closed to prevent contamination.</li> <li>Take measures to prevent the build up of electrostatic charge.</li> </ul>  |  |  |
| 7.3 Specific end use(s)                                  |  |  |  |
|  | : See Section 1.2.   |  |  |
|  |  |  |  |
|  |  |  |  |
|  | 5 / 13   |  |  |
|  |  |  |  |
|  |  |  |  |

(+) 188 1699 6168 hongrunplastics.com

according to Regulation (EC) No. 1907/2006

## Purell ACP 6541A

Version 1.1

Revision Date 12/04/2015

Print Date 03/01/2016

SDS No.: BE8871

lvondellbasell

Gen. Variant: SDS IT

#### 8. Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

#### **Occupational Exposure Limits**

| Ingredients   | CAS-No. | Туре | Limit Value           | Basis<br>Revision Date | Additional<br>Information |
|---|---------|------|-----------------------|------------------------|---------------------------|
| Materials that can<br>be formed when<br>handling this<br>product: Non-<br>specified (inert or<br>nuisance) dust |         | TWA  | 10 mg/m3<br>inhalable | US (ACGIH)<br>2005     |                           |
| Materials that can<br>be formed when<br>handling this<br>product: Non-<br>specified (inert or<br>nuisance) dust |         | TWA  | 3 mg/m3<br>respirable | US (ACGIH)<br>2005     |                           |

Consult local authorities for acceptable exposure limits.

#### 8.2 Exposure controls

#### **Engineering measures**

Follow the recommendations in international standard NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

#### Personal protective equipment

| Respiratory protection | <ul> <li>Use process enclosures, local exhaust ventilation, or other<br/>engineering controls to keep airborne levels below<br/>recommended exposure limits.</li> <li>When workers are facing concentrations above the exposure<br/>limit they must use appropriate certified respirators.</li> <li>Use appropriate respiratory protection where atmosphere<br/>exceeds recommended limits.</li> <li>Where workers could be exposed to dust concentrations</li> </ul> |
|------------------------|---|
|                        | 6 / 13  |
|                        |   |

(+) 188 1699 6168 hongrunplastics.com

| AFETY DATA SHEET            |   | plastics.com  | lyon   | dellbase  |
|-----------------------------|---|---|--|---|
| urell ACP 6541A             |   |   |  | iant: SDS_IT  |
| ersion 1.1 Revision Da      | te 12/04/2015   | Print Date 03/01  | /2016  | SDS No.: BE88   |
|                             | above the ex<br>respirators.  | xposure limit they m  | iust use appr  | opriate certified   |
| Hand protection             |   | that provide therma<br>contact with heated  |  | where there is a  |
| Eye and face protection     | injury or othe  | e goggles should be<br>er irritation to eyes o<br>rom handling this pr  | due to airbori   |   |
| Skin and body protection    | : Wear suitab   | le protective clothing  | g.   |   |
| Hygiene measures            | be based on<br>of the protec<br>performed, of<br>hazards and<br>during use.<br>Use good pe<br>Wash hands<br>facilities. | appropriate persona<br>an evaluation of th<br>stive equipment rela<br>conditions present, of<br>/or potential hazard<br>ersonal hygiene pra-<br>s before eating, drin<br>taminated clothing a | e performane<br>tive to the ta<br>duration of us<br>ls that may b<br>ctices.<br>king, smokin | ce characteristics<br>sk(s) to be<br>se, and the<br>e encountered<br>g, or using toilet |
| Environmental exposure co   | ontrols   |   |  |   |
| General advice              | : See section   | 6.  |  |   |
| Physical and chemical prope |   | properties  |  |   |
| Appearance                  | : Pellets.  |   |  |   |
| Color                       | : Translucent   | to white  |  |   |
| Odor                        | : Slight.   |   |  |   |
| Lower explosion limit       |   | inimum explosive c<br>t varies according to   |  |   |
| Upper explosion limit       | : Note: Not ap  | plicable.   |  |   |
| Flammability (solid, gas)   | : Polymer will  | burn but does not e   | easily ignite.   |   |
| Oxidizing properties        | : Not conside   | red an oxidizing age  | ent.   |   |
| Autoignition temperature    | : > 300 °C  |   |  |   |
| рН                          | : Note: Not ap  | oplicable.  |  |   |
|                             |   |   |  |   |

(+) 188 1699 6168 hongrunplastics.com

according to Regulation (EC) No. 1907/2006

# Purell ACP 6541A

Version 1.1

Revision Date 12/04/2015

Gen. Variant: SDS\_IT Print Date 03/01/2016

71

| SDS | No.: | BE887 |
|-----|------|-------|
|     |      |       |

| Melting point/range                        | : 50 - 170 °C              |
|--|----------------------------|
| Boiling point/boiling range                | : Note: Not applicable.    |
| Vapor pressure                             | : Note: Not applicable.    |
| Density                                    | : <1 g/cm3                 |
| Water solubility                           | : Note: Insoluble.         |
| Partition coefficient: n-<br>octanol/water | : Note: No Data Available. |
| Viscosity, dynamic                         | : Note: Not applicable.    |
| Relative vapor density                     | : Note: Not applicable.    |
| Evaporation rate                           | : Note: Not applicable.    |
| Explosive properties                       | : No Data Available.       |

#### 9.2 Other information

| 10. Stability and reactivity     |  |
|----------------------------------|--|
| 10.1 Reactivity                  |  |
| No known reactivity hazards.     |  |
| 10.2 Chemical stability          |  |
| Stable under normal conditio     | ns.  |
| 10.3 Possibility of hazardous re | actions  |
| Hazardous reactions              | : Will not occur.  |
| 10.4 Conditions to avoid         |  |
| Conditions to avoid              | : Avoid contact with strong oxidizers, excessive heat, sparks or open flame. |
| 10.5 Incompatible materials      |  |
| Materials to avoid               | : Material may be softened by some hydrocarbons.                             |
| 10.6 Hazardous decomposition     | products   |
| Hazardous decomposition products | : Not expected to decompose under normal conditions.                         |
|                                  |  |
|                                  | 8 / 13   |

|   | (+) 188 1699 6168<br>hongrunplastics.com   |                        |  |  |  |
|---|--|------------------------|--|--|--|
| SAFETY DATA SHEET according to Regulation (EC) No.    | 1907/2006  | lyondellbasel          |  |  |  |
| Purell ACP 6541A Gen. Variant: SDS_IT                 |  |                        |  |  |  |
| Version 1.1 Revision Dat                              | te 12/04/2015 Print Date 03/0  | 1/2016 SDS No.: BE8871 |  |  |  |
| Thermal decomposition                                 | : Note: Carbon monoxide, olefin trace amounts of organic acids alcohols may be formed. |                        |  |  |  |
| 11. Toxicological information                         |  |                        |  |  |  |
| 11.1 Information on toxicologica                      | al effects   |                        |  |  |  |
| Acute toxicity  |  |                        |  |  |  |
| Acute oral toxicity                                   | :<br>Not classified  |                        |  |  |  |
| Acute inhalation toxicity                             | : Not classified   |                        |  |  |  |
| Acute dermal toxicity                                 | : Not classified   |                        |  |  |  |
| Skin corrosion/irritation                             | : Not a skin irritant.   |                        |  |  |  |
| Serious eye damage/eye<br>irritation                  | : Not an eye irritant.<br>Mechanical irritation is possible                            | Э.                     |  |  |  |
| Respiratory or skin sensitization                     | : Not classified   |                        |  |  |  |
| Chronic toxicity                                      |  |                        |  |  |  |
| Carcinogenicity                                       | : Not classified   |                        |  |  |  |
| Germ cell mutagenicity                                | : Not classified   |                        |  |  |  |
| Reproductive toxicity                                 |  |                        |  |  |  |
| Effects on fertility /<br>Effects on or via lactation | : Not classified   |                        |  |  |  |
| Effects on Development                                | : Not classified   |                        |  |  |  |
| Target Organ Systemic Tox                             | icant - Single exposure  |                        |  |  |  |
|   | : The substance or mixture is no organ toxicant, single exposure                       |                        |  |  |  |
|   | 9/13   |                        |  |  |  |
|   |  |                        |  |  |  |

| SAFETY DATA SHEET<br>according to Regulation (EC) No. 190                                     | hongrunplastics.com  | lyondellbasell                               |
|---|--|--|
|   | 7/2006   |  |
|   |  |  |
| Purell ACP 6541A  |  | Gen. Variant: SDS_IT                         |
| Version 1.1 Revision Date 12  | 2/04/2015 Print Date 03/0  | 01/2016 SDS No.: BE8871                      |
| Target Organ Systemic Toxicar   | nt - Repeated exposure   |  |
| :   | The substance or mixture is no organ toxicant, repeated expo   |  |
| Aspiration hazard   | Not applicable.  |  |
| 12. Ecological information  |  |  |
| 12.1 Toxicity   |  |  |
| Ecotoxicology Assessment  |  |  |
| Acute aquatic toxicity  | Not classified   |  |
| Chronic aquatic toxicity  | Not classified   |  |
| 12.2 Persistence and degradability  |  |  |
| Biodegradability  | Not expected to be biodegrad   | able.  |
| 12.3 Bioaccumulative potential  |  |  |
| Bioaccumulation   | This material is not expected t  | to bioaccumulate.                            |
| 12.4 Mobility in soil   |  |  |
| Additional advice<br>Environmental fate and<br>pathways<br>12.5 Results of PBT and vPvB asses | This material is not volatile an   | d insoluble in water.                        |
|   | no components considered to b  | e either persistent, bioaccumulative<br>/B). |
| 12.6 Other adverse effects  |  |  |
| Additional ecological :<br>information  | Ecotoxicity is expected to be r<br>solubility of polymers.<br>No data available on this prod<br>other wildlife may eat pellets v<br>intestinal tracts. |  |
|   | 10 / 13  |  |
|   |  |  |

|  | (+)                                   | 188 1699 61        | 68  |  |  |  |
|--|---------------------------------------|--------------------|---|--|--|--|
|  | hor                                   | ngrunplastics.c    | om i i i i i i i i i i i i i i i i i i i    |  |  |  |
| SAFETY DA  | IA SHEE I gulation (EC) No. 1907/2006 |                    | lyondellbasell                              |  |  |  |
|  |                                       |                    |   |  |  |  |
| Purell ACP   |                                       |                    | Gen. Variant: SDS_IT                        |  |  |  |
| Version 1.1  | Revision Date 12/04/201               | 15 Print Dat       | e 03/01/2016 SDS No.: BE8871                |  |  |  |
|  |                                       |                    |   |  |  |  |
|  |                                       |                    |   |  |  |  |
| 13. Disposal cor   | siderations                           |                    |   |  |  |  |
| 13.1 Waste treat   | ment methods                          |                    |   |  |  |  |
| Product  | · All rec                             | overed material sh | ould be packaged, labeled,                  |  |  |  |
| Troduct  |                                       |                    | d of or reclaimed in conformance with       |  |  |  |
|  | applica                               | able laws and regu | lations and in conformance with good        |  |  |  |
|  |                                       |                    | eclaim where possible.                      |  |  |  |
|  | Recyc                                 | le if possible.    |   |  |  |  |
|  |                                       |                    |   |  |  |  |
| 14. Transport in   | formation                             |                    |   |  |  |  |
|  |                                       |                    |   |  |  |  |
| Not regulated for  | transport                             |                    |   |  |  |  |
|  |                                       |                    |   |  |  |  |
| 15. Regulatory in  | nformation                            |                    |   |  |  |  |
| 15.1 Safety, heal  | th and environmental regu             | lations/legislatio | n specific for the substance or mixture     |  |  |  |
|  | •                                     | -                  |   |  |  |  |
|  |                                       |                    |   |  |  |  |
| REACh stat   |                                       |                    |   |  |  |  |
|  |                                       |                    |   |  |  |  |
| If the product has been purchased from any company of the LyondellBasell group of companies registered in the European Union, we confirm that the chemical substance in this product has |                                       |                    |   |  |  |  |
| been pre-registered or, where required under REACh, registered, and that we have the intention   |                                       |                    |   |  |  |  |
| to proceed with any required registration in accordance with the deadlines set forth in REACh.   |                                       |                    |   |  |  |  |
| (Regulati  | on (EU) No. 1907/2006)                |                    |   |  |  |  |
| Other interr   | national regulations                  |                    |   |  |  |  |
| Global Inventory Status  |                                       |                    |   |  |  |  |
| The ingredients of this product are compliant with the following chemical inventory requirements or  |                                       |                    |   |  |  |  |
| exemptions.  |                                       |                    |   |  |  |  |
| *Additional Explanatory Status Statements follow the table, as necessary.  |                                       |                    |   |  |  |  |
| Г  | Country/Region                        | Inventory          | Status Description                          |  |  |  |
|  | Australia                             | AICS               | Compliant                                   |  |  |  |
|  | Canada                                | DSL                | Compliant                                   |  |  |  |
|  | China                                 | IECSC              | Compliant                                   |  |  |  |
|  | Europe                                | REACH<br>ENCS      | See REACH Compliance Statement<br>Compliant |  |  |  |
|  | Japan                                 | LINGO              | oompliant                                   |  |  |  |

KECI

NZIoC

PICCS

TSCA

TCSCA

Compliant

Compliant

Compliant Compliant

Not Determined

Korea

New Zealand

United States of America

Philippines

Taiwan

|   | (+) 188 1699 6168   |                                   |
|---|---|-----------------------------------|
| SAFETY DATA SHEET   | hongrunplastics.com   | lyondellbasell                    |
| according to Regulation (EC) No. 1907/  | 2006  | I I III III                       |
| Purell ACP 6541A  |   | Gen. Variant: SDS_IT              |
| Version 1.1 Revision Date 12/0  | 04/2015 Print Date 03/  | 01/2016 SDS No.: BE8871           |
|   |   |                                   |
|   |   |                                   |
|   |   |                                   |
| 15.2 Chemical Safety Assessment   |   |                                   |
| No information available.   |   |                                   |
| 16. Other information   |   |                                   |
|   |   |                                   |
| Material safety datasheet section<br>Revised Section(s): 1 2 7 8 15   |   | ed:                               |
|   |   |                                   |
| Further information   |   |                                   |
|   | Disclaimer  |                                   |
| Multiple legal entities and registrati shall refer to the shipping documer  |   |                                   |
| This document is generated for the data.  | purpose of distributing healt                                 | th, safety, and environmental     |
| Information is correct to the best of   |   |                                   |
| It is not a specification sheet nor sh<br>Before using a product sold by a co<br>should make their own independer | ompany of the LyondellBasel<br>at determination that the prod | I family of companies, users      |
| use and can be used safely and lease SELLER MAKES NO WARRANTY   | gally.<br>; EXPRESS OR IMPLIED (II                            | NCLUDING ANY WARRANTY             |
| OF MERCHANTABILITY OR FITN<br>WARRANTY) OTHER THAN AS S   | ESS FOR A PARTICULAR F  | PURPOSE OR ANY                    |
| CONTRACT.<br>Users should review the applicable   | e Safety Data Sheet before ha                                 | andling the product.              |
| This product(s) may not be used in<br>approval by Seller for each specific  | the manufacture of any of th                                  |                                   |
| (i) U.S. FDA Class I or II Medical D  | evices; Health Canada Class                                   | s I, II or III Medical Devices;   |
| European Union Class I or II Medic<br>(ii) film, overwrap and/or product pa                                       |   | a part or component of one of the |
| aforementioned medical devices;<br>(iii) packaging in direct contact with   |   |                                   |
| is intended for inhalation, injection,  |   |                                   |
| (skin) administration;<br>(iv) tobacco related products and a   | pplications, electronic cigare                                | ttes and similar devices.         |
| The product(s) may not be used in:  | :   |                                   |
| (i) U.S. FDA Class III Medical Devi<br>Class III Medical Devices;   | ces; Health Canada Class IV                                   | / Medical Devices; European       |
| (ii) applications involving permaner<br>(iii) life-sustaining medical applicati                                   |   |                                   |
|   | 10 1 10   |                                   |
|   | 12 / 13   |                                   |

(+) 188 1699 6168 hongrunplastics.com

according to Regulation (EC) No. 1907/2006

## Purell ACP 6541A

Version 1.1

Revision Date 12/04/2015

Print Date 03/01/2016

SDS No.: BE8871

lvondellbasell

Gen. Variant: SDS IT

#### Disclaimer

All references to U.S. FDA, Health Canada, and European Union regulations include another country's equivalent regulatory classification.

In addition to the above, LyondellBasell may further prohibit or restrict the use of its products in certain applications. For further information, please contact a LyondellBasell representative.

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg. Adflex, Adstif, Adsyl, Akoafloor, Akoalit, Alastian, Alathon, Aquathene, Avant, Catalloy, Clyrell, Dexflex, Flexathene, Hifax, Histif, Hostacom, Hostalen, Indure, Integrate, Koattro, Lucalen, Luflexen, Lupolen, Metocene, Microthene, Moplen, Nexprene, Petrothene, Plexar, Pristene, Pro-Fax, Purell, Sequel, Softell, Starflex, Ultrathene, and Valtec are trademarks owned or used by the LyondellBasell family of companies.