	hongrunplastics.com
SAFETY DATA SHEET	lyondellbase
Koattro KT MR 05	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date 1	0/01/2019 Print Date 12/20/2019 SDS No.: BE153
DENTIFICATION OF THE SUBS	TANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
Trade name CAS Number:	: Koattro KT MR 05 : Mixture
Chemical name	: Compounded polyolefin
Synonyms	: Polyolefin, Compounded polymer
Identified uses	: Manufacture of plastic articles by injection molding, extrusion or other conversion process.
Prohibited uses	: FDA Class III medical devices; European class III medical devices; Health Canada class IV Medical Devices; Applications involving permanent implantation into the body; Life-sustaining medical applications
Company Address Equistar Chemicals, LP LyondellBasell Tower, Suite 30 1221 McKinney St. P.O. Box 2583 Houston Texas 77252-2583	Customer Service 888 777-0232 0 product.safety@lyb.com
Emergency telephone number EQUISTAR 800-245-4532 E-mail address Responsible/issuing person	r : product.safety@lyb.com
. HAZARDS IDENTIFICATION	
GHS Classification	
Combustible dust	
Label elements	
Signal word	: Warning
Hazard Statements	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
Other hazards	

SAFETY DATA SHEET       Senter Variant: SDS_US_GHS         Koattro KT MR 05       Gen. Variant: SDS_US_GHS         Version 1.3       Revision Date 10/01/2019       Print Date 12/20/2019       SDS No.: BE1539         No additional information available.       SCOMPOSITION/INFORMATION ON INGREDIENTS         Mixtures       Components         Components       Weight %         Contains: Stabilizers       Stabilizers         4. FIRST AID MEASURES       : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.         If inhaled       : Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Neep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)         In case of skin contact       : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymery Resuscitation (CPR)         In case of skin contact       : If molten material contacts the skin, skin as this will remove th skin. Obtain immediate emergency medical attention if burn is deep or extensive.		(+) 188 1699 6168		
SAFETY DATA SHEET         Upcode/lbase/ (Costuro KT MR 05         Gen. Variant: SDS_US_GHS           Version 1.3         Revision Date 10/01/2019         Print Date 12/20/2019         SDS No: BE1539           No additional information available.         3. COMPOSITION/INFORMATION ON INGREDIENTS         Mixtures           Components         Chemical name         CAS-No.         Weight %           Proprietary blend of polyolefinic         Mixture         > 90.5 %           Contains:         Stabilizers         Contains: Stabilizers           Contains: Stabilizers           General advice         : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.           If inhaled         :: Remove person to fresh air. If signs/symptoms continue, get medical attention.         In case of skin contact           In case of skin contact         :: If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove th skin.           Obtain immediate emergency medical attention if burn is deep or extensive.         : In case of eye contact         : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 1 minutes.           In case of eye contact         : Flush eyes thoro		hongrunplastics.com		
Version 1.3         Revision Date 10/01/2019         Print Date 12/20/2019         SDS No.: BE1539           No additional information available.         3. COMPOSITION/INFORMATION ON INGREDIENTS           Mixtures         Chemical name         CAS-No.         Weight %           Proprietary blend of polyolefinic         Mixture         > 99.5 %           Contains:         Stabilizers           4. FIRST AID MEASURES         General advice         : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.           If inhaled         : Remove person to fresh air. If signs/symptoms continue, get medical attention.           In case of skin contact         : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove th skin.           Obtain immediate emergency medical attention if durins that sub geep or extensive.         : In case of eye contact           In case of eye contact         : Elush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.           :         In case of eye contact         : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.           :         In case of eye contact         : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.           :         In c	SAFETY DATA SHEET		lyondellbasel	
Version 1.3         Revision Date 10/01/2019         Print Date 12/20/2019         SDS No.: BE1539           No additional information available.         3. COMPOSITION/INFORMATION ON INGREDIENTS         Mixtures           Components         Chemical name         CAS-No.         Weight %           Proprietary blend of polyolefinic         Mixture         > 99.5 %           Contains:         Stabilizers           4. FIRST AID MEASURES         General advice         : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.           If inhaled         : Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of water to cool the affected tissue and polymery Resuscitation (CPR)           In case of skin contact         : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer to not attempt to peel polymer from skin as this will remove th skin. Obtain immediate emergency medical attention if burn is deep or extensive.           In case of eye contact         : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.           In case of eye contact         : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.           In case of eye contact         : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.	Koattro KT MR 05		Gen. Variant: SDS_US_GHS	
3. COMPOSITION/INFORMATION ON INGREDIENTS         Mixtures         Components <ul> <li>Chemical name</li> <li>CAS-No.</li> <li>Weight %</li> <li>Proprietary blend of polyolefinic</li> <li>Mixture</li> <li>99.5 %</li> <li>Stabilizers</li> </ul> <ul> <li>Contains: Stabilizers</li> </ul> <li>FIRST AID MEASURES             <ul> <li>General advice</li> <li>Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.</li> </ul> <ul> <li>If inhaled</li> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Notaein medical attention.</li> <li>Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)</li> </ul>          In case of skin contact              <ul> <li>If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.</li> </ul>          In case of eye contact              <li>Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.</li> <ul> <li>In case of eye contact with molten polymer: Continuously flush eye(s) with cool running w</li></ul></li>		10/01/2019 Print Date 12	/20/2019 SDS No.: BE15398	
Mixtures         Components <ul> <li>Chemical name</li> <li>CAS-No.</li> <li>Weight %</li> <li>Proprietary blend of polyolefinic</li> <li>Mixture</li> <li>99.5 %</li> </ul> Contains:       Stabilizers <ul> <li>FIRST AID MEASURES</li> <li>General advice</li> <li>Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.</li> </ul> If inhaled       : Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)         In case of skin contact       : If motten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove it skin. Obtain immediate emergency medical attention if burn is deep or extensive.         In case of eye contact       : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         : In case of eye contact       : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         : In case of eye contact       : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         : In case of eye contact       : Flush eyes thoroug	No additional information ava	ailable.		
Components         Image: Components       Image: Components         Proprietary blend of polyolefinic       Mixture       > 99.5 %         Proprietary blend of polyolefinic       Mixture       > 99.5 %         Contains:       Stabilizers         If inhaled       : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.         If inhaled       : Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, mowe the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)         In case of skin contact       : If mothen material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove th skin. Obtain immediate emergency medical attention if burn is deep or extensive.         In case of eye contact       : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         :       In case of eye contact       : Flush eyes (boroughly with cool running water for at least 1 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.         If swallowed       : Adverse health effects due to ingestion are not anticipated.	3. COMPOSITION/INFORMATION	ON INGREDIENTS		
Chemical name         CAS-No.         Weight %           Proprietary blend of polyolefinic         Mixture         > 99.5 %           contains:         Stabilizers             4. FIRST AID MEASURES           General advice         : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.           If inhaled         : Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)           In case of skin contact         : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove th skin. Obtain immediate emergency medical attention if burn is deep or extensive.           In case of eye contact         : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.           In case of eye contact         : Flush eyes thoroughly with molten polymer: Continuously flush eye(s) with cool running water for at least 1 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.           If swallowed         : Adverse health effects due to ingestion are not anticipated.	Mixtures			
Proprietary blend of polyolefinic       Mixture       > 99.5 %         contains:       Stabilizers <b>4. FIRST AID MEASURES</b> General advice       :       Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.         If inhaled       :       Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. In case of skin contact         In case of skin contact       :       If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove th skin. Obtain immediate emergency medical attention if burn is deep or extensive.         In case of eye contact       :       Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         In case of eye contact       :       Flush eyes thoroughly with cool running water for at least 1 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.         If swallowed       :       Adverse health effects due to ingestion are not anticipated.	Components			
polymers         Contains: Stabilizers         4. FIRST AID MEASURES         General advice       : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.         If inhaled       : Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)         In case of skin contact       : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove the skin. Obtain immediate emergency medical attention if burn is deep or extensive.         In case of eye contact       : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         In case of eye contact       : Flush eyes thoroughly with molten polymer: Continuously flush eye(s) with cool running water for at least 1 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.         If swallowed       : Adverse health effects due to ingestion are not anticipated.	Chemical name	CAS-No.	Weight %	
4. FIRST AID MEASURES         General advice       : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.         If inhaled       : Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of tumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)         In case of skin contact       : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove th skin. Obtain immediate emergency medical attention if burn is deep or extensive.         In case of eye contact       : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         In case of eye contact       : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 1 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.         If swallowed       : Adverse health effects due to ingestion are not anticipated.		Mixture	> 99.5 %	
General advice       : Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid.         If inhaled       : Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)         In case of skin contact       : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove th skin. Obtain immediate emergency medical attention if burn is deep or extensive.         In case of eye contact       : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         In case of eye contact       : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 1 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.         If swallowed       : Adverse health effects due to ingestion are not anticipated.	Contains: Stabilizers			
before attempting rescue and providing first aid.         If inhaled       : Remove person to fresh air. If signs/symptoms continue, get medical attention. In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention. Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)         In case of skin contact       : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove th skin. Obtain immediate emergency medical attention if burn is deep or extensive.         In case of eye contact       : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         In case of eye contact       : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 1 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.         If swallowed       : Adverse health effects due to ingestion are not anticipated.	4. FIRST AID MEASURES			
medical attention.       In case of excessive inhalation of fumes that may be generated during heating of this material, move the person to fresh air. Obtain medical attention.         Keep person warm, if necessary give Cardio-Pulmonary Resuscitation (CPR)         In case of skin contact       : If molten material contacts the skin, immediately flush with large amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove th skin.         Obtain immediate emergency medical attention if burn is deep or extensive.         In case of eye contact       : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         : In case of eye contact       : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 1 minutes.         Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s).       Immediately seek medical attention.         If swallowed       : Adverse health effects due to ingestion are not anticipated.	General advice			
Iarge amounts of water to cool the affected tissue and polymer Do not attempt to peel polymer from skin as this will remove the skin.         Obtain immediate emergency medical attention if burn is deep or extensive.         In case of eye contact       : Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.         : In case of eye contact with molten polymer:       Continuously flush eye(s) with cool running water for at least 1 minutes.         Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s).       Immediately seek medical attention.         If swallowed       : Adverse health effects due to ingestion are not anticipated.	If inhaled	medical attention. In case of excessive inhal during heating of this mate Obtain medical attention. Keep person warm, if nec	ation of fumes that may be generated erial, move the person to fresh air.	
medical attention if discomfort persists.         : In case of eye contact with molten polymer: Continuously flush eye(s) with cool running water for at least 1 minutes. Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s). Immediately seek medical attention.         If swallowed       : Adverse health effects due to ingestion are not anticipated.	In case of skin contact	large amounts of water to Do not attempt to peel pol skin. Obtain immediate emerge	cool the affected tissue and polymer. ymer from skin as this will remove the	
Continuously flush eye(s) with cool running water for at least 1 minutes.         Beyond flushing, DO NOT attempt to remove the material adherent to the eye(s).         Immediately seek medical attention.         If swallowed       : Adverse health effects due to ingestion are not anticipated.	In case of eye contact	: Flush eyes thoroughly with water for several minutes and seek medical attention if discomfort persists.		
		Continuously flush eye(s) minutes. Beyond flushing, DO NOT adherent to the eye(s).	with cool running water for at least 15 attempt to remove the material	
2 / 13	If swallowed	: Adverse health effects due	e to ingestion are not anticipated.	
		2 / 13		

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbase
Koattro KT MR 05	Gen. Variant: SDS_US_GH
Version 1.3 Revision Date	10/01/2019 Print Date 12/20/2019 SDS No.: BE153
Notes to physician	
Symptoms	: Inhalation of process fumes and vapors may cause soreness the nose and throat and coughing.
Hazards	: Dust contact with the eyes can lead to mechanical irritation. Molten polymer may cause thermal burns.
Treatment	: Treatment of overexposure should be directed at the control symptoms and the clinical condition of the patient.
FIRE-FIGHTING MEASURES Suitable extinguishing media	: SMALL FIRE:
	<ul><li>Use dry chemical, CO2, or water spray.</li><li>: LARGE FIRES: Use water spray hose nozzles from a safe location.</li></ul>
Unsuitable extinguishing	: None known.
media Specific hazards during fire fighting	: Keep away from heat and sources of ignition.
ngining	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbor
	produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).
Special protective equipment for fire-fighters	produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbo
Special protective equipment	<ul><li>produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).</li><li>: Wear approved positive pressure self-contained breathing</li></ul>
Special protective equipment for fire-fighters	<ul> <li>produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).</li> <li>Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.</li> <li>Combustible particulate solid, will decompose under fire conditions. Calorific Value: 8000 - 11000 kcal/kg Fight fire from safe distance with hose lines or monitor nozzle</li> </ul>
Special protective equipment for fire-fighters	<ul> <li>produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).</li> <li>Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.</li> <li>Combustible particulate solid, will decompose under fire conditions.</li> <li>Calorific Value: 8000 - 11000 kcal/kg</li> <li>Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors.</li> <li>Move containers from fire area if it can be done without risk.</li> <li>Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of containe Always stay away from tanks engulfed in fire.</li> <li>Do not attempt to get on top of storage containers involved in fire.</li> <li>Cool storage containers with large volumes of water even affective.</li> </ul>
Special protective equipment for fire-fighters	<ul> <li>produced such as: Carbon monoxide, carbon dioxide and unburned hydrocarbon (smoke).</li> <li>Wear approved positive pressure self-contained breathing apparatus and firefighter protective clothing.</li> <li>Combustible particulate solid, will decompose under fire conditions.</li> <li>Calorific Value: 8000 - 11000 kcal/kg</li> <li>Fight fire from safe distance with hose lines or monitor nozzle Heat from fire may melt, decompose polymer, and generate flammable vapors.</li> <li>Move containers from fire area if it can be done without risk.</li> <li>Evacuate immediately in the event of opening of storage container pressure relief devices or discoloration of containe Always stay away from tanks engulfed in fire.</li> <li>Do not attempt to get on top of storage containers involved in fire.</li> </ul>

SAFETY DATA SHEET Koattro KT MR 05 /ersion 1.3 Revision Date 10	Gen. Variant: SDS_US_GHS 0/01/2019 Print Date 12/20/2019 SDS No.: BE153
Version 1.3 Revision Date 1	0/01/2019 Print Date 12/20/2019 SDS No.: BE153
ACCIDENTAL RELEASE MEASU	RES
Personal precautions	<ul> <li>Equip responders with proper protection. Creates dangerous slipping hazard on any hard smooth surface.</li> <li>Equip emergency responders with proper personal protective equipment (PPE) Avoid generating dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Potential combustible dust hazard. Polymer particles create slipping hazard on hard smooth surfaces.</li> </ul>
Environmental precautions	: Do not flush into surface water or sanitary sewer system.
Methods for containment / Methods for cleaning up	<ul> <li>On land, sweep/shovel into suitable disposal containers or vacuum using equipment which avoids ignition risk. On water, material is insoluble; collect and contain as any solid.</li> <li>All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible.</li> </ul>
Handling and storage	
Precautions for safe handling	
Advice on safe handling	<ul> <li>Material is in a pellet form.</li> <li>If converted to small particles during further processing, handling, or by other means, may form combustible dust concentrations in air.</li> <li>Avoid dust accumulation in enclosed space.</li> <li>Use dust collection systems designed per NFPA 654 to avoid dust accumulation.</li> <li>Avoid generating dust; fine dust suspended in air and in the presence of an ignition source is a potential dust explosion hazard.</li> <li>Static discharge (spark), or other ignition sources, in high dust environments may ignite the dust and result in a dust explosion</li> <li>Electrostatic charge may build during conveying or handling.</li> <li>Equipment handling polymer should be conductive and</li> </ul>
	4 / 13

		hongrun	plastics.com		
SAFETY DATA S				I I	ellbasell
Koattro KT MR Version 1.3 Re	05 evision Date 10	04/0040	Print Date 12/2		SDS_US_GHS DS No.: BE15398
		grounded Metal cont should be All electric codes and combustibl After hand water.	(earthed) and bon ainers involved ir grounded and bo al equipment sho regulatory requir le dusts. ling, always wash	nded. h the transfer of this onded. ould conform to app rements for areas h h hands thoroughly	s material licable electric landling with soap and
		may develo section 10 Refer to N Dust Explo	FPA 654, Standa bosions from the M	to processing temp e in the exhaust ver and for the Preventio lanufacturing, Proc articulate Solids, for	ntilation. See n of Fire and essing, and
Fire-fighting class	:	Polymer w	ill burn but does	not easily ignite.	
Conditions for sa			-	es	
Requirements for sareas and containe		Use good and handlin should be Store away oxidizing a Keep conta	ng. Process encl used to avoid ex y from excessive agents. ainer closed to pr	actices during stora losures and adequa cessive dust accum heat and away fror revent contaminatio the build up of elect	te ventilation nulation. m strong on.
Specific end use(	,	See Sectio	on 1.		
8. EXPOSURE CONTR Control parameters Ingredients with					
Occupational Exp	osure Limits				
Components	CAS-No.	Туре	Limit Value	Basis Revision Date	Additional Information
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	10 mg/m3 inhalable	US (ACGIH) 2005	Information
		F	/ 10		
		5	5 / 13		

		hongrun	plastics.com		
SAFETY DATA	SHEET		<u> </u>	lyond	ellbasell
Koattro KT N	IR 05			Gen. Variant	: SDS_US_GHS
Version 1.3	Revision Date	10/01/2019	Print Date 12	2/20/2019 S	DS No.: BE15398
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust Materials that can be formed when handling this		TWA	3 mg/m3 respirable 15 mg/m3 total dust	US (ACGIH) 2005 US (OSHA) 2005	
product: Non- specified (inert or nuisance) dust					
Materials that can be formed when handling this product: Non- specified (inert or nuisance) dust		TWA	5 mg/m3 respirable	US (OSHA) 2005	

Consult local authorities for acceptable exposure limits.

### **Exposure controls**

#### Engineering measures

Follow the recommendations in NFPA 654 (as amended and adopted) for equipment used to handle this product.

Engineering controls, i.e. enclosed systems, should be used whenever feasible to maintain exposures below acceptable criteria. When such controls are not feasible, or sufficient to achieve full conformance, other engineering controls such as local exhaust ventilation should be used. Equipment and vessels handling combustible dust from this material should be designed to either prevent dust explosions (inerting) or safely vent dust explosions per NFPA 654 Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

### Personal protective equipment

Respiratory protection	<ul> <li>Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits.</li> <li>When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.</li> <li>Use appropriate respiratory protection where atmosphere exceeds recommended limits.</li> <li>Where workers could be exposed to dust concentrations above the exposure limit they must use appropriate certified respirators.</li> </ul>
Hand protection	: Wear gloves that provide thermal protection where there is a potential for contact with heated material.
Eye and face protection	: Dust service goggles should be worn to prevent mechanical
	6 / 13

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbase
Koattro KT MR 05	Gen. Variant: SDS_US_GHS
/ersion 1.3 Revision Date	e 10/01/2019 Print Date 12/20/2019 SDS No.: BE1539
	injury or other irritation to eyes due to airborne particles which may result from handling this product.
Skin and body protection	: Wear suitable protective clothing.
Hygiene measures	<ul> <li>Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered during use.</li> <li>Use good personal hygiene practices.</li> <li>Wash hands before eating, drinking, smoking, or using toilet facilities.</li> <li>Take off contaminated clothing and wash before reuse.</li> </ul>
PHYSICAL AND CHEMICAL P Appearance	: Pellets.
Color	: Translucent to white
Odor	: Slight.
Odor Threshold	: No value available.
Flash point	: No Data Available.
Lower explosion limit	: The minimum explosive concentration (MEC) for polymer due varies according to particle size distribution.
Upper explosion limit	: Not applicable.
Flammability (solid, gas)	: Polymer will burn but does not easily ignite.
Oxidizing properties	: Not considered an oxidizing agent.
Autoignition temperature	: > 300 °C
Decomposition temperature	: not determined
Melting point/range	: 50 - 170 °C
Boiling point/boiling range	: Not applicable.
Vapor pressure	: Not applicable.
Density	: <1 g/cm3
Water solubility	: Insoluble.
	7 / 13

	hongrunplastics.com
SAFETY DATA SHEET	
	lyondellbase
Koattro KT MR 05	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date	e 10/01/2019 Print Date 12/20/2019 SDS No.: BE153
Partition coefficient: n- octanol/water	: No Data Available.
Viscosity, dynamic	: Not applicable.
Relative vapor density	: Not applicable.
Evaporation rate	: Not applicable.
Explosive properties	: No Data Available.
Other Information	: No additional information available.
0. STABILITY AND REACTIVITY	<i>,</i>
Reactivity	: No known reactivity hazards.
Chemical stability	: Stable under normal conditions.
Hazardous reactions	: Will not occur.
Conditions to avoid	: Avoid contact with strong oxidizers, excessive heat, sparks or open flame.
Materials to avoid	: Material may be softened by some hydrocarbons.
Hazardous decomposition products	: Not expected to decompose under normal conditions.
Thermal decomposition	: Carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.
1. TOXICOLOGICAL INFORMAT	ΓΙΟΝ
Acute toxicity	
Acute oral toxicity	: Not classified
Acute inhalation toxicity	: Not classified
Acute dermal toxicity	: Not classified
Skin corrosion/irritation	: Not a skin irritant.
Serious eye damage/eye irritation	: Not an eye irritant. Mechanical irritation is possible.
	8 / 13

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbasell
Koattro KT MR 05	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date 1	10/01/2019 Print Date 12/20/2019 SDS No.: BE15398
Respiratory or skin	: Not classified
sensitization	
Chronic toxicity	
Carcinogenicity	: Not classified
	Not classified Not listed by IARC, NTP, OSHA or EPA.
Germ cell mutagenicity	: Not classified
Reproductive toxicity	
Effects on fertility / Effects on or via lactation	: Not classified
Effects on Development	: Not classified
Target Organ Systemic Toxicant - Single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
Target Organ Systemic Toxicant - Repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard	: Not applicable.
12. Ecological information	
Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: Not classified
Long-term (chronic) aquatic hazard	: Not classified
Persistence and degradability	
Biodegradability	: Not expected to be biodegradable.
	9 / 13

	hongrunplastics.com
SAFETY DATA SHEET	lyondellbasell
Koattro KT MR 05	Gen. Variant: SDS_US_GHS
Version 1.3 Revision Date 1	0/01/2019 Print Date 12/20/2019 SDS No.: BE15398
Bioaccumulative potential	
Bioaccumulation	: This material is not expected to bioaccumulate.
Mobility in soil	
Mobility	: no data available
Other adverse effects	
pathways	: This material is not volatile and insoluble in water.
Other information	
Additional ecological information	<ul> <li>Ecotoxicity is expected to be minimal based on the low water solubility of polymers.</li> <li>No data available on this product. However, birds, fish and other wildlife may eat pellets which may obstruct their intestinal tracts.</li> </ul>
13. Disposal considerations Waste treatment methods Product	· All recovered material should be packaged labeled
Floduct	: All recovered material should be packaged, labeled, transported and disposed of or reclaimed in conformance with applicable laws and regulations and in conformance with good engineering practices. Reclaim where possible. Recycle if possible.
	: This material is classified as a Non-hazardous Material by RCRA.
14. TRANSPORT INFORMATION	
Not regulated for transport	
	10 / 13

# SAFETY DATA SHEET

## Koattro KT MR 05

Version 1.3

Revision Date 10/01/2019

Print Date 12/20/2019

Gen. Variant: SDS US GHS

Iyondellbase ....

SDS No.: BE15398

## **15. REGULATORY INFORMATION**

## TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

### Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

### SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

### SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Combustible dust

### **SARA 313**

Know Act.

This product contains no known chemicals regulated under SARA 313.

### State Reporting

This material does not contain listed substance(s) known to the State of California to cause cancer, birth defects, or other reproductive harm that would require warning under the California Proposition 65 State Drinking Water and Toxic Enforcement Act. However, LyondellBasell has not tested for the presence of listed chemical substances.

This product contains no known chemicals regulated by New Jersey's Worker and Community Right to

No components are subject to the Massachusetts Right to Know Act.

This product contains no known chemicals regulated by Pennsylvania's Right to Know Act.

### Other international regulations

#### **Global Inventory Status**

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

\*Additional Explanatory Status Statements follow the table, as necessary.

Country/Region	Inventory	Status Description	
Australia	AICS	Compliant	
	11 / 1	3	

		hongrunp	lastics.com	
SAFE	TY DATA SHEET			lyondellbase
Koat	tro KT MR 05			Gen. Variant: SDS_US_GHS
/ersior		+ 10/01/2019	Print Date 12	
	Canada	DSL	Complia	ant
	China	IECSC	Complia	
	Europe	REACH		ACH Compliance Statement
	Japan	ENCS	Complia	
	Korea	KECI	Complia	
	New Zealand	NZIOC	Complia	
	Philippines United States of America	PICCS TSCA	Complia	
	Taiwan	TCSCA	Complia Complia	
	Taiwan	TOOOR	Compila	
ontact	product.safety@lyb.com fo	or additional glob	al inventory in	oformation.
	product.safety@lyb.com fo	or additional glob	al inventory in	oformation.
6. OTH				
5. OTH Ma	IER INFORMATION			
6. OTH Ma Re	IER INFORMATION		ave been upo d: 0 1	
6. OTH Ma Re HM	IER INFORMATION Iterial safety datasheet se vised Section(s): 15 16	ections which h : Health Hazard Flammability:	ave been upd d: 0 1 ards: 0 d: 0	dated:
5. OTH Ma Re HM	IER INFORMATION Interial safety datasheet servised Section(s): 15 16	ections which h : Health Hazard Flammability: Physical hazard : Health Hazard Fire Hazard:	ave been upd d: 0 1 ards: 0 d: 0	dated:
6. OTH Ma Re HM NFI	IER INFORMATION Interial safety datasheet servised Section(s): 15 16 IIS Classification PA Classification	<ul> <li>ections which h</li> <li>Health Hazard Flammability: Physical hazard</li> <li>Health Hazard Fire Hazard: Instability: 0</li> </ul>	ave been upd d: 0 1 ards: 0 d: 0 1	dated:

(+)	188	1699	6168
hong	grun	plastic	s.com

SAFETY	DATA	SHEET

## Koattro KT MR 05

Version 1.3

Revision Date 10/01/2019

Print Date 12/20/2019

Gen. Variant: SDS\_US\_GHS 19 SDS No.: BE15398

ondellbase

....

## Disclaimer

Information in this document is accurate to the best of our knowledge at the date of publication. The document is designed to provide users general information for safe handling, use, processing, storage, transportation, disposal and release and does not constitute any warranty or quality specification, either express or implied, including any warranty of merchantability or fitness for any particular purpose. Users shall determine whether the product is suitable for their use and can be used safely and legally.

In addition to any prohibitions of use specifically noted in this document, LyondellBasell may further prohibit or restrict the sale of its products into certain applications. For further information, please contact a LyondellBasell representative or visit the LyondellBasell website at: https://www.lyondellbasell.com/en/products-technology/product-safety-stewardship/ The Trade Name referenced in section 1 is a trademark owned or used by the LyondellBasell family of companies.

#### Numerical Data Presentation

The presentation of numerical data, such as that used for physical and chemical properties and toxicological values, is expressed using a comma (,) to separate digits into groups of three and a period (.) as the decimal marker. For example, 1,234.56 mg/kg = 1 234,56 mg/kg.

#### Language Translations

The information presented in this document has been translated from English by a vendor LyondellBasell believes to be reliable. LyondellBasell and its vendor have made a good-faith effort to verify the accuracy of the translation, but assume no liability or other responsibility for any errors that may have occurred. Please refer to our web site (www.lyondellbasell.com) for the original document written in English.

### End of Material Safety Data Sheet