



SOLVAY

asking more from chemistry®



PROTECT

FIRE
PROTECTION
by **TECHNYL**®



FIRE PROTECTION by **TECHNYL**[®]

PROTECTING PEOPLE

There's no room for risk when it comes to fire protection and safety in electrical and electronic products. To serve this critical sector, Solvay Engineering Plastics has developed a complete range of polyamide flame-retardant solutions for applications ranging from construction, lighting, and renewable energies, to electronic consumer goods, household appliances, transport, and more.

With unparalleled electrical performance, molding options, and mechanical strength, Technyl[®] halogen-free polyamides have demonstrated their value in a world impacted by increasingly demanding safety standards.

Technyl[®] combines functional efficiency with aesthetic qualities, integrating Solvay's technical expertise and local presence worldwide with an innovative approach that meets the customer's requirements.

MOVING TOWARDS A SAFER WORLD

Market leaders today continue to develop smaller and more complex parts to support product miniaturization and multi-functionality. To satisfy this requirement, the materials used must offer high temperature resistance and efficient flame retardancy.

The use of polyamide in electrical and electronic equipment has increased consistently, benefiting from strong demand and substitution of metal and thermosets. Technyl[®] materials are now present in nearly every household, in applications from mixers to washing machines, and in industrial devices such as connectors, contactors, circuit breakers, switches, and more.


Moving forward in a safer world also means working diligently for a cleaner environment. With its Technyl[®] halogen-free polyamides, Solvay Engineering Plastics reaches beyond industry standards and strict regulatory requirements to proactively reduce ecological impact and anticipate change.

FOUR STEPS FOR SUCCESS

PRELIMINARY MATERIALS SELECTION

01

Our technical teams work closely with your development teams, offering their expertise early on in your projects to best meet the fire resistance requirements of your products.



Our technical teams are at your service with advanced design capabilities, notably leveraging MMI Technyl® Design predictive simulation tools and services for modeling the behavior of thermoplastic parts. In addition, Sinterline™ Technyl® Powders for your 3D prototyping needs achieve cost efficiency and optimizes development time.

DESIGN SIMULATION & PROTOTYPING

02

CERTIFICATION

03

Solvay Engineering Plastics offers UL-certified testing in-house (UL 746A in France and China), with technical teams ready to share their experience and expertise, and help you obtain the best material certifications.



By providing local support around the world, our experts help all customers meet their own specific requirements. Leveraging a global network, these dedicated teams offer adapted range of products and services.

CUSTOMER SUPPORT

04

REASONS TO CALL THE TECHNLYL® FORCE

**PERFORM
TO HIGH SAFETY
STANDARDS**



Bus seat made of Technyl®

Technyl® satisfies the strictest regulations driving the electrical equipment market, notably UL and IEC certification, Fire and Fume certification, and requirements such as UL 5VA and f1 rating for photovoltaic applications. We offer in-house UL testing and certification services in both Europe (France) and Asia (China).




**ENJOY HIGH
PERFORMANCE**



Mini circuit breaker made of Technyl®

Technyl® materials combine optimum mechanical and electrical usage properties with superior flowability. This enables manufacturers to create smaller and more complex parts while pursuing product miniaturization.

⁽¹⁾ HDT: Heat Deflection Temperature, ⁽²⁾ GW: Glow Wire, ⁽³⁾ UL 94: Flame test, ⁽⁴⁾ CTI: Current Tracking Index, ⁽⁵⁾ RTI: Relative Thermal Index




**PRODUCE
EFFICIENTLY**



Connectors made of TechnylStar®

Our halogen-free polyamides are developed to be less corrosive than traditional fire resistant materials, which increases production equipment lifetimes. The high flow TechnylStar® features high fluidity even at low temperature to further reduce cycle time and machine wear.

**DECREASED CYCLE TIME
FOR SMALL APPLIANCE PARTS**



**RESPECT
THE
ENVIRONMENT**



LED housing made of TechnylStar® LED

Technyl® products comply with both directives regulating environmental waste management for the appliance market in Europe: RoHS¹ 2002/95/CE and WEEE² 2002/96/CE. Solvay performs detailed life cycle analysis with clients to evaluate and optimize their products' environmental impact.



¹ Restrictions on using certain Hazardous Substances; ² Waste management of Electrical and Electronic Equipment.

INNOVATION IN ACTION

TECHNYL® ONE

Technyl® One is a new polymer technology patented by Solvay that effectively yields high temperature performance while offering distinct advantages to avoid tool corrosion and increase processing stability.

Main benefits for customers

- Market-leading electrical performance
- Performance processing even at low temperatures
- Low corrosion for tools and injection equipment


Product properties

- Yellow card available with the highest RTI rating at 150°C, at 0.4mm wall thickness
- High fire rating class: UL94 at 0.4mm, 600V CTI, GWFI 960°C at 0.8mm
- 30% higher dimensional stability than standard polyamide due to significantly enhanced moisture resistance
- Excellent surface aspect, even for 50% glass fiber reinforced materials
- Specific color tailoring upon request


Applications

Electrical protection devices requiring product miniaturization and multi-functionality such as high-range miniature circuit breakers (MCB), molded case circuit breakers (MCCB), contactors, and all applications that require high electrical performance.

THE MOST EFFECTIVE COMPROMISE BETWEEN MELT & WORKING TEMPERATURE




LOW PROCESSING EQUIPMENT CORROSION



STRENGTH FROM THE INSIDE

MECHANICAL STRENGTH





Solvay Engineering Plastics

Worldwide Headquarters
190 avenue Thiers
69457 Lyon Cedex 06
France
T: +33 (0)4 37 24 88 88

SOLVAY ENGINEERING PLASTICS WORLDWIDE

France

Regional Center Europe, Middle-East & Africa

Avenue Ramboz - BP 103
69192 Saint-Fons Cedex
T: +33 (0)4 72 89 27 00
technyl-emea@solvay.com

Germany

Engesserstraße. 8
D-79108 Freiburg
T: +49 (0)761 511 3955
technyl-emea@solvay.com

Italy

via Milano 78/80
20021 Ospiate di Bollate (MI)
T: +39 02 38 33 41
technyl-emea@solvay.com

Poland

Ul. Walczaka 25
66-407 Gorzów Wlkp
T: + 48 (0)95 733 26 00
technyl-emea@solvay.com

Brazil

Regional Center South America

Estrada Galvão Bueno, 5505
Bairro Batistini
09842-080 - São Bernardo do Campo (SP)
T: +55 11 4358-7777
technyl-americas@solvay.com

United States

Regional Center North America

8 Cedar Brook Drive
Cranbury, NJ 08512
T: +1 609 860 4001
technyl-americas@solvay.com

China

Regional Center Asia-Pacific

3966 Jin Du Road
Xin Zhuang Industrial Zone
Minhang District
201108 Shanghai
T: +86 (0)21 54 83 17 32
technyl-apac@solvay.com

India

Phoenix House
A Wing, 4th Floor, 462, S. B. Marg
Lower Parel (W)
Mumbai 400013
F: +91 22 24 95 28 34
technyl-apac@solvay.com

Korea

4th FL., Poonglim Bldg.
823 Yeoksam-Dong, Gangnam-Gu
Seoul 135784
T: + 82 (0)2 21 86 25 10
technyl-apac@solvay.com

www.solvay.com
www.technyl.com



The information contained in this document is supplied in good faith. However it is given as an indication. It shall not be construed in any way as a formal commitment or warranty on our part, notably in respect of the eventual infringement of any rights of third parties who may use our products. Solvay disclaims any warranty of fitness for use or for a particular purpose. These indications must not, in any case, be substituted for the preliminary tests which are indispensable, in order to determine the suitability of the product for each particular case. Technyl® is a trade mark registered by Solvay S.A.