

# Technical Data Sheet

## Admex™ 525 Polymeric Plasticizer

### Applications

- General industrial coatings
- Paints & coatings
- Upholstery

### Product Description

Admex™ 525 is a low molecular weight, polymeric plasticizer. It is characterized by a mild ester odor and light color. It possesses low viscosity with a desirable ratio of cost/permanence.

### Typical Properties

Property	Typical Value, Units
<b>General</b>	
Acid Number	3 max.
Color Pt-Co	100-400
Refractive Index @ 25°C	1.46
Specific Gravity @ 20°C/20°C	1.05
Boiling Point	> 424 °F (>218 °C)
Flash Point Setaflash Closed Cup	311 °F (155 °C)
Pour Point	16 °F (-9 °C)
Vapor Pressure @ 20°C	0.001 torr (<0.13 Pa)
Viscosity @ 25°C	325-425 cP (325-425 mPa·s)
@ 75°C	50 cP
Wt/Vol @ 20°C	8.76 lb/gal (1.05 kg/L)

### Comments

Properties reported here are typical of average lots. Eastman makes no representation that the material in any particular shipment will conform exactly to the values given.

*Eastman and its marketing affiliates shall not be responsible for the use of this information, or of any product, method, or apparatus mentioned, and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. No warranty is made of the merchantability of fitness of any product, and nothing herein waives any of the Seller's conditions of sale.*