



Technical Data Sheet Dimethylamino-2-propanol

Chemical Synonym

Dimethylamino-2-propanol; 2-Propanol, 1-(dimethylamino); DMA 2P

Applications

- Energy production & efficiency
- Inks
- Lubricants
- Paints & coatings
- Pharmaceutical chemicals
- Water treatment industrial

Product Description

Dimethylamino-2-propanol (DMA 2P) is available as a colorless liquid with an ammoniacal odor. DMA 2P has the lowest boiling point of any available alkanolamine.

DMA 2P is used as neutralizing agent in both cooling and boiler water. This product has the lowest boiling point of any available alkanolamine, it tends to be used where a significant presence of amine in the gas phase is required.

DMA 2P is also used as a precursor in the pharmaceutical industry.

Typical Properties

Property	Typical Value, Units	
General		
Molecular Formula	(CH ₃₎₂ NCH ₂ CH(OH)CH ₃	
Molecular Weight	103.2 g/mol	
Autoignition Temperature	225 °C	
Boiling Point	121-127 °C	
Coefficient of cubical expansion	0.00109/ °C	
Density		
@ 20°C	0.86 g/cm ³	
Flash Point		
Closed Cup	28 °C	
Freezing Point	-85 °C	
рН		
(0.01% solution)	12.1	
Refractive Index		
@ 20°C	1.42	
Vapor Density	0.85 g/cm ³	
Vapor Pressure		
@ 20°C	10.67 hPa	
Viscosity		

@ 20°C	1.5 mPa⋅s
Water solubility	Miscible

Packaging

- Bulk
- Plastic drums (175 kg net)

Eastman and its marketing affiliates shall not be responsible for the use of this information, or of any product, method, or apparatus mentioned, and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. No warranty is made of the merchantability of fitness of any product, and nothing herein waives any of the Seller's conditions of sale.

2/28/2018 11:35:39 AM

© 2019 Eastman Chemical Company or its subsidiaries. All rights reserved. As used herein, ® denotes registered trademark status in the U.S. only.