

Technical Data Sheet

Eastman™ Isobutyric Anhydride, Kosher

Applications

- Lubricants

Product Description

Eastman™ Isobutyric Anhydride ($[(CH_3)_2CHCO]_2O$) is a liquid with a boiling range of 180-187° C. It is used primarily in chemical processing and as a chemical intermediate. Eastman™ Isobutyric Anhydride is also available as a kosher product. All kosher products produced by Eastman™ are manufactured under rabbinical supervision in full accordance with Jewish dietary law.

Typical Properties

Property	Typical Value, Units
General	
Molecular Weight	158.22
Empirical Formula	$C_8H_{14}O_3$
Specific Gravity @ 20°C/20°C	0.95
Wt/Vol @ 20°C	0.95 kg/L (7.94 lb/gal)
Color Pt-Co	10 max.
Boiling Point	182.5 °C (360.5 °F)
Freezing Point	-53.5 °C (-64.3 °F)
Vapor Pressure @ 20°C	0.5 mm Hg
Refractive Index	1.4 n(25°C/D)
Viscosity @ 25°C	1.18 cP
Coefficient of Expansion @ 20°C	0.000886
Solubility in Water, @ 25°C	Decomposes
Water In, @ 25°C	Decomposes
Flash Point Tag Closed Cup	67 °C (153 °F)
Tag Open Cup	72 °C (161 °F)
Fire Point	74 °C (166 °F)
Autoignition Temperature	329 °C (625 °F)
Flammability Limits Lower	57.1 mg/L
Upper	369 mg/L
Form	Liquid
Assay	99 wt %

Comments

Properties reported here are typical of average lots. Eastman makes no representation that the material in any particular shipment will conform exactly to the values given.

Eastman and its marketing affiliates shall not be responsible for the use of this information, or of any product, method, or apparatus mentioned, and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. No warranty is made of the merchantability of fitness of any product, and nothing herein waives any of the Seller's conditions of sale.

2/28/2018 11:35:39 AM

© 2019 Eastman Chemical Company or its subsidiaries. All rights reserved. As used herein, ® denotes registered trademark status in the U.S. only.