



#### **Chemical Synonym**

Thiram Granuflo Agricultural Fungicide, Taminco Thiram 75 WP Wettable Powder Fungicide, Granuflo-T, Tetramethylthiuram disulfide, Bis (dimethyldithiocarbamoyl) disulfide, Thiuram

### **Applications**

• Fungicides

## **Product Description**

Thiram 75 WG is formulated as water-dispersible granules using GRANUFLO® process. GRANUFLO® formulations have the following advantages:

- the spherical granules are virtually dust-free, owing to their mechanical strength;
- they can be measured like a liquid and disperse rapidly in water without foaming;
- the formulations are not sensitive to frost and do not contain solvent.

The rigid cardboard packing, which can be printed with the customer's trademark, is easy to store and handle, can be emptied completely and is easy to destroy.

The principle applications of Thiram 75 WG include:

- Fungicide for crop protection: fruit trees and berries, vineyards, vegetables, market gardening, ornamental plants and flowers.
- Fungicide for seed dressing.
- Repellent to protect seeds and crops from being eaten by birds, small mammals, rabbits and game (deer, hares).

Thiram controls among others the following diseases:

- <u>Pit fruits</u>: Venturia (scab), Monilia (brown rot), Stemphylium (brown spot of pears), Botrytis Gloeosporium (bitter rot), Alternaria.
- <u>Stone fruits</u>: *Taphrina* (leaf curl), *Coryneum* (shot holes) *Monilia*.
- <u>Strawberry</u>: Botrytis, Colletotrichum (black spots) and Phytophtora
- Banana: Mycosphaerella (sigatoka disease)
- Vegetables: Botrytis, Colletotrichum (anthracnose), Septoria, Plasmodiophora, Rhizoctonia.
- Grapes: Botrytis, Anthracnosis.
- Seeds: Pythium, Fusarium, Rhizoctonia, Alternaria, Septoria, Phoma.

For authorized crop protection uses, please refer to the registrations in your country.

Thiram is compatible with IPM (Integrated Pest Management) programs, as it is neutral to beneficial insects and Typhlodromus.

Thiram is not phytotoxic.

Not all uses and/or products are registered in all countries/regions. Please contact your local Customer Service Representative for availability in your region.

# **Typical Properties**

PDF

Property	Typical Value, Units	
General		
Molecular Formula	$C_6H_{12}N_2S_4$	
Molecular Weight	240.4	
Melting Point <sup>a</sup>	150 °C	
Thiram content	73.5-77.2 wt %	

<sup>a</sup>With decomposition

### **Compatibility and Solubility**

Soluble in acetone, chloroform, dichlormethane and ethylacetate. Practically insoluble in water. Dispersable in water. Decomposes under acidic conditions.

# Packaging

The following pack types are currently available:

Packaging	Individual	Outer pack
Cardboard boxes (inner bag: polyethylene coated kraft paper)	1 kg 5 kg 10 lbs	10 x 1 kg 4 x 5 kg 4 x 10 lbs
Paper bags	10 kg 30 lbs 20 kg	- -
Big bags	1000 kg	-

# Storage

Store in a dry well-ventilated place away from foodstuffs. No reduction in the assay of the active substance has been observed after storage for 2 years in the original packing under normal conditions.

Protect against acids and substances liberating acids.

In the event of accidental spillage the split product should be collected for incineration. Notify the appropriate authorities immediately if there is any risk of contamination of watercourses.

Eastman and its marketing affiliates shall not be responsible for the use of this information, or of any product, method, or apparatus mentioned, and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. No warranty is made of the merchantability of fitness of any product, and nothing herein waives any of the Seller's conditions of sale.

© 2019 Eastman Chemical Company or its subsidiaries. All rights reserved. As used herein, ® denotes registered trademark status in the U.S. only.