



TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue:10/10/2015 Revision date:10/10/2015 Supersedes:9/1/2014

Version: 11.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC

CAS No : 9003-07-0 ; 9010-79-1

Type of product : Polymers

Formula : (C3H6)x; (C3H6)x - (C2H4)y Synonyms : 9003-07-0; 9010-79-1; Lumicene

Product group :

Other means of identification : TOTAL mPP Lumicene

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : For more detailled information, see technical data sheet

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

REFINING & CHEMICALS BRANCH TOTAL PETROCHEMICALS & REFINING SA/NV

Rue de l'Industrie 52 Nijverheidsstraat - B-1040 BRUSSELS - BELGIUM

T +32 (0)2.288.91.11

rc.fer-sds@total.com - www.total.com

1.4. Emergency telephone number

Emergency number : Emergency call Carechem 24 International :

for English speaking countries: +44 (0) 1235 239 670
for Europe (in local languages): + 33 1 49 00 00 49

• for Africa and Middle East: + 44 (0) 1235 239 671• for China:

+86 10 5100 3039

• for Asia Pacific (Hong-Kong, Singapore, Taiwan, Philippines, India, Vietnam, Sri Lanka,

Japan, Korea, Malaysia, Indonesia, Thailand):

+ 65 3158 1074

Country	Organisation/Company	Address	Emergency number	Comment
	National Poisons Emergency number		08 45 46 47	
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Child-resistant fastening : No Tactile warning : No

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: To our knowledge, this product does not present any particular risk, provided it is handled in

accordance with good occupational hygiene and safety practice.

10/14/2015 EN (English) SDS Reference number: PPRO-A09 1/6

TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the classification

Fine dust may cause irritation of respiratory system and mucous. Contact with hot material risk of serious burns. If heated to more than 160°C, the product may form vapours or fumes which may cause irritation of respiratory tract and cause coughing and sensation of shortness of breath. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Dust may form explosive mixture in air. Combustible Dust.

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture 32

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polypropylene	(CAS No) 9003-07-0 / 9010-79-1	> 98	Not classified
Additive		< 2	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation

: Exposure to spray, fumes and vapours produced by heated or burned product: Move to fresh

air. Call a doctor.

First-aid measures after skin contact

Exposure to splashing of hot product: Treat the affected part with cold water (by spraying or immersion). Do not remove clothing adhering to the skin. In case of severe burns, seek hospital

First-aid measures after eye contact

Immediately rinse with water for a prolonged period while holding the eyelids wide open. In case of irritation caused by fine dust: wash with copious volumes of water, until the irritation

disappears.

First-aid measures after ingestion

: Ingestion during handling is not likely. Do not induce vomiting. Rinse mouth out with water.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Refer to § 11 for more details on effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

: For small fire : Carbon dioxide. Dry powder. Water. For large fire : Foam.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard

: Combustible.

Hazardous decomposition products in case of

Carbon oxides (CO, CO2). Aldehydes. Ketones. Acetone. Acetaldehyde. Formaldehyde. Hydrocarbons. acrylaldehyde; acrolein; prop-2-enal.

Advice for firefighters 5.3.

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Other information

Notify fire brigade and environmental authorities. Evacuate unnecessary personnel. Use water spray to cool exposed surfaces.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

6.1.1. For non-emergency personnel

Protective equipment

: Do not attempt to take action without suitable protective equipment. Gloves. Safety glasses.

6.1.2. For emergency responders

Protective equipment

: Use personal protective equipment as required.

Environmental precautions

Avoid release to the environment.

10/14/2015 SDS Reference number: PPRO-A09 EN (English) 2/6

TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

For containment : If spilled, may can

: If spilled, may cause the floor to be slippery. Sweep up or vacuum up the product. Keep recovered product for subsequent disposal. Do not allow to enter drains or water courses. On

water, recover/skim from surface and pour out in disposal container.

Other information : Dispose of contaminated material at an authorized site. Notify authorities if product enters

sewers or public waters.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures : Do not eat, drink or smoke when using this product. Keep away from food and drink.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Provide local exhaust or general room ventilation.

Ground/bond container and receiving equipment. Take precautionary measures against static

discharge.

Storage conditions : Store at room temperature. Protect from heat and direct sunlight. Store in dry, cool, well-

ventilated area. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Proper grounding procedures to avoid static electricity should be

followed

Packaging materials : Polyethylene. Paper bag. Stainless steel.

7.3. Specific end use(s)

Recommended to professional users.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

TOTAL POLYPROPYL	TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC (9003-07-0; 9010-79-1)		
USA - ACGIH	ACGIH TWA (mg/m³)	10 mg/m³ inhalable dust particles	
	, , ,	3 mg/m³ respirable dust particles	

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station. If handling results in dust generation or high

temperatures, local exhaust ventilation should be provided to insure that exposure to dust or decomposition products does not exceed the exposure recommended levels. Safety shower.

Eye fountain.

Personal protective equipment : Dustproof clothing. Gloves. Safety glasses. Dust formation: dust mask.

Hand protection : Protective gloves. Use insulated gloves when handling this material hot

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing. Safety foot-wear

Respiratory protection : Dust/aerosol mask with filter type P1









Environmental exposure controls

: Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Pellet.

Colour : Translucent. White.

Odour Codour School Codour Cod

Melting point : 120 - 170 °C

Freezing point : No data available

10/14/2015 EN (English) SDS Reference number: PPRO-A09 3/6

TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Boiling point : No data available

Flash point : ≈ 350 °C Auto-ignition temperature : > 380 °C : > 380 °C

Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Density : 905 kg/m³

Solubility : Water: < 1 mg/l Insoluble
Log Pow : No data available
Viscosity, kinematic : Not applicable
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available

9.2. Other information

VOC content : < 0.3 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive limits

Electrostatic charges may be generated during handling. Take precautionary measures against static discharge during blending and transfer operations.

: $0.02 \text{ kg/m}^3 (< 63 \mu\text{m})$

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Dust may form explosive mixture in air.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition. Avoid temperature above 300°C.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Halogens.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Heated product causes burns

thermal decomposition products are produced at elevated temperatures and these may be

irritating

pH: Not applicable

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)

Fine dust may cause irritation to ocular mucous

thermal decomposition products are produced at elevated temperatures and these may be

irritating

Heated product causes burns

pH: Not applicable

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified

dust may cause irritation of respiratory system.

If heated to more than 160°C, the product may form vapours or fumes which may cause irritation of respiratory tract and cause coughing and sensation of shortness of breath

10/14/2015 EN (English) SDS Reference number: PPRO-A09 4/6

TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

 $: \ \, \text{The product is not considered harmful to aquatic organisms or to cause long-term adverse}$

effects in the environment.

12.2. Persistence and degradability

TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC (9003-07-0; 9010-79-1)		
Persistence and degradability	Product persists. Not readily biodegradable.	
BOD (% of ThOD)	Below detection limit	

12.3. Bioaccumulative potential

TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC (9003-07-0; 9010-79-1)		
Bioaccumulative potential	Low bioaccumulation potential.	

12.4. Mobility in soil

TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC (9003-07-0; 9010-79-1)	
Ecology - soil	low mobility.

12.5. Results of PBT and vPvB assessment

TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC (9003-07-0; 9010-79-1)	
Results of PBT assessment	Not required

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of in accordance with relevant local regulations. Use only registered transporters. Do $\frac{1}{2} \int_{\mathbb{R}^{n}} \left(\frac{1}{2} \int_{\mathbb{R}^{n}} \left(\frac{$

not discharge the product into the environment.

Additional information : Incinerate with household refuse in a municipal solid waste incinerator plan.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN Number				
Not regulated for transport				
14.2. UN proper shippi	ng name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing Group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine Pollutant : No			
	No s	upplementary information availa	able	

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea (IMDG)

No data available

10/14/2015 EN (English) SDS Reference number: PPRO-A09 5/6

TOTAL POLYPROPYLENE, METALLOCENE, ISOTACTIC

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Air transport (IATA)

No data available

- Inland waterway transport

No data available

- Rail transport

No data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : < 0.3 %

National regulations 15.1.2.

These registration entries are for polymers only. For additives, please refer to TOTAL who will provide the necessary certification

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Complies the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the Philippines Inventory of Chemicals and Chemical Substances (PICCS)

Listed on the China Inventory of Existing Chemical Substances (IECSC)

Listed on the Canadian DSL (Domestic Substances List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

15.2. **Chemical safety assessment**

The substance is not classified for human health hazards or for environment effects and it is not PBT or vPvB so that no exposure assessment or risk characterisation is required. For tasks where the intervention of workers is required, the substance must be handled in accordance with good industrial hygiene and safety procedures.

SECTION 16: Other information

Training advice : Training staff on good practice. Manipulations are to be done only by qualified and authorised

persons. Use good personal hygiene practices.

Other information : Use good personal hygiene practices.

SDS EU (REACH Annex II)

This information applies to the PRODUCT AS SUCH and conforming to specifications of TOTAL

In case of formulations or mixtures, it is necessary to ascertain that a new danger will not appear.

The information contained is based on our knowledge of the product, at the date of publishing and it is given quite sincerely. However the revision of some data is in progress. Users are advised of possible additional hazards when the product is used in applications for which it was not intended. This sheet shall only be used and reproduced for prevention and security

purposes.

The references to legislative, regulatory and codes of practice documents cannot be considered as exhaustive.

It is the responsibility of the person receiving the product to refer to the totality of the official documents concerning the use, the possession and the handling of the product.

It is also the responsibility of the handlers of the product to pass on to any subsequent persons who will come into contact with the product. (usage, storage, cleaning of containers, other processes)

the totality of the information contained within this safety data sheet and necessary for safety at work, the protection of health and the protection of environment.

10/14/2015 EN (English) SDS Reference number: PPRO-A09 6/6