

APEX® 9005 UV

Teknor Apex Company - Rigid Polyvinyl Chloride

Tuesday, August 27, 2019

General Information General Commercial: Active Material Status • Commercial: Active Availability • Africa & Middle East • Asia Pacific • Europe • Latin America Forms • Pellets

ASTM & ISO Properties ¹			
Physical	Nominal Value	Unit	Test Method
Density / Specific Gravity	1.39		ASTM D792
Mechanical	Nominal Value	Unit	Test Method
Tensile Strength (Break)	6100	psi	ASTM D638
Tensile Elongation (Break)	40	%	ASTM D638
Hardness	Nominal Value	Unit	Test Method
Durometer Hardness (Shore D, 10 sec, Hand Held)	80		ASTM D2240
Additional Information			

Additional Information Data Sheet Applies to Color(s) Listed Below:

Natural (1048752)

White 1648 (1127745)

Notes

¹ Typical properties: these are not to be construed as specifications.

Revision Date: 8/9/2019

The information and recommendations contained in this bulletin are, to the best of our knowledge, accurate and reliable but no guarantee of their accuracy is made. All products are sold upon condition that purchasers shall make their own tests to determine the suitability of such products for their particular purposes and uses and purchasers assume all risks and liability for the results of use of the products, including use in accordance with seller's recommendations. Nothing in this bulletin constitutes permission or a recommendation to practice or use any invention covered by any patent owned by this company or by others. There is no warranty of merchantability and there are no other warranties for the products described.