+135-3858-6433 (GuangDong) +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)



# Sinpolene MBW001

Teknor Apex Asia Pacific PTE. LTD. - Linear Low Density Polyethylene

## **General Information**

#### **Product Description**

Sinpolene MBW001 is a polyethylene-based white masterbatch designed specifically for use in tubular film blowing, blow moulding and extrusion of polyolefins. Sinpolene MBW001 offers high colouring value with excellent quality and performance.

Sinpolene MBW001 is delivered as free flowing pellets for processing convenience.

### CHARACTERISTICS

- \* Easy processing
- \* Good dispersion
- \* Good opacifying power
- \* Excellent whiteness

General			
Material Status	Commercial: Active		
Availability	Asia Pacific		
Filler / Reinforcement	Calcium Carbonate	<ul> <li>Titanium Dioxide Equivalent, 30% Filler by Weight</li> </ul>	
Features	General Purpose		
Uses	• Film	<ul> <li>Masterbatch</li> </ul>	• Sheet
RoHS Compliance	<ul> <li>RoHS Compliant</li> </ul>		
Appearance	• White		
Forms	<ul> <li>Pellets</li> </ul>		
Processing Method	Blown Film	<ul> <li>Sheet Extrusion</li> </ul>	

ASTM & ISO Properties <sup>1</sup>			
Physical	Nominal Value Unit	Test Method	
Density / Specific Gravity	1.68	ASTM D792	
Melt Mass-Flow Rate (MFR) (190°C/2.16 kg)	5.0 to 30 g/10 min	ASTM D1238	
Moisture Content	< 0.20 %	ASTM D3030	

Not recommended for outdoor application

Recommended dosage: 2 - 5%

#### **Notes**

<sup>&</sup>lt;sup>1</sup> Typical properties: these are not to be construed as specifications.