+135-3858-6433 (GuangDong) +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)



# Sinpolene MBW001LE

Teknor Apex Asia Pacific PTE. LTD. - Linear Low Density Polyethylene

# **General Information**

#### **Product Description**

Sinpolene MBW001LE is a polyethylene-based white masterbatch designed specifically for use in tubular film blowing, blow moulding and extrusion of polyolefins. Sinpolene MBW001LE offers high colouring value with excellent quality and performance.

The blue undertone of this masterbatch is attributed by specially selected high performance, fine crystal size rutile titanium dioxide.

Sinpolene MBW001LE is delivered as free flowing pellets for processing convenience.

### **CHARACTERISTICS**

- \* Easy processing
- \* Good dispersion
- \* High opacifying power
- \* Excellent whiteness

General				
Material Status	Commercial: Active			
Availability	Asia Pacific			
Filler / Reinforcement	<ul> <li>Titanium Dioxide Equivalent, 30% Filler by Weight</li> </ul>			
Features	<ul> <li>General Purpose</li> </ul>			
Uses	• Film	<ul> <li>Masterbatch</li> </ul>	• Sheet	
RoHS Compliance	<ul> <li>RoHS Compliant</li> </ul>			
Appearance	• White			
Forms	• Pellets			
Processing Method	Blown Film	<ul> <li>Sheet Extrusion</li> </ul>		

ASTM & ISO Properties <sup>1</sup>				
Physical	Nominal Value Unit	Test Method		
Density / Specific Gravity	1.68	ASTM D792		
Melt Mass-Flow Rate (MFR) (190°C/2.16 kg)	5.0 to 30 g/10 min	ASTM D1238		
Moisture Content	< 0.25 %	ASTM D3030		

Not recommended for outdoor application

Recommended dosage: 2 - 5%

## **Notes**

<sup>&</sup>lt;sup>1</sup> Typical properties: these are not to be construed as specifications.