

TEKNOR APEX

Sinpolene MBW3191

Teknor Apex Asia Pacific PTE. LTD. - Linear Low Density Polyethylene

General Information

Product Description

Sinpolene MBW3191 is a polyethylene-based pure white masterbatch designed specifically for use in tubular film blowing, blow moulding and extrusion of polyolefins. With its high pigment loading, Sinpolene MBW3191 offers high colouring value with excellent quality and performance.

The blue undertone of this masterbatch is attributed by specially selected high performance, fine crystal size rutile titanium dioxide.

Sinpolene MBW3191 is delivered as free flowing pellets for processing convenience.

CHARACTERISTICS

- * Easy processing
- * Good dispersion
- * High opacifying power
- * Excellent whiteness

General

Material Status	Commercial: Active
Availability	Asia Pacific
Filler / Reinforcement	Titanium Dioxide, 70% Filler by Weight
Features	General Purpose
Uses	• Film
Forms	Pellets
Processing Method	Blown Film

Physical	Nominal Value Unit	
Density / Specific Gravity	2.00	ASTM D792
Melt Mass-Flow Rate (MFR) (190°C/2.16 kg)	20 to 60 g/10 min	ASTM D1238
Moisture Content	< 0.20 %	ASTM D3030

Recommended dosage 5 - 10%

Notes

¹ Typical properties: these are not to be construed as specifications.