

# 

# Sinpolene MBB006LE

Teknor Apex Asia Pacific PTE. LTD. - Polyethylene

## **General Information**

### **Product Description**

Sinpolene MBB006LE is a polyethylene-based black masterbatch designed specifically for use in generally-purpose film, blow moulding, injection moulding and extrusion of polyolefins. Sinpolene MBB006LE, has high pigment loading and thus offers high colouring value with superior quality and performance. MBB006LE contains extender, which give anti-blocking properties.

#### CHARACTERISTICS

- Easy processing

- Very good dispersion

- Minimal wear effect on processing equipment

Material Status	Commercial: Active			
Availability	Asia Pacific			
Features	General Purpose			
Uses	• Film	<ul> <li>Masterbatch</li> </ul>	Sheet	
RoHS Compliance	<ul> <li>RoHS Compliant</li> </ul>			
Appearance	• Black			
Forms	Pellets			
Processing Method	Blown Film	Sheet Extrusion		

ASTM & ISO Properties <sup>1</sup>				
Physical	Nominal Value Unit	Test Method		
Density / Specific Gravity	1.21	ASTM D792		
Melt Mass-Flow Rate (MFR) (190°C/10.0 kg)	1.0 to 25 g/10 min	ASTM D1238		
Carbon Black Content	40 %	ASTM D1603		
Moisture Content	< 0.25 %	ASTM D3030		

Recommended dosage: 2 - 5%

#### Notes

<sup>1</sup> Typical properties: these are not to be construed as specifications.