+135-3858-6433 (GuangDong) +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)



# Sinpolene MBW008LE

# Teknor Apex Asia Pacific PTE. LTD. - Polyethylene

## **General Information**

#### **Product Description**

Sinpolene MBW008LE is a polyethylene-based bluish white masterbatch designed specifically for use in tubular film blowing, blow moulding and extrusion of polyolefins. Sinpolene MBW008LE contains extender which gives anti-blocking properties and offers high colouring value with excellent quality and performance.

The blue undertone of this masterbatch is attributed by specially selected high performance, fine crystal size rutile titanium dioxide.

Sinpolene MBW008LE is delivered as free flowing pellets for processing convenience.

### **CHARACTERISTICS**

- \* Easy processing
- \* Good dispersion
- \* High opacifying power
- \* Excellent whiteness

General				
Material Status	Commercial: Active			
Availability	Asia Pacific			
Filler / Reinforcement	Titanium Dioxide, 30% Filler by Weight			
Uses	• Film	<ul> <li>Masterbatch</li> </ul>	• Sheet	
RoHS Compliance	<ul> <li>RoHS Compliant</li> </ul>			
Appearance	• White			
Forms	• Pellets			
Processing Method	Blown Film	<ul> <li>Sheet Extrusion</li> </ul>		

ASTM & ISO Properties <sup>1</sup>				
Physical	Nominal Value Unit	Test Method		
Density / Specific Gravity	1.95	ASTM D792		
Melt Mass-Flow Rate (MFR) (190°C/2.16 kg)	< 25 g/10 min	ASTM D1238		
Moisture Content	< 0.20 %	ASTM D3030		

Recommended dosage: 2 - 10%

## **Notes**

<sup>&</sup>lt;sup>1</sup> Typical properties: these are not to be construed as specifications.