



Last revised date : 06/25/2024

Safety Data Sheet(SDS)

1. Identification of the substance/mixture and of the company/undertaking

- 1) Product identifier : ASA LI971
- 2) Relevant identified uses of the substance or mixture and uses advised against
- Relevant identified uses
29.Polymer preparations and compounds
 - Uses advised against
Any use of the product other than for its identified uses is prohibited.
- 3) Supplier information
- Company name [Manufacturer]
Company : LG Chem Ohio Petrochemical, Inc.
Address : 310 Rayann Pkwy, Ravenna, OH-44266
Emergency number : 1-800-424-9300

2. HAZARD IDENTIFICATION

- 1) Hazard classification
- No data available
- 2) Allocation label elements
- Hazard pictograms
- NONE
- Hazard statements
- No data available
- Precautionary statements
- No data available
- 3) Other hazards
- No data available
 - Product NFPA Level

Health	Flammability	Reactivity
0	1	0

(※ 0 = Stable , 1 = Low , 2 = Medium , 3 = High , 4 = Very High)

3. Composition/Information on ingredients

Components	Common name	CAS No.	PCT(wt%)
2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile	2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile	26299-47-8	90-99.9
Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl]	Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl]	32131-17-2	0.1-10

4. FIRST AID MEASURES

- 1) Following eye contact
 - Get medical aid immediately.
 - In case of contact with material, immediately flush eyes with running water for at least 15 minutes.
- 2) Following skin contact
 - Get medical aid immediately.
 - In case of contact with material, flush skin with running water.
 - Launder contaminated clothing and shoes before re-use.
 - Remove and isolate contaminated clothing and shoes.
- 3) Following inhalation
 - Administer oxygen if breathing is difficult.
 - Give artificial respiration if victim is not breathing.
 - Move to fresh air.
 - Seek immediate medical assistance.
- 4) Following ingestion
 - Get medical aid immediately.
 - If unconscious but breathing, never give anything by mouth.
- 5) Advice to physician
 - Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE FIGHTING MEASURES

- 1) Suitable (and unsuitable) extinguishing media
 - Suitable extinguishing media
 - Large fire: Water spray/fog, regular foam (Suitable extinguishing media).
 - Small fire: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO2 (Suitable extinguishing media).
 - Unsuitable extinguishing media
 - High-pressure water (Unsuitable extinguishing media).
- 2) Special hazards arising from the substance or mixture
 - Pyrolytic product
 - No data available
 - Risk of fire and explosion
 - Containers may explode when heated.
 - Fire may produce irritating and/or toxic gases.
 - May ignited from heat, friction or contamination.

- Some may burn, but not rapidly.
 - o Other
 - May cause toxic effects if inhaled.
 - Some liquids produce vapors that may cause dizziness or suffocation.
- 3) Special protective equipment for firefighters
- Contact may cause burns to skin and eyes.
 - Dike fire-control water for later disposal; do not scatter the material.
 - Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire.
 - Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out.
 - Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
 - Move containers from fire area if you can do it without risk.
 - Runoff may cause pollution.

6. ACCIDENTAL RELEASE MEASURES

- 1) Health considerations and protective equipment
- Do not enter areas which have less than 18% oxygen in the atmosphere, without respirator or air supplied mask.
 - Do not touch or go near exposed material.
 - ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
 - Please note that materials and conditions to be avoided.
 - Prevent dust cloud.
 - Stop leak if you can do it without risk.
 - Ventilate the contaminated area.
- 2) Environmental precautions
- Prevent entry into waterways, sewers, basements or confined areas.
- 3) For cleaning up
- Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.
 - With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

7. HANDLING AND STORAGE

- 1) Precautions for safe handling
- CAUTION: High temperature.
 - Caution: Dangerous fire hazard when exposed to heat, or flame, sparks.
 - Check oxygen content before entering area.
 - Handling refer to engineering control/personal protection section.
 - Please note that materials and conditions to be avoided.
 - Use adequate machine for prevention when package handling.
 - Wash thoroughly after handling.
 - Wear an appropriate Personal protection. (See Exposure Controls/Personal Protection section.)
- 2) Conditions for safe storage (including any incompatibilities)
- Choose a place that can be protected from strong oxidizers and acid.
 - Drum Handling: Must work at safe place., Loading more than 3 stack is prohibited.
 - Please note that materials and conditions to be avoided.

- Store containers: AVOID the place where can be damage and contamination.
- Store in a closed container.
- Store in a cool/low-temperature, well-ventilated dry place away from heat and ignition sources
- Store in a dry place. Store in a closed container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components	Occupational exposure limits	ACGIH	Biological standard
2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile	TWA : Not applicable STEL : Not applicable	TWA : Not applicable STEL : Not applicable	Not applicable
Poly[imino(1,6-dioxo-1,6-hexanediy)imino-1,6-hexanediy]	TWA : Not applicable STEL : Not applicable	TWA : Not applicable STEL : Not applicable	Not applicable

2) Appropriate engineering controls

- Make sure you have the right exhaust and ventilation in the workplace.
- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

3) Personal protection equipment

- Respiratory protection
 - If there is a direct contact or exposure, wear a certified appropriate respiratory protection.
 - In case of insufficient oxygen (<19.6%), wear a supplied air mask or self-contained respirator.
 - In the case of particulate matter, the following respiratory protection is recommended: - Facepiece filtering dust mask or air filtering dust mask (high-efficiency particulate filter material) or electric fan attached dust mask (filter material for dust, mist, fume)
 - Wear breathing protection, which needs a confirmation from the Korea Occupational Safety and Health Agency.
- Eye protection
 - Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
 - Provide emergency showers and eyewash.
 - Wear an appropriate eye protection.
 - Wear suitable protective goggles and face shields.
- Hand protection
 - Wear Non-moisture permeable chemical resistance protective gloves(latex, nitrile rubber, PVC) for prevent skin contact.
 - Wear protective gloves made of appropriate material considering the physical and chemical properties of chemicals.
 - Wear suitable protective gloves.
- Body protection
 - Wear appropriate protective clothing considering the physical and chemical properties of chemicals.
 - Wear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	No data available
Physical state	Solid
Colour	No data available
Odour	No data available

Odour threshold	No data available
pH	Not applicable
Melting point/freezing point	No data available
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	No data available
Flammability(solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Solubility(ies)	No data available
Vapour density	No data available
Relative density	1.07
n-octanol/water partition coefficient	No data available
Auto ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Not applicable
Molecular weight(mass)	No data available

10. STABILITY AND REACTIVITY

- 1) Stability and hazardous reactivity
 - Containers may explode when heated.
 - Fire may produce irritating and/or toxic gases.
 - May cause toxic effects if inhaled.
 - Some liquids produce vapors that may cause dizziness or suffocation.
 - Some may burn, but not rapidly.
 - Stable under normal temperatures and pressures.
- 2) Conditions to avoid
 - Ignition source(heat, spark, flame, etc.).
- 3) Incompatible materials
 - Combustibles.
 - Irritating and/or toxic gas.
- 4) Hazardous decomposition products
 - No data available

11. TOXICOLOGICAL INFORMATION

- 1) Exposure route information
 - o Inhalation
 - Not applicable
 - o Skin Contact
 - Not applicable
 - o Eye Contact

- Not applicable

○ Ingestion

- Not applicable

2) Health hazard information

○ Acute toxicity

● Acute toxicity(Oral) PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : LD50 >5000 mg/kg Test species: Rat, (GE Specialty Chemicals)

- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

● Acute toxicity(Dermal) PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : LD50 >2000 mg/kg Test species: Rabbit, (GE Specialty Chemicals)

- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

● Acute toxicity(Inhalation:Gases) PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : LD50 >2000 mg/kg Test species: Rabbit, (GE Specialty Chemicals)

- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

● Acute toxicity(Inhalation:Vapours) PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available

- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

● Acute toxicity(Inhalation:Dust/mist) PRODUCT : Not classified(ATEmix = 8.47mg/L)

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available

- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : LC50 7.26 mg/l 4 hr Experimental species: Rat, Source: Corporate Solution From Thomson Micromedex(<http://csi.micromedex.com>)

○ Skin corrosion/irritation PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available

- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : Causes severe skin irritation (may cause burns)

○ Serious eye damage/eye irritation PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available

- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : Suspected eye irritation based on skin irritation

○ Respiratory sensitization PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available

- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

○ Skin sensitization PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available

- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

○ Carcinogenicity PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available

- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

○ Germ cell mutagenicity PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available
- Reproductive toxicity PRODUCT : Not classified
 - 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
 - Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available
- Specific target organ toxicity single exposure PRODUCT : Not classified
 - 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
 - Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : Inhalation causes irritation of respiratory tract.
- Specific target organ toxicity repeated exposure PRODUCT : Not classified
 - 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
 - Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available
- Aspiration hazard PRODUCT : Not classified
 - 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
 - Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

12. ECOLOGICAL INFORMATION

1) Aquatic toxicity > PRODUCT : Not classified

- Fish
 - 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
 - Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available
- Crustacea
 - 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
 - Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available
- Aquatic algae
 - 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
 - Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

2) Persistence and degradation

- n-octanol water partition coefficient
 - 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : (Not applicable)
 - Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available
- Degradation
 - 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
 - Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available
- Biodegradation
 - 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
 - Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

3) Bioaccumulative potential

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

4) Mobility in soil

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

5) Other adverse effects > PRODUCT : Not classified

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile : No data available
- Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] : No data available

13. DISPOSAL CONSIDERATIONS

1) Disposal methods

- Every commercial waste producer shall either treat wastes generated from his/her place of business by him/herself or commission the treatment of such wastes to a person who has license for a waste treatment business under Article 26(3), a person who recycles of such wastes under Article 44(2), a person who has installed and operates a waste disposal facility under Article 4 or 5, a person who has completed the registration of a business of discharging wastes into the sea under Article 18 of the Marine Environment Management Act.

2) Precautions (including disposal of contaminated container of package)

- Discuss it according to waste regulation.
- Do not allow spill material to enter sewers, storm water drains, soil, etc.
- Empty containers may explode and residues can be ignited when pressured, cut, weld, heated.
- Empty containers may rupture when pressured.
- Empty containers recycled under environmental laws.
- Use a certified waste disposal company.
- Wear an appropriate Personal protection. (See Exposure Controls/Personal Protection section.)

14. TRANSPORT INFORMATION

1) UN No. : Not applicable

2) Proper shipping name : Not applicable

3) Class or division : Not applicable

4) Packing group : Not applicable

5) Marine pollutant : Not applicable

6) Special safety response for transportation or transportation measure :

Emergency measures in case of fire : Not applicable

Emergency measures in the effluent : Not applicable

- ADR

- Tunnel restriction code : Not applicable

- IMDG

- Marine pollutant : Not applicable

- Air transport(IATA)

- UN No. : Not applicable
- Proper shipping name : Not applicable
- Class or division : Not applicable
- Packing group : Not applicable

15. REGULATORY INFORMATION

- Global Inventory - USA. List of Active Substances on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory (as amended through 20 February 2024)

- 2-Propenoic acid butyl ester polymer with ethenylbenzene and 2-propenenitrile

- Poly[[imino(1,6-dioxo-1,6-hexanedyl)]imino-1,6-hexanedyl]

- ETC regulation - EPCRA (SARA Title III) Section 302 Extremely Hazardous Substance (EHS) (40 CFR 355, Appendix A)

Not applicable

- ETC regulation - OSHA Hazard Communication Standard: On One of the Floor Lists of the OSHA HCS (29 CFR 1910.1200)

Not applicable

- ETC regulation - EPCRA (SARA Title III) Section 313 Toxic Chemical Release Inventory (TRI) Reporting (as amended through 31 October 2023)

Not applicable

- ETC regulation - CERCLA Hazardous Substances [other than radionuclides] (40 CFR 302.4) (as amended by 75 FR 78918, Dec. 17, 2010)

Not applicable

- ETC regulation - RCRA Appendix VII: Hazardous Wastes (40 CFR 261, App. VII, Basis for Listing Hazardous Waste)

Not applicable

- ETC regulation - CERCLA. Radionuclides and their Reportable Quantities (40 CFR 302.4, App. B)

Not applicable

- ETC regulation - RCRA D List of Characteristic Hazardous Wastes (40 CFR 261.21-24)

Not applicable

- ETC regulation - RCRA F List of Hazardous Wastes from Non-Specific Sources (40 CFR 261.31(a)) (as amended by 73 FR 31756, June 4, 2008)

Not applicable

- ETC regulation - RCRA K List of Hazardous Wastes from Specific Sources (40 CFR 261.32)

Not applicable

- ETC regulation - RCRA P List of Hazardous Wastes (40 CFR 261.33(e) and 40 CFR 302 [CERCLA])

Not applicable

- ETC regulation - RCRA U List of Hazardous Wastes (40 CFR 261.33(f) and 40 CFR 302 [CERCLA], as amended 75 FR 78918, Dec 17, 2010)

Not applicable

- ETC regulation - DOT Hazardous Materials Table Listings (49 CFR 172.101, as amended through October 31, 2013)

Not applicable

- ETC regulation - EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

Not applicable

16. OTHER INFORMATION

1) Reference

- EPA
- OSHA

2) Print date : 06/25/2024

3) Revision date

- o Revised date count : 0
- o Last revised date : 06/25/2024
- o Last revised history :

4) Other