DuPont Packaging & Industrial Polymers





DuPont™ Elvax® 760Q

Elvax® resins Product Data Sheet

	00	cri	1		•
ш	es	u		Lu,	

Product Description

DuPont™ Elvax® 760Q is an ethylene-vinyl acetate copolymer resin for use in industrial applications.

industrial applications.

Restrictions

Material Status

• Commercial: Active

Availability • Globally

Typical Characteristics

Composition 9.3% By Weight Vinyl Acetate

Thermal Stabilizer: BHT antioxidant

Features High level BHT antioxidant

Applications Elvax® resins can be used in a variety of applications involving molding

compounding, extrusion, adhesives, sealants, and wax blends. For additional information and properties associated with specific applications, please refer to the Grade Selector Guides found on the Elvax® website for industrial applications

http://www.dupont.com/industrial-polymers/elvax/index.html.

Typical Properties

 Physical
 Nominal Values
 Test Method (s)

 Density ()
 0.93 g/cm³
 ASTM D792
 ISO 1183

Melt Index (190°C/2.16kg) 2 g/10 min ASTM D1238 ISO 1133

Thermal Nominal Values Test Method (s)

 Melting Point (DSC)
 100°C (212°F)
 ASTM D3418
 ISO 3146

 Vicat Softening Point ()
 82°C (180°F)
 ASTM D1525
 ISO 306

Processing Information

General

Maximum Processing Temperature 230°C (446°F)

General Processing Information Elvax® res

Elvax® resins can be processed by conventional thermoplastic processing techniques, including injection molding structural foam molding, sheet and shape extrusion, blow molding and wire coating. They can also be processed using conventional rubber processing techniques such as Banbury, two-roll milling and compression molding.

Elvax can be used in conventional extrusion equipment designed to process polyethylene resins. However, corrosion-protected barrels, screws, adapters, and dies are recommended, since, at sustained melt temperatures above 446°F (230°C), ethylene vinyl acetate (EVA) resins may thermally degrade and release corrosive by-products.

FDA Status Information

ELVAX® 760Q EVA Resin complies with Food and Drug Administration Regulation 21 CFR 177.1350(a)(1) - - Ethylene-vinyl acetate copolymers, subject to the limitations and requirements therein. This Regulation describes polymers that may be used in contact with food, subject to the finished food-contact article meeting the extractive limitations under the intended conditions of use, as shown in paragraph (b)(1) of the Regulation.

Safety & Handling

A Product Safety Bulletin, Material Safety Data Sheet, and more detailed information on compounding and processing Elvax® resins for specific applications are available from your DuPont Packaging and Industrial Polymers representative.

Read and Understand the Material Safety Data Sheet (MSDS) before using this product

Regional Centres

DuPont operates in more than 70 countries. For help finding a local representative, please contact one of the following regional customer contact centers:

Americas

DuPont Company, BMP26-2363 Lancaster Pike & Route 141 Wilmington, DE 19805 U.S.A. Telephone +1 302-774-1161 Toll-free (USA) 800-628-6208 Fax +1 302-999-4399

DuPont do Brasil, S.A. Alameda Itapecuru, 506 06454-080 Barueri, SP Brasil Telephone +55 11 4166 8122 Fax +55 11 4166 8720

Asia Pacific

DuPont China Holding Co., Ltd. Shanghai Branch 399 Keyuan Road, Bldg. 11 Zhangjiang Hi-Tech Park Pudong New District, Shanghai P.R. China (Postcode: 201203) Telephone +86 21 3862 2888 Fax +86-21-3862-2889

Europe / Middle East / Africa

DuPont de Nemours Int'1. S.A. 2,Chemin du Pavillon Box 50 CH-1218 Le Grand Saconnex Geneva, Switzerland Telephone +41 22 717 51 11 Fax +41 22 717 55 00

http://elvax.dupont.com

The data listed here fall within the normal range of properties, but they should not be used to establish specification limits nor used alone as the basis of design. The DuPont Company assumes no obligations or liability for any advice furnished or for any results obtained with respect to this information. All such advice is given and accepted at the buyer's risk. The disclosure of information herein is not a licence to operate under, or a recommendation to infringe, any patent of DuPont or others. Since DuPont cannot anticipate all variations in actual end-use conditions, DuPont makes no warranties and assumes no liability in connection with any use of this information.

CAUTION: Do not use DuPont materials in medical applications involving implantations in the human body or contact with internal body fluids or tissues unless the material has been provided from DuPont under a written contract that is consistent with DuPont policy regarding medicalk applications and expressly acknowledges the contemplated use. For further information, please contact your DuPont representative. You may also request a copy of DuPont POLICY Regarding Medical Applications H-50103-3 and DuPont CAUTION Regarding Medical Applications H-50102-3.

Copyright © 2009 DuPont. The DuPont Oval Logo, DuPont TM , The miracles of science TM , and trademarks designated with "®" are registered trademarks or trademarks of E.I. du Pont de Nemours and Company or its affiliates. All rights reserved.

This data sheet is effective as of 01/15/2007 04:32:40 PM and supersedes all previous versions.