+135-3858-6433 (GuangDong) +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)

SAFETY DATA SHEET

1. Chemical product and company identification

Product name Panlite® LN-3050RM

SDS Number LN3050RM-JpE

Version number 03

Issue date04-01-2013Revision date04-01-2017Company nameTEIJIN Limited.

Address 2-1, Kasumigaseki 3-chome, Chiyoda-ku, Tokyo 100-8585, Japan

Division Environment Quality Assurance Department,

Resin & Plastic Processing Business Unit

Telephone number +81 3-3506-4717 **Fax** +81 3-3580-6680

Recommended use of the chemical and restrictions on use

Intended use Molding material for industry use

2. Hazards identification

GHS-classification

Physical hazards Not classified
Health hazards Carcinogenicity

Environmental hazards Not classified

*Hazards not stated here are "Not applicable" or "Classification not possible".

GHS label elements

Symbols



Signal words Warning

Hazard statement Suspected of causing cancer.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protective equipment as required.

Category 2

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

National/local information See section 15 for regulatory information.

3. Composition/information on ingredients

Substance or Mixture Mixture

Gazette notification

Components	CAS#	ENCS no.	ISHL no.	Concentration (%)
Polycarbonate resin	25971-63-5	(7)-738	(7)-738	80 – 90
Titanium dioxide	13463-67-7	(1)-558	(1)-558	1 – 10

Chemical formula: (C15H16O2.CCl2O)x (25971-63-5), O2-Ti (13463-67-7)

4. First aid measures

In case of inhalation of dusts or fumes from heated product: Move injured person into fresh

air and keep person calm under observation. Get medical attention if any discomfort

continues.

If on skin Rinse with water. Get medical attention promptly if symptoms persist or occur after washing.

If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of

Company name: TEIJIN Limited. Panlite® LN-3050RM
2436 Version #: 03 Revision date: 2017/04/01

1/4

SDS JAPAN

+135-3858-6433 (GuangDong) +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)

burn.

If in eyes Dust in the eyes: Do not rub eyes. Flush thoroughly with water. If irritation occurs, get

medical assistance.

If swallowed Rinse mouth thoroughly. Large quantities: Get medical attention if symptoms occur.

Expected acute and delayed

Symptoms

None.

Protection of first-aid responders First aid personnel must be aware of own risk during rescue.

Notes to physician Treat symptomatically.

5. Fire-fighting measures

Extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Extinguishing media to avoid None

Specific hazards During fire, gases hazardous to health may be formed.

Special fire fighting procedures

Use standard firefighting procedures and consider the hazards of other involved materials. Selection of respiratory protection for fire fighting: follow the general fire precautions

indicated in the workplace.

6. Accidental release measures

Personal precautions, protective equipment and emergency measures

Protection of fire-fighters

Avoid inhalation of dust and contact with skin and eyes. See Section 8 of the SDS for

Personal Protective Equipment.

Environmental precautions

Clean-up methods and materials and containment

Collect and dispose of spillage as indicated in Section 13 of the SDS.

Do not allow to enter drains, sewers or watercourses.

measures

7. Handling and storage

Handling

Technical measuresUse explosion-proof electrical equipment if airborne dust levels are high.

Local and general ventilation Provide adequate ventilation.

Precautions Use work methods which minimize dust production. Wear appropriate personal protective

equipment.

Safe handling advice Avoid inhalation of dust and contact with skin and eyes. Avoid vapors from heated materials

to prevent exposure to potentially toxic/irritating fumes.

Storage

Technical measures Avoid dust formation.

Suitable storage conditions Store in closed original container in a dry place.

Safe packaging materials Keep in original container.

8. Exposure controls/personal protection

Occupational exposure limits

Components

Japan. OELs - JSOH. (Japan Society of Occupational Health: Advisory Opinion on Permissible [Exposure] Limits)

Components	Type	value	I OI III
Titanium dioxide (13463-67-7)	TWA	4 mg/m3	Total dust.
		1 mg/m3	Respirable dust.
US. ACGIH Threshold Limit Values			
Components	Type	Value	
Titanium dioxide (13463-67-7)	TWA	10 mg/m3	

Engineering measures Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk

of inhalation of dust. Provide easy access to water supply and eye wash facilities.

Value

Personal protective equipment

Respiratory protection Wear respirator if there is dust formation. When the product is heated, use suitable

respiratory equipment with gas filter for organic gas.

Hand protection Wear protective gloves. When material is heated, wear gloves to protect against thermal

burns.

glasses and face shield are recommended.

Company name: TEIJIN Limited. 2436 Version #: 03 Panlite® LN-3050RM Revision date: 2017/04/01

135-3858-6433 (GuangDong) -188-1699-6168 (ShangHai) -852-6957-5415 (HongKong)

Skin and body protection

Wear suitable protective clothing.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid. Pellets. **Form** Color Natural. Odor None.

Hq Not applicable. Melting point/Freezing point > 464 °F (> 240 °C) Boiling point, initial boiling Not applicable.

point, and boiling range

Flash point > 971.6 °F (> 522 °C) **Auto-ignition temperature** > 1022 °F (> 550 °C)

Combustion characteristics

(solid, gas)

Not available.

Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Vapor pressure Not applicable. Vapor density Not applicable.

Specific gravity 1.28

Solubility Insoluble in water Partition coefficient Not available.

(n-octanol/water)

Decomposition temperature Not available.

10. Stability and reactivity

Stability Stable under normal temperature conditions.

Possibility of hazardous reactions Will not occur. Conditions to avoid None known Incompatible materials No data available.

Hazardous decomposition

products

During combustion: Carbon monoxide. Carbon Dioxide.

11. Toxicological information

Acute toxicity May cause discomfort if swallowed.

Skin corrosion/irritation Dust may irritate skin.

Serious eye damage/eye irritation Dust in the eyes will cause irritation. May cause redness and pain.

Respiratory sensitizer None known Skin sensitizer None known. Germ cell mutagenicity None known.

Carcinogenicity Suspected of causing cancer. Inhalation of airborne titanium dioxide dust may cause

cancer.

ACGIH Carcinogens

Titanium dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7) 2B Possible carcinogen.

Toxic to reproduction None known. Specific target organ toxicity -None known.

single exposure

Specific target organ toxicity -

repeated exposure

None known.

12. Ecological information

Company name: TEIJIN Limited. Panlite® LN-3050RM SDS JAPAN 2436 Version #: 03 Revision date: 2017/04/01

+135-3858-6433 (GuangDong) +188-1699-6168 (ShangHai) +852-6957-5415 (HongKong)

Ecotoxicity The product components are not classified as environmentally hazardous. However, this

does not exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

Persistence/degradability None known.
Bioaccumulation None known.

Mobility in soil The product is insoluble in water and will sediment in water systems.

Other hazardous effects None known.

13. Disposal considerations

Residual waste Dispose of waste at a facility with special permission to dispose industrial wastes. Waste

should be accompanied by a manifest for the industrial waste. Dispose of in accordance with local regulations. Do not discharge into rivers, lakes, mountains, etc. because the

product may affect the environment.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after

container is emptied.

14. Transport information

International regulations Not regulated as dangerous under UN transport regulation.

IATA Not regulated as dangerous goods.

IMDG Not regulated as dangerous goods.

15. Regulatory information

Industrial Safety and Health Act

Specified substances regulationNot regulated.Organic solvents regulationNot regulated.

Notifiable substances Titanium dioxide (CAS 13463-67-7) 1 – 10%

Labeling substances Not regulated.

Poisonous and Deleterious Substances Control Act Not regulated.

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.

Class I specified chemical substancesNot regulated.Class II specified chemical substancesNot regulated.Monitoring chemical substancesNot regulated.

Law concerning Pollutant Release and Transfer Register

Specified class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 2 substances (substance name, ordinance number and content)

Not regulated.

Fire Service Act Not dangerous goods under Fire Service Law

Ship Safety Law, Dangerous Goods Marine Transport and Storage Rule

Not regulated.

Air Law, Enforcement Rule

Explosives Control Act

High Pressure Gas Safety Act

Not regulated.

Not regulated.

Not regulated.

Act on Prevention of Marine Pollution and Maritime Disaster

Not regulated.

16. Other information

The information about colorant is not contained in this SDS.

This information is provided without warranty. The information is believed to be correct. The precautions in this SDS are intended for normal use. Please take safety measures appropriate to the use and the application when handling the product in a special way. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

Company name: TEIJIN Limited. Panlite® LN-3050RM SDS JAPAN Revision #: 03 Revision date: 2017/04/01 SDS JAPAN 4/4