

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



POLIFOR 12 CA/40 H-D NERO

Version 1.0	Revision Date: 2022/06/13	SDS Number: 000000026195	Date of last issue: - Date of first issue: 2022/06/13
----------------	------------------------------	-----------------------------	--

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : POLIFOR 12 CA/40 H-D NERO

Product code : 000000000021041027

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

Address : 4560 Jinke Road, Zhangjiang, Pudong
Shanghai, China 201210

Telephone :

Emergency telephone number : CHEMTREC International phone number: +1-703-527 3887,
+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: pellets
Odour	: slight

Not a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



POLIFOR 12 CA/40 H-D NERO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/06/13	000000026195	Date of first issue: 2022/06/13

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 8 %

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Polypropylene	9003-07-0	>= 30 -< 50
Limestone	1317-65-3	>= 30 -< 50
Carbon black	1333-86-4	>= 1 -< 10

4. FIRST AID MEASURES

- | | |
|---|---|
| General advice | : Do not leave the victim unattended. |
| If inhaled | : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician. |
| In case of skin contact | : Cool skin rapidly with cold water after contact with molten material.
Do not peel solidified product off the skin.
Burns must be treated by a physician. |
| In case of eye contact | : Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : None known. |
| Notes to physician | : Treat symptomatically. |

5. FIREFIGHTING MEASURES

- | | |
|------------------------------|--|
| Suitable extinguishing media | : Water
Foam
Dry chemical
Carbon dioxide (CO ₂) |
|------------------------------|--|

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



POLIFOR 12 CA/40 H-D NERO

Version 1.0	Revision Date: 2022/06/13	SDS Number: 000000026195	Date of last issue: - Date of first issue: 2022/06/13
----------------	------------------------------	-----------------------------	--

Specific hazards during firefighting	: Do not use a solid water stream as it may scatter and spread fire.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.
Environmental precautions	: No special environmental precautions required.
Methods and materials for containment and cleaning up	: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion	: Provide appropriate exhaust ventilation at places where dust is formed. During processing, dust may form explosive mixture in air.
Advice on safe handling	: For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Minimize dust generation and accumulation.
Avoidance of contact	: Not applicable

Storage

Conditions for safe storage	: Electrical installations / working materials must comply with the technological safety standards. Keep in a dry, cool place. Maintain dryness of resin
Materials to avoid	: No materials to be especially mentioned.
Further information on storage stability	: No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



POLIFOR 12 CA/40 H-D NERO

Version 1.0 Revision Date: 2022/06/13 SDS Number: 000000026195 Date of last issue: -
Date of first issue: 2022/06/13

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polypropylene	9003-07-0	PC-TWA (Total dust)	5 mg/m ³	CN OEL
Limestone	1317-65-3	PC-TWA (Total dust)	8 mg/m ³	CN OEL
		PC-TWA (Respirable dust)	4 mg/m ³	CN OEL
Carbon black	1333-86-4	PC-TWA (Total dust)	4 mg/m ³	CN OEL
Further information: G2B - Possibly carcinogenic to humans				
		TWA (Inhalable particulate matter)	3 mg/m ³	ACGIH

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye/face protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Odour : slight

Flash point : Not applicable

Density : not determined

Solubility(ies)
Water solubility : insoluble

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



POLIFOR 12 CA/40 H-D NERO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/06/13	000000026195	Date of first issue: 2022/06/13

Auto-ignition temperature : not determined

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned. Dust may form explosive mixture in air.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

Limestone:

Acute oral toxicity	:	LD50 (Rat): 2,000 mg/kg Assessment: The component/mixture is minimally toxic after single ingestion.
---------------------	---	---

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



POLIFOR 12 CA/40 H-D NERO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/06/13	000000026195	Date of first issue: 2022/06/13

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Limestone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,000 mg/l
aquatic invertebrates Exposure time: 48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological : No data available
information

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or
incineration.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste
handling site for recycling or disposal.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



POLIFOR 12 CA/40 H-D NERO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/06/13	000000026195	Date of first issue: 2022/06/13

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

Special precautions for user

Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



POLIFOR 12 CA/40 H-D NERO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/06/13	000000026195	Date of first issue: 2022/06/13

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CN OEL	: Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
ACGIH / TWA	: 8-hour, time-weighted average
CN OEL / PC-TWA	: Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



POLIFOR 12 CA/40 H-D NERO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2022/06/13	000000026195	Date of first issue: 2022/06/13

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN