according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

Version Revision Date: SDS Number: Date of last issue: 2022/07/18
1.1 2025/04/24 000000037477 Date of first issue: 2022/07/18

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ATEVA® 3325ACX Product code : 00000000021036672

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

赛拉尼斯(上海)国际贸易有限公司

Address : 4560 Jinke Road, Zhangjiang, Pudong

Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone number: CHEMTREC International phone number: +1-703-527 3887,

+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : solid

Colour: transparentOdour: mild, vinegar-like

Suspected of causing cancer.

GHS Classification

Carcinogenicity : Category 2

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

Version Revision Date: SDS Number: Date of last issue: 2022/07/18
1.1 2025/04/24 000000037477 Date of first issue: 2022/07/18

and understood.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Suspected of causing cancer.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Acetic acid ethenyl ester polymer with ethane	24937-78-8	> 98
vinyl acetate	108-05-4	>= 0.1 -< 1

4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Cool skin rapidly with cold water after contact with molten

material.

Do not peel solidified product off the skin. Burns must be treated by a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

Version Revision Date: SDS Number: Date of last issue: 2022/07/18
1.1 2025/04/24 000000037477 Date of first issue: 2022/07/18

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Suspected of causing cancer.

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water

Foam

Dry chemical

Carbon dioxide (CO2)

Specific hazards during

firefighting

Do not use a solid water stream as it may scatter and spread

fire.

Hazardous combustion

products

Carbon oxides

Specific extinguishing

methods

Do not allow run-off from fire fighting to enter drains or water

courses.

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Avoid contact with the skin and the eyes.

Avoid dust formation. Avoid breathing dust.

Environmental precautions : Do not allow material to contaminate ground water system.

Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Use mechanical handling equipment.

Keep in suitable, closed containers for disposal.

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/18

 1.1
 2025/04/24
 000000037477
 Date of first issue: 2022/07/18

7. HANDLING AND STORAGE

Handling

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

During processing, dust may form explosive mixture in air.

Advice on safe handling : For personal protection see section 8.

Use only with adequate ventilation.

Smoking, eating and drinking should be prohibited in the

application area.

Minimize dust generation and accumulation.

Do not breathe vapours/dust.

Avoid inhalation, ingestion and contact with skin and eyes. Handle in accordance with good industrial hygiene and safety

practice.

Avoidance of contact : Strong oxidizing agents

Storage

Conditions for safe storage : Store locked up.

Keep container tightly closed in a dry and well-ventilated

place.

Maintain dryness of resin

To maintain product quality, do not store in heat or direct

sunlight.

Electrical installations / working materials must comply with

the technological safety standards.

Observe label precautions.

Materials to avoid : No materials to be especially mentioned.

Further information on

storage stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
vinyl acetate	108-05-4	PC-TWA	10 mg/m3	CN OEL	
	Further information: G2B - Possibly carcinogenic to humans				
		PC-STEL	15 mg/m3	CN OEL	
	Further information: G2B - Possibly carcinogenic to humans				
		TWA	10 ppm	ACGIH	
		STEL	15 ppm	ACGIH	

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

Version Revision Date: SDS Number: Date of last issue: 2022/07/18
1.1 2025/04/24 000000037477 Date of first issue: 2022/07/18

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

In the case of respirable dust and/or fumes, use self-

contained breathing apparatus.

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Protective suit

Hand protection

Remarks : Impervious gloves The suitability for a specific workplace

should be discussed with the producers of the protective

gloves.

Hygiene measures : General industrial hygiene practice.

Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : transparent

Odour : mild, vinegar-like

pH : Not applicable

Melting point/ range : For further information, refer to the product technical data

sheet.

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

Version Revision Date: SDS Number: Date of last issue: 2022/07/18
1.1 2025/04/24 000000037477 Date of first issue: 2022/07/18

Density : ca. 0.9 g/cm³

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : > 330 °C

Decomposition temperature : > 300 °C

Viscosity

Viscosity, kinematic : Not applicable

Particle characteristics

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

Stable under recommended storage conditions.

No hazards to be specially mentioned. Dust may form explosive mixture in air.

Conditions to avoid : No data available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

acetic acid

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

Acetic acid ethenyl ester polymer with ethane:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

vinyl acetate:

Acute oral toxicity : LD50 (Rat): 3,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 15.810 mg/l

Exposure time: 4 h
Test atmosphere: vapour

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/18

 1.1
 2025/04/24
 000000037477
 Date of first issue: 2022/07/18

Acute dermal toxicity : LD50 (Rabbit, male): 7,440 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

vinyl acetate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

vinyl acetate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

vinyl acetate:

Species : Mouse

Method : OECD Test Guideline 429
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

vinyl acetate:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test system: human lymphoblastoid cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

Version Revision Date: SDS Number: Date of last issue: 2022/07/18
1.1 2025/04/24 000000037477 Date of first issue: 2022/07/18

Result: positive

Method: OECD Test Guideline 487

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: ambiguous

Species: Mouse Remarks: negative

Carcinogenicity

Suspected of causing cancer.

Components:

vinyl acetate:

Result

Species : Rat
Application Route : Inhalation
Exposure time : 104 weeks

104 weeks 0.176 mg/l positive

Species : Rat Application Route : Oral

Exposure time : 104 weeks

31 mg/kg food

Result : positive

Reproductive toxicity

Not classified based on available information.

Components:

vinyl acetate:

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight

Method: OECD Test Guideline 416 Result: No toxicity to reproduction

Effects on foetal : Species: Rat

development Application Route: Inhalation and oral drinking water

Developmental Toxicity: 200 Method: OECD Test Guideline 414 Result: no adverse developmental effects

STOT - single exposure

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

Version Revision Date: SDS Number: Date of last issue: 2022/07/18
1.1 2025/04/24 000000037477 Date of first issue: 2022/07/18

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

vinyl acetate:

Species : Rat
NOAEL : 281 mg/kg
Application Route : Oral

Method : OECD Test Guideline 408

Species : Rat Application Route : Inhalation

Method : OECD Test Guideline 453

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Acetic acid ethenyl ester polymer with ethane:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l

Exposure time: 96 h

vinyl acetate:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 12.6 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (microalgae)): 12.7

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

NOEC (Pimephales promelas (fathead minnow)): 0.16 mg/l

Exposure time: 34 d

Method: OECD Test Guideline 210

Toxicity to microorganisms : EC3 (Pseudomonas putida): 6 mg/l

Exposure time: 16 h

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/18

 1.1
 2025/04/24
 000000037477
 Date of first issue: 2022/07/18

Persistence and degradability

Components:

vinyl acetate:

Biodegradability : MITI Test

Inoculum: activated sludge Result: Readily biodegradable. Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

vinyl acetate:

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil
No data available

Other adverse effects

Product:

Additional ecological

information

: No data available

Components:

vinyl acetate:

Results of PBT and vPvB

assessment

The substance does not meet the criteria for PBT / vPvB

according to REACH, Annex XIII

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

Version **Revision Date:** SDS Number: Date of last issue: 2022/07/18 2025/04/24 000000037477 Date of first issue: 2022/07/18 1.1

Not applicable

Environmentally hazardous no

IATA-DGR

UN/ID No. Not applicable Proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Labels Not applicable Packing instruction (cargo Not applicable

aircraft)

Packing instruction Not applicable

(passenger aircraft)

IMDG-Code

UN number Not applicable Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Labels Not applicable EmS Code Not applicable

Marine pollutant nο

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Not applicable Labels

Marine pollutant no

JT/T 617

Not applicable **UN** number Not applicable Proper shipping name Class Not applicable Not applicable Subsidiary risk Not applicable Packing group Labels Not applicable

Environmentally hazardous no

Special precautions for user

Not applicable

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/18

 1.1
 2025/04/24
 000000037477
 Date of first issue: 2022/07/18

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

16. OTHER INFORMATION

Revision Date : 2025/04/24

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CN OEL / PC-TWA : Permissible concentration - time weighted average CN OEL / PC-STEL : Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods;

according to GB/T 16483 and GB/T 17519



ATEVA® 3325ACX

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2022/07/18

 1.1
 2025/04/24
 000000037477
 Date of first issue: 2022/07/18

vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN