according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/11 300010003151 Date of first issue: 2025/07/11

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CELSTRAN® PA66-GF30-02 AD3002 BLACK

Product code : 00000000020004303

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

Address : 4560 Jinke Road, Zhangjiang, Pudong

Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone number: CHEMTREC International phone number: +1-703-527 3887,

+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : pellets
Odour : slight

Not a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Revision Date: SDS Number: Date of last issue: -Version

2025/07/11 300010003151 Date of first issue: 2025/07/11 1.0

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Glass, oxide, chemicals	65997-17-3	>= 20 -< 30	
Potassium iodide	7681-11-0	>= 0.25 -< 0.3	

4. FIRST AID MEASURES

General advice Do not leave the victim unattended.

If inhaled If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact Cool skin rapidly with cold water after contact with molten

material.

Do not peel solidified product off the skin. Burns must be treated by a physician.

Remove contact lenses. In case of eye contact

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do NOT induce vomiting.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician Treat symptomatically

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water

Foam

Dry chemical

Carbon dioxide (CO2)

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation.

Sweep up to prevent slipping hazard.

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Revision Date: SDS Number: Date of last issue: -Version

2025/07/11 300010003151 Date of first issue: 2025/07/11 1.0

Environmental precautions No special environmental precautions required.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on protection against :

fire and explosion

During processing, dust may form explosive mixture in air.

Provide appropriate exhaust ventilation at machinery and at

places where dust can be generated.

Advice on safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Minimize dust generation and accumulation.

Avoidance of contact Not applicable

Storage

Keep in a dry, cool place. Conditions for safe storage

Maintain dryness of resin

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid No materials to be especially mentioned.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glass, oxide, chemicals	65997-17-3	TWA (fibres)	1 fibres per cubic centimeter	ACGIH
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Potassium iodide	7681-11-0	TWA (Inhalable fraction and vapor)	0.01 ppm (lodine)	ACGIH
		TWA (Inhal- able particu- late matter)	0.01 mg/m3 (lodine)	ACGIH

Engineering measures Local exhaust

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/11 300010003151 Date of first issue: 2025/07/11

Provide appropriate exhaust ventilation at places where dust

is formed.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Eye/face protection : Safety glasses with side-shields

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Odour : slight

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/ range : For further information, refer to the product technical data

sheet.

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form combustible dust concentrations in air during pro-

cessing, handling or other means.

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Density : For further information, refer to the product technical data

sheet.

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature

For further information, refer to the product technical data

sheet.

Decomposition temperature : No data available

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Revision Date: SDS Number: Date of last issue: -Version

2025/07/11 300010003151 Date of first issue: 2025/07/11 1.0

Viscosity

Viscosity, dynamic Not applicable

Viscosity, kinematic Not applicable

10. STABILITY AND REACTIVITY

No decomposition if stored and applied as directed. Reactivity Chemical stability No decomposition if stored and applied as directed. Possibility of hazardous reac-Stable under recommended storage conditions.

tions

Dust can form an explosive mixture in air.

Conditions to avoid No data available Incompatible materials Not applicable Hazardous decomposition Carbon monoxide

products

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

Potassium iodide:

Acute oral toxicity : LD50 (Rat): 2,500 mg/kg

Method: OECD Test Guideline 423

: LD50 (Rat): > 2,000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified due to lack of data.

Components:

Glass, oxide, chemicals:

Species Rabbit

No skin irritation Assessment

Method OECD Test Guideline 404 Slight or no skin irritation Result

Minimal effects that do not meet the threshold for classifica-Remarks

tion.

Potassium iodide:

Rabbit Species

Assessment No skin irritation

Method **OECD Test Guideline 404**

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/11 300010003151 Date of first issue: 2025/07/11

Result : No skin irritation

Serious eye damage/eye irritation

Not classified due to lack of data.

Components:

Glass, oxide, chemicals:

Species : Not tested on animals
Result : Slight or no eye irritation

Assessment : No eye irritation

Remarks : Minimal effects that do not meet the threshold for classifica-

tion.

Potassium iodide:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

Glass, oxide, chemicals:

Species : Not tested on animals

Assessment : Does not cause skin sensitisation. Result : Does not cause skin sensitisation.

Potassium iodide:

Species : Human

Assessment : May cause sensitisation by skin contact.
Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Glass, oxide, chemicals:

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ cell mutagen., Overall weight of evidence indicates that the

substance is not mutagenic.

Potassium iodide:

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/11 300010003151 Date of first issue: 2025/07/11

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects., Evidence suggests this substance does not cause genetic damage in cultured bacterial cells., Evidence suggests this substance does not cause genetic damage in cultured mammalian cells., Information given is based on data obtained from similar substances.

Carcinogenicity

Not classified due to lack of data.

Components:

Glass, oxide, chemicals:

Carcinogenicity - Assess-

ment

Carcinogenicity classification not possible from current data.

Reproductive toxicity

Not classified due to lack of data.

Components:

Potassium iodide:

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments, Animal testing showed effects on reproduction that included.

Reduced embryo-foetal viability, Reduced fertility

Animal testing showed effects on embryo-foetal development including:, Reduced growth, Delayed foetal development (var-

iations)

STOT - single exposure

Not classified due to lack of data.

Components:

Potassium iodide:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Not classified due to lack of data.

Components:

Glass, oxide, chemicals:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Potassium iodide:

Target Organs : Thyroid, Salivary gland

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/11 300010003151 Date of first issue: 2025/07/11

Repeated dose toxicity

Components:

Glass, oxide, chemicals:

Species : Rat
Application Route : Inhalation
Exposure time : 3 Months

Remarks : No toxicological effects warranting significant target organ

toxicity classification were seen below the recommended

guidance values for classification.

Potassium iodide:

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months

Remarks : Organ weight changes

Aspiration toxicity

Not classified due to lack of data.

Components:

Glass, oxide, chemicals:

No aspiration toxicity classification

Potassium iodide:

No aspiration toxicity classification

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Glass, oxide, chemicals:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >

1,000 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/11 300010003151 Date of first issue: 2025/07/11

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Potassium iodide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 1.08 mg/l

Exposure time: 48 h

Remarks: Information given is based on data obtained from

similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

Glass, oxide, chemicals:

Biodegradability : Result: Not biodegradable

Remarks: Not applicable

Bioaccumulative potential

Components:

Potassium iodide:

Partition coefficient: n-

octanol/water

: Pow: 0.11 (25 °C)

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or incinera-

tion.

Dispose of in accordance with local regulations.

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/11 300010003151 Date of first issue: 2025/07/11

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Marine pollutant : no

JT/T 617

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/11 300010003151 Date of first issue: 2025/07/11

Labels : Not applicable

Environmentally hazardous no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the cata-

logue of hazardous chemicals and it does not meet the definition of hazardous chemicals and its principles

of determination.

Not listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed

18218)

Hazardous Chemicals for Priority Management under : Not listed

SAWS

Catalogue of Specially Controlled Hazardous Chemi-

cals

List of Explosive Precursors : Not listed

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed

and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals : Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances : Not listed

List of Controlled Ozone Depleting Substances Import : Not listed

and Export

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/11 300010003151 Date of first issue: 2025/07/11

Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

16. OTHER INFORMATION

Revision Date : 2025/07/11 Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

according to GB/T 16483 and GB/T 17519



CELSTRAN® PA66-GF30-02 AD3002 BLACK

Version Revision Date: SDS Number: Date of last issue: -

1.0 2025/07/11 300010003151 Date of first issue: 2025/07/11

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN