

**OMNITECH PBT FR GF15 BK1000 BLACK**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 02/04/2022     | 000000045313 | Date of first issue: 02/04/2022 |

**SECTION 1. IDENTIFICATION**

Product name : OMNITECH PBT FR GF15 BK1000 BLACK

Product code : 000000000021045967

**Manufacturer or supplier's details**

Company name of supplier : Celanese Sales U.S. Ltd.

Address : 222 West Las Colinas Boulevard Suite 900N  
IrvingTX 75039

Telephone : '+1 972-443-4000

E-mail address of person responsible for the SDS : HazCom@celanese.com

Emergency telephone number : DOMESTIC NORTH AMERICA: 800-424-9300  
INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)**Recommended use of the chemical and restrictions on use**

Recommended use : Plastic processing industry

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name           | CAS-No.    | Concentration (% w/w) |
|-------------------------|------------|-----------------------|
| glass, oxide, chemicals | 65997-17-3 | $\geq 10$ - $< 20$    |
| antimony trioxide       | 1309-64-4  | $\geq 1$ - $< 5$      |
| Carbon black            | 1333-86-4  | $\geq 0.1$ - $< 1$    |

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : Do not leave the victim unattended.

**OMNITECH PBT FR GF15 BK1000 BLACK**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 02/04/2022     | 000000045313 | Date of first issue: 02/04/2022 |

---

- |                                                             |   |                                                                                                                                                                               |
|-------------------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled                                                  | : | If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                 |
| In case of skin contact                                     | : | Cool skin rapidly with cold water after contact with molten material.<br>Do not peel solidified product off the skin.<br>Burns must be treated by a physician.                |
| In case of eye contact                                      | : | Remove contact lenses.<br>Protect unharmed eye.<br>If eye irritation persists, consult a specialist.                                                                          |
| If swallowed                                                | : | Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : | None known.                                                                                                                                                                   |
| Notes to physician                                          | : | Treat symptomatically.                                                                                                                                                        |
- 

**SECTION 5. FIREFIGHTING MEASURES**

- |                                               |   |                                                                                                                                                   |
|-----------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : | Water<br>Foam<br>Dry chemical<br>Carbon dioxide (CO <sub>2</sub> )                                                                                |
| Specific hazards during firefighting          | : | Do not use a solid water stream as it may scatter and spread fire.                                                                                |
| Hazardous combustion products                 | : | Carbon oxides                                                                                                                                     |
| Further information                           | : | Standard procedure for chemical fires.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary.                                                                            |
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- |                                                                     |   |                                                                                |
|---------------------------------------------------------------------|---|--------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : | Avoid breathing dust.<br>Ensure adequate ventilation.<br>Avoid dust formation. |
| Environmental precautions                                           | : | No special environmental precautions required.                                 |

**OMNITECH PBT FR GF15 BK1000 BLACK**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 02/04/2022     | 000000045313 | Date of first issue: 02/04/2022 |

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion : During processing, dust may form explosive mixture in air.

Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Minimize dust generation and accumulation.

For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

Conditions for safe storage : Keep in a dry, cool place.  
Maintain dryness of resin

Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

| Components              | CAS-No.    | Value type<br>(Form of exposure)      | Control parameters /<br>Permissible concentration | Basis     |
|-------------------------|------------|---------------------------------------|---------------------------------------------------|-----------|
| glass, oxide, chemicals | 65997-17-3 | TWA (fibres)                          | 1 fibres per cubic centimeter                     | ACGIH     |
|                         |            | TWA<br>(Inhalable particulate matter) | 5 mg/m <sup>3</sup>                               | ACGIH     |
|                         |            | TWA (fibres)                          | 1 fibres per cubic centimeter                     | ACGIH     |
|                         |            | TWA (fibres)                          | 1 fibres per cubic centimeter                     | ACGIH     |
| antimony trioxide       | 1309-64-4  | TWA                                   | 0.5 mg/m <sup>3</sup><br>(antimony)               | OSHA Z-1  |
|                         |            | TWA                                   | 0.5 mg/m <sup>3</sup><br>(antimony)               | OSHA P0   |
|                         |            | TWA                                   | 0.5 mg/m <sup>3</sup><br>(antimony)               | NIOSH REL |
|                         |            | TWA                                   | 0.5 mg/m <sup>3</sup>                             | ACGIH     |

**OMNITECH PBT FR GF15 BK1000 BLACK**

Version 1.0      Revision Date: 02/04/2022      SDS Number: 000000045313      Date of last issue: -  
 Date of first issue: 02/04/2022

|              |           |                                       |                                 |           |
|--------------|-----------|---------------------------------------|---------------------------------|-----------|
|              |           |                                       | (antimony)                      |           |
| Carbon black | 1333-86-4 | TWA<br>(Inhalable particulate matter) | 3 mg/m <sup>3</sup>             | ACGIH     |
|              |           | TWA                                   | 3.5 mg/m <sup>3</sup>           | NIOSH REL |
|              |           | TWA                                   | 3.5 mg/m <sup>3</sup>           | OSHA Z-1  |
|              |           | TWA                                   | 3.5 mg/m <sup>3</sup>           | OSHA P0   |
|              |           | TWA                                   | 0.1 mg/m <sup>3</sup><br>(PAHs) | NIOSH REL |

**Engineering measures** : Local exhaust

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : pellets

Odour : slight

Melting point/range : 442 °F / 228 °C

Flash point : Not applicable

Density : 1.38 - 1.55 g/cm<sup>3</sup> (68 °F / 20 °C)

Solubility(ies)  
 Water solubility : insoluble

Auto-ignition temperature : > 788 °F / > 420 °C

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
 No hazards to be specially mentioned.  
 Dust may form explosive mixture in air.

Conditions to avoid : No data available

**OMNITECH PBT FR GF15 BK1000 BLACK**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 02/04/2022     | 000000045313 | Date of first issue: 02/04/2022 |

|                                  |   |                   |
|----------------------------------|---|-------------------|
| Incompatible materials           | : | Not applicable    |
| Hazardous decomposition products | : | No data available |

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Skin corrosion/irritation**

Not classified based on available information.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

|             |                                                                                                  |            |
|-------------|--------------------------------------------------------------------------------------------------|------------|
| <b>IARC</b> | Group 2A: Probably carcinogenic to humans<br>glass, oxide, chemicals<br>(glass)                  | 65997-17-3 |
|             | Group 2B: Possibly carcinogenic to humans<br>glass, oxide, chemicals<br>(special-purpose fibres) | 65997-17-3 |
|             | Group 2B: Possibly carcinogenic to humans<br>antimony trioxide                                   | 1309-64-4  |
|             | Group 2B: Possibly carcinogenic to humans<br>Carbon black                                        | 1333-86-4  |

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**OMNITECH PBT FR GF15 BK1000 BLACK**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 02/04/2022     | 000000045313 | Date of first issue: 02/04/2022 |

---

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:**

Remarks : No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as defined by the  
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +  
B).

Additional ecological : No data available  
information

**Global warming potential****The Fifth Assessment Report of the United Nations Intergovernmental Panel on Climate Change (IPCC)****Components:****methylene chloride:**

20-year global warming potential: 33

100-year global warming potential: 9

Atmospheric lifetime: 0.4 yr

Radiative efficiency: 0.03 Wm<sup>2</sup>ppb

Further information: Chlorocarbons and Hydrochlorocarbons, RE is unchanged since AR4 except  
the absolute forcing is increased by a factor of 1.04 to account for the change in the  
recommended RE of CFC-11.

**OMNITECH PBT FR GF15 BK1000 BLACK**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 02/04/2022     | 000000045313 | Date of first issue: 02/04/2022 |

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Where possible recycling is preferred to disposal or incineration.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

| Components         | CAS-No.   | Component RQ (lbs) | Calculated product RQ (lbs) |
|--------------------|-----------|--------------------|-----------------------------|
| methylene chloride | 75-09-2   | 10                 | 10 (F001)                   |
| methylene chloride | 75-09-2   | 10                 | 10 (F002)                   |
| lead               | 7439-92-1 | 10                 | 10 (D008)                   |
| arsenic            | 7440-38-2 | 1                  | 1 (D004)                    |
| arsenic            | 7440-38-2 | 1                  | *                           |

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**OMNITECH PBT FR GF15 BK1000 BLACK**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 02/04/2022     | 000000045313 | Date of first issue: 02/04/2022 |

---

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

|                   |           |              |
|-------------------|-----------|--------------|
| antimony trioxide | 1309-64-4 | >= 1 - < 5 % |
|-------------------|-----------|--------------|

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

|                   |           |              |
|-------------------|-----------|--------------|
| antimony trioxide | 1309-64-4 | >= 1 - < 5 % |
|-------------------|-----------|--------------|

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

|                   |           |              |
|-------------------|-----------|--------------|
| antimony trioxide | 1309-64-4 | >= 1 - < 5 % |
|-------------------|-----------|--------------|

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

|                   |           |              |
|-------------------|-----------|--------------|
| antimony trioxide | 1309-64-4 | >= 1 - < 5 % |
|-------------------|-----------|--------------|

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

|                   |           |              |
|-------------------|-----------|--------------|
| antimony trioxide | 1309-64-4 | >= 1 - < 5 % |
|-------------------|-----------|--------------|

This product does not contain any priority pollutants related to the U.S. Clean Water Act

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---


**SECTION 16. OTHER INFORMATION****Further information**



## OMNITECH PBT FR GF15 BK1000 BLACK

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 02/04/2022     | 000000045313 | Date of first issue: 02/04/2022 |

## NFPA 704:



## HMIS® IV:

|                 |   |   |
|-----------------|---|---|
| HEALTH          | / | 0 |
| FLAMMABILITY    |   | 1 |
| PHYSICAL HAZARD |   | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

## Full text of other abbreviations

|                 |                                                                                             |
|-----------------|---------------------------------------------------------------------------------------------|
| ACGIH           | : USA. ACGIH Threshold Limit Values (TLV)                                                   |
| NIOSH REL       | : USA. NIOSH Recommended Exposure Limits                                                    |
| OSHA P0         | : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000                             |
| OSHA Z-1        | : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants          |
| ACGIH / TWA     | : 8-hour, time-weighted average                                                             |
| NIOSH REL / TWA | : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| OSHA P0 / TWA   | : 8-hour time weighted average                                                              |
| OSHA Z-1 / TWA  | : 8-hour time weighted average                                                              |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

**OMNITECH PBT FR GF15 BK1000 BLACK**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: -           |
| 1.0     | 02/04/2022     | 000000045313 | Date of first issue: 02/04/2022 |

---

Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/04/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN