

SAFETY DATA SHEET



PE836

Version 2.0
Document no. 130000157652

Revision Date 2022/12/14
Issue Date 2023/07/14

This SDS adheres to the standards and regulatory requirements of China and may not meet the regulatory requirements in other countries.

Section 1 - Chemical and Enterprise Identification

Product name : PE836

Product name in English : PE836

Recommended use of the chemical and restriction on use

Recommended use : For industrial use only.
Paste for electronic industry

Restrictions on use : Do not use product for anything outside of the above specified uses.

Manufacturer, importer, supplier

Company : Celanese (Shanghai) International Trading Co., Ltd
Street address : 4560 Jinke Road, Zhangjiang, Pudong Shanghai, China 201210

E-mail address : HazCom@celanese.com

Emergency telephone number : CHEMTREC International: +1-703-527 3887, +86 532 8388-9090 (China, 24h)

Date of first preparation : 2022/12/14

Section 2 - Hazard Identification

GHS Hazard Category

Flammable liquids : Category 4

Short-term (acute) : Category 1

aquatic hazard

Long-term (chronic) : Category 1

aquatic hazard

Endpoints which are not classified, cannot be classified or are not applicable are not shown.

Label content

Pictogram :



Signal word : Warning

Hazardous warnings : Combustible liquid.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



PE836

Version 2.0
Document no. 130000157652

Revision Date 2022/12/14
Issue Date 2023/07/14

Precautionary statements : **Preventive Measures:**
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Avoid release to the environment.
Wear protective gloves/ eye protection/ face protection.
Accident Response:
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Collect spillage.
Safe Storage:
Store in a well-ventilated place. Keep cool.
Waste Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Main Symptom After Contact
No information available.

Section 3 - Ingredients/Composition Information

Chemical nature : Mixture

Components

Chemical name	CAS-No.	Concentration
Silver powder	7440-22-4	60 - 70%
(2-Methoxymethylethoxy)propanol	34590-94-8	30 - 40%

Section 4 - First-aid Measures

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

Skin contact : Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.

Eye contact : Immediately flush eyes for at least 15 minutes. Get medical attention.

Ingestion : If swallowed Rinse mouth with water. Call a physician or poison control centre immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

Most important symptoms/effects, acute and delayed : No information available.

Protection of first-aiders : No information available.

Notes to physician : No information available.

Section 5 - Fire-fighting Measures

SAFETY DATA SHEET



PE836

Version 2.0
Document no. 130000157652

Revision Date 2022/12/14
Issue Date 2023/07/14

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, Dry chemical, Carbon dioxide (CO ₂)
Unsuitable extinguishing media	: No information available.
Specific hazards	: Hazardous decomposition products formed under fire conditions. (see also section 10) Avoid breathing decomposition products.
Special protective equipment for firefighters	: Exposure to decomposition products may be a hazard to health. Wear self-contained breathing apparatus for firefighting if necessary.
Specific extinguishing methods	: No information available.
Further information	: Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal risk. Do not allow run-off from fire fighting to enter drains or water courses.

Section 6 - Leak Emergency Treatment

Protective measures, devices and emergency treatment procedure for workers	: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear suitable protective equipment.
Environmental precautions	: Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Clean contaminated floors and objects thoroughly while observing environmental regulations.
Methods and materials for containment and cleaning up	: Contain spill. Soak up with inert absorbent material. Collect and contain contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated surface thoroughly.
Prevention of secondary hazards	: No information available.
Additional advice	: Dispose of in accordance with local regulations.

Section 7 - Operation Handling and Storage

Operation Handling

Technical measures/Precautions	: Avoid inhalation, ingestion and contact with skin and eyes. Do not use in areas without adequate ventilation. Keep container closed when not in use. Take care to avoid waste and spillage when weighing, loading and mixing the product.
Precautions for safe handling	: Avoid formation of dust and aerosols. Keep away from heat and sources of ignition.

Storage

SAFETY DATA SHEET

**PE836**

Version 2.0

Document no. 130000157652

Revision Date 2022/12/14

Issue Date 2023/07/14

Suitable storage conditions : Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from sources of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Keep container closed when not in use. Do not reuse empty container.

Storage period: Stable under normal conditions.

Section 8 - Exposure Control and Personal Protection**Control parameters**

Applicable occupational exposure limits are listed below.

Silver powder		
TWA	0.1 mg/m3 (Dust and fume)	ACGIH (2013-03-01)
(2-Methoxymethylethoxy)propanol		
PC-TWA	600 mg/m3	CN OEL (2019-08-27)
PC-STEL	900 mg/m3	CN OEL (2019-08-27)
TWA	100 ppm	ACGIH (2020-02-01)
	Danger of cutaneous absorption	
STEL	150 ppm	ACGIH (2020-02-01)
	Danger of cutaneous absorption	

Biological occupational exposure limits

No biological exposure limit values are applicable.

Engineering controls : Local exhaust or a laboratory hood should be used when handling the materials. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection : Provide adequate ventilation. No personal respiratory protective equipment normally required. Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.
Persons performing maintenance or repairs on exhaust system equipment (e.g. ducts) may need to use respirators and protective clothing to prevent exposure to any accumulated residues.

Hand protection : Material: Impervious gloves
Gloves must be inspected prior to use., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality

SAFETY DATA SHEET



PE836

Version 2.0
Document no. 130000157652

Revision Date 2022/12/14
Issue Date 2023/07/14

features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be observed., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection : Wear safety glasses with side shields.

Skin protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Lightweight protective clothing
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Contaminated work clothing should not be allowed out of the workplace. Remove contaminated clothing and protective equipment before entering eating areas. Remove and wash contaminated clothing before re-use.

Section 9 - Physical and Chemical Properties

Appearance (Physical state, form, colour, etc.)

Physical state : liquid
Form : viscous liquid
Colour : grey

Odour : solvent-like

Odour Threshold : No information available.

pH : No information available.

Melting point/freezing point

No information available.

Boiling point, initial boiling point and boiling range

No information available.

Flash point : 83 °C
Method: Setaflash closed cup - SCC

Evaporation rate : No information available.

Flammability : No information available.

Upper/lower flammability or explosive limits

Upper explosion limit : No information available.
Lower explosion limit : No information available.

Vapour pressure : No information available.

SAFETY DATA SHEET



PE836

Version 2.0
Document no. 130000157652

Revision Date 2022/12/14
Issue Date 2023/07/14

Vapour density : No information available.

Density
Density : 2.25 g/cm³

Solubility(ies)
Water solubility : (20 °C)
insoluble

Particle characteristics
Assessment : No information available.

Partition coefficient: n-octanol/water : No information available.

Auto-ignition temperature
No information available.

Decomposition temperature : No information available.

Viscosity
Viscosity, kinematic : No information available.

Molecular weight : No information available.

Oxidizing properties : No information available.

Section 10 - Stability and Reactivity

Reactivity : No information available.

Chemical stability : Stable at normal temperatures and storage conditions.

Possibility of hazardous reactions : Polymerization will not occur.

Conditions to avoid : None reasonably foreseeable.

Materials to avoid : Acids, bases and strong oxidizing agents

Hazardous decomposition products : No decomposition if stored and applied as directed.

Under fire conditions:

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke)., Metal oxides

Section 11 - Toxicological Information

Acute toxicity

Oral
Silver powder : LD50/Rat: > 2,000 mg/kg

PE836

Version 2.0

Revision Date 2022/12/14

Document no. 130000157652

Issue Date 2023/07/14

		Method: OECD Test Guideline 401
		The substance or mixture has no acute oral toxicity
(2-Methoxymethylethoxy)propanol	:	LD50/Rat: > 5,000 mg/kg
		Method: OECD Test Guideline 401
		The substance or mixture has no acute oral toxicity
Inhalation		
Silver powder	:	LC50/4 h/Rat(dust/mist): > 5.16 mg/l
		Method: OECD Test Guideline 436
		The substance or mixture has no acute inhalation toxicity
(2-Methoxymethylethoxy)propanol	:	The substance or mixture has no acute inhalation toxicity
		An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.
Dermal		
Silver powder	:	LD50/Rat: > 2,000 mg/kg
		Method: OECD Test Guideline 402
		The substance or mixture has no acute dermal toxicity
(2-Methoxymethylethoxy)propanol	:	LD50/Rabbit: 9,510 mg/kg
		Method: OECD Test Guideline 402
		The substance or mixture has no acute dermal toxicity
		Skin effects
Skin corrosion/irritation		
Silver powder	:	Species: Rabbit
		Result: Slight or no skin irritation
		Classification: No skin irritation
		Method: OECD Test Guideline 404
		Minimal effects that do not meet the threshold for classification.
(2-Methoxymethylethoxy)propanol	:	Species: Rabbit
		Result: No skin irritation
		Classification: No skin irritation
		Method: OECD Test Guideline 404
Serious eye damage/eye irritation		
Silver powder	:	Species: Rabbit
		Result: No eye irritation
		Classification: No eye irritation
		Method: OECD Test Guideline 405
(2-Methoxymethylethoxy)propanol	:	Species: human
		Result: Slight or no eye irritation
		Classification: No eye irritation
		Minimal effects that do not meet the threshold for classification.
Respiratory or skin sensitisation		
Silver powder	:	Species: Guinea pig
		Result: Does not cause skin sensitisation.
		Classification: Does not cause skin sensitisation.
		Method: US EPA Test Guideline OPPTS 870.2600
		Information given is based on data obtained from similar substances.
(2-Methoxymethylethoxy)propanol	:	Species: human
		Result: Does not cause skin sensitisation.
		Classification: Does not cause skin sensitisation.

Germ cell mutagenicity

PE836

Version 2.0

Document no. 130000157652

Revision Date 2022/12/14

Issue Date 2023/07/14

- Silver powder : Weight of evidence does not support classification as a germ cell mutagen. Did not cause genetic damage in cultured bacterial cells. Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others. Genetic damage in animals was observed in some laboratory tests but not in others. Information given is based on data obtained from similar substances.
- (2-Methoxymethylethoxy)propanol : Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Animal testing did not show any mutagenic effects.

Carcinogenicity

- (2-Methoxymethylethoxy)propanol : Animal testing did not show any carcinogenic effects. Information given is based on data obtained from similar substances.

Reproductive toxicity

- Silver powder : Reproductive toxicity: No toxicity to reproduction
Animal testing showed no reproductive toxicity.
Teratogenicity: Animal testing showed no developmental toxicity.
- (2-Methoxymethylethoxy)propanol : Reproductive toxicity: No toxicity to reproduction
Animal testing showed no reproductive toxicity.
No effects on or via lactation
Information given is based on data obtained from similar substances.
Teratogenicity: Animal testing showed no developmental toxicity.

Specific Target Organ Toxicity

Specific target organ toxicity - single exposure

- Silver powder : The substance or mixture is not classified as specific target organ toxicant, single exposure.
- (2-Methoxymethylethoxy)propanol : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

- Silver powder : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
- (2-Methoxymethylethoxy)propanol : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

- Silver powder : No aspiration toxicity classification
- (2-Methoxymethylethoxy)propanol : No aspiration toxicity classification

Other

- Silver powder : Repeated dose toxicity:
Ingestion/Rat 90 d
NOAEL: 30 mg/kg
LOAEL: 125 mg/kg
Method: OECD Test Guideline 408
No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification.

PE836

Version 2.0

Revision Date 2022/12/14

Document no. 130000157652

Issue Date 2023/07/14

	Inhalation/Rat 90 d dust/mist Method: OECD Test Guideline 413 No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification.
(2-Methoxymethylethoxy)propanol	: Repeated dose toxicity: Ingestion/Rat 28 d NOAEL: 1,000 mg/kg No toxicologically significant effects were found. Inhalation/Rat 90 d vapour Method: OECD Test Guideline 413 No toxicologically significant effects were found. Skin contact/Rabbit 90 d NOAEL: 2,850 mg/kg Method: OECD Test Guideline 411 No toxicologically significant effects were found.

Section 12 - Ecological Information**Ecotoxicity effects**

Acute and prolonged toxicity to fish

Silver powder	: LC50/96 h/Pimephales promelas (fathead minnow): 0.016 mg/l Information given is based on data obtained from similar substances.
(2-Methoxymethylethoxy)propanol	: LC50/96 h/Poecilia reticulata (guppy): > 1,000 mg/l Method: OECD Test Guideline 203

Toxicity to aquatic plants

Silver powder	: EC50/96 h/Pseudokirchneriella subcapitata (green algae): 0.19 mg/l Information given is based on data obtained from similar substances. EC10/72 h/Pseudokirchneriella subcapitata (green algae): 0.03462 mg/l Information given is based on data obtained from similar substances.
(2-Methoxymethylethoxy)propanol	: EC50/96 h/Pseudokirchneriella subcapitata (green algae): > 969 mg/l Method: OECD Test Guideline 201 NOEC/96 h/Pseudokirchneriella subcapitata (green algae): 969 mg/l Method: OECD Test Guideline 201

Acute toxicity to aquatic invertebrates

Silver powder	: EC50/48 h/Daphnia magna (Water flea): 0.0125 mg/l Information given is based on data obtained from similar substances.
(2-Methoxymethylethoxy)propanol	: EC50/48 h/Daphnia magna (Water flea) Method: OECD Test Guideline 202 Aquatic toxicity is unlikely due to low solubility.

Chronic toxicity to fish

Silver powder	: NOEC/32 d/Oncorhynchus mykiss (rainbow trout): 0.0012 mg/l Information given is based on data obtained from similar substances.
---------------	--

Chronic toxicity to aquatic Invertebrates

Silver powder	: NOEC/21 d/Daphnia magna (Water flea): 0.00327 mg/l Information given is based on data obtained from similar substances.
---------------	--

SAFETY DATA SHEET



PE836

Version 2.0

Document no. 130000157652

Revision Date 2022/12/14

Issue Date 2023/07/14

Persistence and degradability

Silver powder : Result: Not biodegradable
Not applicable
(2-Methoxymethylethoxy)propanol : Result: Biodegradable
Readily biodegradable.

Bioaccumulation

Silver powder : Bioaccumulation is unlikely. Information given is based on data obtained from similar substances.

Mobility in soil

No information available.

Other adverse effects

No information available.

Section 13 - Waste Disposal

Waste disposal methods : If recycling is not practicable, dispose of in compliance with local regulations. Never place unused product down any indoor or out door drain. Do not reuse empty container. Contaminated/not cleaned containers should be treated/handled like product waste. Dispose of container properly. Refer to applicable Local, State/Provincial, and Federal Regulations, as well as industry Standards.

Contaminated packaging : Dispose of in accordance with local regulations.

Section 14 - Transport Information

China Dangerous Goods Regulation

UN number : 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Silver)
Class : 9
Packing group : III

IMDG

UN number : 3082
UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(银)
(Silver)
Transport hazard class : 9
Packing group : III
Marine pollutant : yes

IATA

UN number : 3082
UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(银)
(Silver)

SAFETY DATA SHEET



PE836

Version 2.0

Document no. 130000157652

Revision Date 2022/12/14

Issue Date 2023/07/14

Transport hazard class : 9
Packing group : III

Matters needing attention : Not applicable
for transportation

Section 15 - Regulatory Information

Regulation on the Safety Management of Hazardous Chemicals
Production Safety Law of the People's Republic of China
Law of the People's Republic of China on Prevention and Treatment of Occupational Disease
Environmental Protection Law of the People's Republic of China
Law of the People's Republic of China on the Prevention and Control of Atmospheric Pollution
Marine Environment Protection Law of the People's Republic of China
Fire Protection Law of the People's Republic of China
Law of the People's Republic of China on the Prevention and Control of Environmental Pollution by Solid Wastes
Occupational exposure limits for hazardous agents in the workplace Part 1 Chemical hazardous agents (GBZ2.1)
Occupational exposure limits for hazardous agents in the workplace Part 2 Physical agents (GBZ2.2)
General rule for classification and hazard communication of chemicals (GB13690)
Lists of Dangerous Goods (GB12268)
Dangerous goods classification (GB6944)
Common dangerous chemical storage rules (GB15603)
Packaging Symbols of Dangerous Goods (GB190)
National Hazardous Waste Inventory

Section 16 - Other Information

References

SDS Number: 130000157652

Revision Date/Version

Date of first preparation : 2022/12/14
Revision Date : 2022/12/14
Version : 2.0

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.