

#### PE839

Version 2.0 Revision Date 2022/12/14 Issue Date 2023/07/14 Document no. 130000157654

This SDS adheres to the standards and regulatory requirements of China and may not meet the regulatory requirements in other countries.

## Section 1 - Chemical and Enterprise Identification

Product name PE839

Product name in English PE839

Recommended use of the chemical and restriction on use

Recommended use : For industrial use only.

Paste for electronic industry

: Do not use product for anything outside of the above specified uses. Restrictions on use

Manufacturer, importer, supplier

Company Celanese (Shanghai) International Trading Co., Ltd

Street address 4560 Jinke Road, Zhangjiang, Pudong Shanghai, China 201210

E-mail address HazCom@celanese.com

**Emergency telephone** 

number

CHEMTREC International: +1-703-527 3887, +86 532 8388-9090 (China, 24h)

Date of first preparation : 2022/12/14

#### Section 2 - Hazard Identification

**GHS Hazard Category** 

Flammable liquids Category 4 Serious eye : Category 2A

damage/eye irritation

: Category 1 Skin sensitisation Aspiration hazard Category 2 Short-term (acute) : Category 1

aquatic hazard

Long-term (chronic) Category 1

aquatic hazard

Endpoints which are not classified, cannot be classified or are not applicable are not shown.

Label content

Pictogram



Signal word Warning



#### PE839

 Version 2.0
 Revision Date 2022/12/14

 Document no. 130000157654
 Issue Date 2023/07/14

Hazardous warnings : Combustible liquid.

May be harmful if swallowed and enters airways.

May cause an allergic skin reaction.

Causes serious eye irritation.

Very toxic to aquatic life with long lasting effects.

Precautionary statements

Preventive Measures:

Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

Avoid breathing mist or vapours. Wash skin thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/ eye protection/ face protection.

**Accident Response:** 

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Do NOT induce vomiting.

If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Collect spillage. Safe Storage:

Store in a well-ventilated place. Keep cool.

Store locked up. **Waste Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

#### **Main Symptom After Contact**

No information available.

## Section 3 - Ingredients/Composition Information

Chemical nature : Mixture

Components

Chemical name

CAS-No.

Concentration

Silver powder (nano-size)

2-(2-Butoxyethoxy)ethanol

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked

CAS-No.

Concentration

7440-22-4

10 - 20%

10 - 20%

1 - 10%

#### Section 4 - First-aid Measures

**Inhalation** : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing,

give artificial respiration. Get medical attention.



#### PE839

Version 2.0 Revision Date 2022/12/14
Document no. 130000157654 Issue Date 2023/07/14

**Skin contact**: Wash off with soap and water. Get medical attention if irritation develops and

persists. Wash contaminated clothing before re-use.

**Eye contact** : Immediately flush eyes for at least 15 minutes. Get medical attention.

Ingestion : If swallowed Rinse mouth with water. Call a physician or poison control centre

immediately. DO NOT induce vomiting unless directed to do so by a physician or

poison control center.

Most important

symptoms/effects, acute

and delayed

No information available.

**Protection of first-aiders** : No information available.

Notes to physician : No information available.

### Section 5 - Fire-fighting Measures

Suitable extinguishing

media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Water spray, Dry chemical, Carbon dioxide (CO2)

Unsuitable extinguishing

media

No information available.

**Specific hazards** : Hazardous decomposition products formed under fire conditions. (see also section

10) Avoid breathing decomposition products.

Special protective

equipment for firefighters

Exposure to decomposition products may be a hazard to health. Wear self-

contained breathing apparatus for firefighting if necessary.

Specific extinguishing

methods

No information available.

Further information : Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal

risk. Do not allow run-off from fire fighting to enter drains or water courses.

### Section 6 - Leak Emergency Treatment

Protective measures, devices and emergency treatment procedure for workers Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear

suitable protective equipment.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering

drains. Clean contaminated floors and objects thoroughly while observing

environmental regulations.



#### PE839

Version 2.0 Revision Date 2022/12/14
Document no. 130000157654 Issue Date 2023/07/14

Methods and materials for containment and cleaning up

Contain spill. Soak up with inert absorbent material. Collect and contain contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated surface

thoroughly.

Prevention of secondary

hazards

No information available.

Additional advice : Dispose of in accordance with local regulations.

### Section 7 - Operation Handling and Storage

#### **Operation Handling**

Technical

measures/Precautions

Avoid inhalation, ingestion and contact with skin and eyes. Do not use in areas without adequate ventilation. Keep container closed when not in use. Take care to avoid waste and spillage when weighing, loading and mixing the product.

Precautions for safe

handling

Avoid formation of dust and aerosols. Keep away from heat and sources of

ignition.

### **Storage**

Suitable storage conditions

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from sources of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Keep container closed when not in use. Do not reuse empty container.

Storage period: Stable under normal conditions.

## **Section 8 - Exposure Control and Personal Protection**

### **Control parameters**

Applicable occupational exposure limits are listed below.

Silver powder (nano-size)						
TWA	0.1 mg/m3 (Dust and fume)	ACGIH (2013-03-01)				
2-(2-Butoxyethoxy)ethanol						
TWA	10 ppm (Inhalable fraction and vapor)	ACGIH (2013-03-01)				

## **Biological occupational exposure limits**

No biological exposure limit values are applicable.

**Engineering controls** : Local exhaust or a laboratory hood should be used when handling the materials.

Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment



#### PE839

 Version 2.0
 Revision Date 2022/12/14

 Document no. 130000157654
 Issue Date 2023/07/14

Respiratory protection : Provide adequate ventilation. No personal respiratory protective equipment

normally required. Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use

limitations specified by the manufacturer.

Persons performing maintenance or repairs on exhaust system equipment (e.g. ducts) may need to use respirators and protective clothing to prevent exposure to

any accumulated residues.

Hand protection : Material: Impervious gloves

Gloves must be inspected prior to use., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be

observed., Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such

as the danger of cuts, abrasion, and the contact time.

Eye protection : Wear safety glasses with side shields.

Skin protection : Choose body protection in relation to its type, to the concentration and amount of

dangerous substances, and to the specific work-place.

Lightweight protective clothing

Safety shoes

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Avoid

contact with skin, eyes and clothing. Contaminated work clothing should not be allowed out of the workplace. Remove contaminated clothing and protective equipment before entering eating areas. Remove and wash contaminated clothing

before re-use.

## **Section 9 - Physical and Chemical Properties**

Appearance (Physical state, form, colour, etc.)

Physical state : liquid

Form : viscous liquid

Colour : brown

Odour : ether-like

Odour Threshold : No information available.

**pH** : No information available.

Melting point/freezing point

No information available.

Boiling point, initial boiling point and boiling range



### PE839

 Version 2.0
 Revision Date 2022/12/14

 Document no. 130000157654
 Issue Date 2023/07/14

No information available.

Flash point : 92 °C

Method: Setaflash closed cup - SCC

**Evaporation rate** : No information available.

**Flammability** : No information available.

Upper/lower flammability or explosive limits

Upper explosion limit : No information available. Lower explosion limit : No information available.

**Vapour pressure** : No information available.

**Vapour density** : No information available.

**Density** 

Density : 3.67 g/cm3

Solubility(ies)

Water solubility : miscible

Particle characteristics

Assessment : No information available.

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature

: No information available.

**Viscosity** 

Viscosity, kinematic : No information available.

Molecular weight : No information available.

Oxidizing properties : No information available.

# Section 10 - Stability and Reactivity

**Reactivity** : No information available.

**Chemical stability** : Stable at normal temperatures and storage conditions.

Possibility of hazardous

reactions

Polymerization will not occur.

**Conditions to avoid** : None reasonably foreseeable.



#### PE839

Version 2.0 Revision Date 2022/12/14 Document no. 130000157654 Issue Date 2023/07/14

Materials to avoid Acids, bases and strong oxidizing agents

**Hazardous** 

decomposition products

No decomposition if stored and applied as directed.

Under fire conditions:

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke., Isocyanates, Isocyanic Acid, Other hazardous decomposition

products may be formed.

# **Section 11 - Toxicological Information**

**Acute toxicity** 

Oral

Silver powder (nano-size) LD50/Mouse: > 5,000 mg/kg

The substance or mixture has no acute oral toxicity

LD50/Mouse: 2,410 mg/kg 2-(2-Butoxyethoxy)ethanol

> Method: OECD Test Guideline 401 Target Organs: Central nervous system

Method: OECD Test Guideline 423

Not tested on animals(vapour)

LD50/Rat: > 5,000 mg/kg

narcosis

Hexane, 1,6-diisocyanato-,

homopolymer, di-Et malonate-and

N-(1-methylethyl)-2-propanamine-

blocked Inhalation

> 2-(2-Butoxyethoxy)ethanol An LC50/inhalation/4h/rat could not be determined because no mortality

The substance or mixture has no acute oral toxicity

of rats was observed at the maximum achievable concentration.

Hexane, 1,6-diisocyanato-,

homopolymer, di-Et malonate-and

N-(1-methylethyl)-2-propanamine-

blocked

The substance or mixture has no acute inhalation toxicity

Due to its physical properties, there is no potential for adverse effects.

Dermal

LD50/Guinea pig: > 10 mg/kg Silver powder (nano-size) LD50/Rabbit: 2,764 mg/kg 2-(2-Butoxyethoxy)ethanol

Method: OECD Test Guideline 402

Hexane, 1,6-diisocyanato-,

homopolymer, di-Et malonate-and

N-(1-methylethyl)-2-propanamine-

blocked

Not tested on animals

The substance or mixture has no acute dermal toxicity

Due to its physical properties, there is no potential for adverse effects.

Skin corrosion/irritation

Silver powder (nano-size) : Species: Rabbit

Result: No skin irritation

Classification: Not classified as irritant

Information given is based on data obtained from similar substances.

2-(2-Butoxyethoxy)ethanol Species: Rabbit

Result: No skin irritation

Classification: Not classified as irritant Method: OECD Test Guideline 404

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and

N-(1-methylethyl)-2-propanamine-

blocked

Species: Rabbit Result: No skin irritation

Classification: Not classified as irritant Method: OECD Test Guideline 404

7/13



#### PE839

 Version 2.0
 Revision Date 2022/12/14

 Document no. 130000157654
 Issue Date 2023/07/14

Minimal effects that do not meet the threshold for classification.

Serious eye damage/eye irritation

Silver powder (nano-size) : Species: Rabbit

Result: No eye irritation

Classification: Not classified as irritant

Information given is based on data obtained from similar substances.

Species: Guinea pig Result: No eye irritation

Classification: Not classified as irritant

2-(2-Butoxyethoxy)ethanol : Species: Rabbit

Result: Eye irritation

Classification: Irritating to eyes. Method: OECD Test Guideline 405

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamineSpecies: Rabbit Result: No eye irritation

Classification: Not classified as irritant Method: OECD Test Guideline 405

Minimal effects that do not meet the threshold for classification.

Respiratory or skin sensitisation

blocked

2-(2-Butoxyethoxy)ethanol : Species: Mouse

Result: Does not cause respiratory sensitisation. Classification: Does not cause respiratory sensitisation.

Maximisation Test Species: Guinea pig

Result: Does not cause skin sensitisation. Classification: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamineblocked Local lymph node test Species: Mouse

Result: May cause sensitisation by skin contact. Classification: May cause sensitisation by skin contact.

Method: OECD Test Guideline 429

Germ cell mutagenicity

Silver powder (nano-size) : no data available

2-(2-Butoxyethoxy)ethanol : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects. Animal testing did not show any mutagenic effects. Did not cause genetic damage in cultured bacterial cells.

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-

blocked

Carcinogenicity

Silver powder (nano-size) : no data available

2-(2-Butoxyethoxy)ethanol : Not classifiable as a human carcinogen.

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and

homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-

blocked

no data available



#### PE839

Version 2.0 Revision Date 2022/12/14 Document no. 130000157654 Issue Date 2023/07/14

Reproductive toxicity

Silver powder (nano-size) Reproductive toxicity: no data available

Teratogenicity: no data available

Reproductive toxicity: No toxicity to reproduction 2-(2-Butoxyethoxy)ethanol

Animal testing showed no reproductive toxicity.

Teratogenicity: Animal testing showed no developmental toxicity.

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and

N-(1-methylethyl)-2-propanamine-

blocked

Reproductive toxicity: no data available Teratogenicity: no data available

Specific Target Organ Toxicity

Specific target organ toxicity - single exposure

2-(2-Butoxyethoxy)ethanol Target Organs: Central nervous system

The substance or mixture is classified as specific target organ toxicant,

single exposure, category 3 with narcotic effects.

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and

N-(1-methylethyl)-2-propanamine-

blocked

The substance or mixture is not classified as specific target organ

toxicant, single exposure.

Specific target organ toxicity - repeated exposure

Silver powder (nano-size) The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

The substance or mixture is not classified as specific target organ 2-(2-Butoxyethoxy)ethanol

toxicant, repeated exposure.

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-

blocked

no data available

**Aspiration hazard** 

Silver powder (nano-size) No aspiration toxicity classification

2-(2-Butoxyethoxy)ethanol The substance or mixture causes concern owing to the assumption that it

causes a human aspiration toxicity hazard.

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonateand N-(1-methylethyl)-2propanamine-blocked

No aspiration toxicity classification

Other

Silver powder (nano-size) Repeated dose toxicity:

Oral/Rat 28 d

altered blood chemistry, Liver effects

Oral/Rat 90 d

altered blood chemistry, Kidney effects

Inhalation/Rat 90 d Altered respiratory rate



#### PE839

Version 2.0 Revision Date 2022/12/14 Document no. 130000157654 Issue Date 2023/07/14

2-(2-Butoxyethoxy)ethanol : Repeated dose toxicity:

Dermal/Rat Skin irritation Oral/Rat

Spleen effects, Organ weight changes, Liver effects, Kidney effects

Inhalation/Rat

Liver effects, lung effects

#### Section 12 - Ecological Information

**Ecotoxicity effects** 

Acute and prolonged toxicity to fish

Silver powder (nano-size) no data available

2-(2-Butoxyethoxy)ethanol LC50/96 h/Lepomis macrochirus (Bluegill sunfish): 1,300 mg/l

Method: OECD Test Guideline 203

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and

N-(1-methylethyl)-2-propanamine-

blocked

LC50/96 h/Danio rerio (zebra fish): > 100 mg/l

Method: OECD Test Guideline 203

Toxicity to aquatic plants

Silver powder (nano-size) EC50/96 h/Pseudokirchneriella subcapitata (green algae): 0.19 mg/l 2-(2-Butoxyethoxy)ethanol ErC50/96 h/Desmodesmus subspicatus (green algae): > 100 mg/l

Method: OECD Test Guideline 201

NOEC/96 h/Desmodesmus subspicatus (green algae): > 100 mg/l

Method: OECD Test Guideline 201

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-

blocked

ErC50/72 h/Desmodesmus subspicatus (green algae): 193 mg/l

Method: OECD Test Guideline 201

Acute toxicity to aquatic invertebrates

Silver powder (nano-size) EC50/96 h/Daphnia magna (Water flea): 0.1 mg/l

LC50/48 h/Daphnia pulex (Water flea): 0.04 mg/l EC50/48 h/Daphnia magna (Water flea): > 100 mg/l

2-(2-Butoxyethoxy)ethanol Method: Directive 67/548/EEC, Annex V, C.2.

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-

blocked

EC50/48 h/Daphnia magna (Water flea): > 100 mg/l

Method: OECD Test Guideline 202

Persistence and degradability

Silver powder (nano-size) Not readily biodegradable. Information given is based on data obtained

from similar substances.

2-(2-Butoxyethoxy)ethanol Exposure time: 28 d

Biodegradation: 85 % Readily biodegradable. Exposure time: 28 d

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-

blocked

Biodegradation: 1 % Result: Not biodegradable



### PE839

Version 2.0 Revision Date 2022/12/14
Document no. 130000157654 Issue Date 2023/07/14

**Bioaccumulation** 

2-(2-Butoxyethoxy)ethanol : Bioaccumulation is unlikely.

Mobility in soil

No information available.

Other adverse effects

No information available.

Section 13 - Waste Disposal

Waste disposal methods : If recycling is not practicable, dispose of in compliance with local regulations.

Never place unused product down any indoor or out door drain. Do not reuse empty container. Contaminated/not cleaned containers should be treated/handled like product waste. Dispose of container properly. Refer to applicable Local, State/Provincial, and Federal Regulations, as well as industry Standards.

**Contaminated packaging**: Dispose of in accordance with local regulations.

Section 14 - Transport Information

**China Dangerous Goods Regulation** 

UN number : 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Silver)

Class : 9 Packing group : III

**IMDG** 

UN number : 3082

UN proper shipping

name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(银) (Silver)

Transport hazard class : 9
Packing group : III
Marine pollutant : yes

IATA

UN number : 3082

UN proper shipping : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

name

(银) (Silver)

Transport hazard class : 9
Packing group : III

Matters needing attention

for transportation

Not applicable

Section 15 - Regulatory Information

11/13



### PE839

Version 2.0 Document no. 130000157654 Revision Date 2022/12/14 Issue Date 2023/07/14

Regulation on the Safety Management of Hazardous Chemicals

Production Safety Law of the People's Republic of China

Law of the People's Republic of China on Prevention and Treatment of Occupational Disease

Environmental Protection Law of the People's Republic of China

Law of the People's Republic of China on the Prevention and Control of Atmospheric Pollution

Marine Environment Protection Law of the People's Republic of China

Fire Protection Law of the People's Republic of China

Law of the People's Republic of China on the Prevention and Control of Environmental Pollution by Solid Wastes Occupational exposure limits for hazardous agents in the workplace Part 1 Chemical hazardous agents (GBZ2.1)

Occupational exposure limits for hazardous agents in the workplace Part 2 Physical agents (GBZ2.2)

General rule for classification and hazard communication of chemicals (GB13690)

Lists of Dangerous Goods (GB12268)

Dangerous goods classification (GB6944)

Common dangerous chemical storage rules (GB15603)

Packaging Symbols of Dangerous Goods (GB190)

National Hazardous Waste Inventory

### New chemical registration information

Registration/Receipt No.	Uses of new chemical substance	Environmental and health hazard	Environmental and health hazard	Environmental management requirements
B1B321211026	45a - Magnetic materials (excluding storage media), piezoelectric materials, conducting materials and superconducting materials	Refer to SDS Section 2	Not applicable	Not applicable
B1A321210817	45a - Magnetic materials (excluding storage media), piezoelectric materials, conducting materials and superconducting materials	Refer to SDS Section 2	Not applicable	Not applicable

### **Section 16 - Other Information**

References

SDS Number: 130000157654

**Revision Date/Version** 

Date of first preparation : 2022/12/14 Revision Date : 2022/12/14



## PE839

 Version 2.0
 Revision Date 2022/12/14

 Document no. 130000157654
 Issue Date 2023/07/14

Version : 2.0

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.