according to GB/T 16483 and GB/T 17519



CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/06/13 300010000895 Date of first issue: 2024/06/13

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Product code : 00000000021055436

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

赛拉尼斯(上海)国际贸易有限公司

Address : 4560 Jinke Road, Zhangjiang, Pudong

Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone number: +1-703-527 3887,

+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: pelletsOdour: slight

Not a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/06/13 300010000895 Date of first issue: 2024/06/13

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 5.5 %

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-	36443-68-2	>= 2.5 -< 10
hydroxy-m-tolyl)propionate]		
titanium dioxide; [in powder form containing 1	13463-67-7	>= 1 -< 10
% or more of particles with aerodynamic diame-		
ter ≤ 10 µm]		

4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Cool skin rapidly with cold water after contact with molten

material.

Do not peel solidified product off the skin. Burns must be treated by a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

: None known.

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water

Foam

Dry chemical

Carbon dioxide (CO2)

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

according to GB/T 16483 and GB/T 17519



CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/06/13 300010000895 Date of first issue: 2024/06/13

Hazardous combustion prod: :

ucts

Formaldehyde

Carbon oxides

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Avoid breathing dust.

Ensure adequate ventilation.

Avoid dust formation.

Environmental precautions : No special environmental precautions required.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on protection against

fire and explosion

During processing, dust may form explosive mixture in air.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Minimize dust generation and accumulation.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Avoidance of contact : Not applicable

Storage

Conditions for safe storage : Keep in a dry, cool place.

Maintain dryness of resin

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

according to GB/T 16483 and GB/T 17519



CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/06/13 300010000895 Date of first issue: 2024/06/13

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
forms ald about a	50.00.0	exposure)	concentration	CNIOFI
formaldehyde	50-00-0	MAC	0.5 mg/m3	CN OEL
	Further information: G1 - Carcinogenic to humans, Sensitizing			
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH
titanium dioxide; [in powder	13463-67-7	PC-TWA	8 mg/m3	CN OEL
form containing 1 % or more of		(Total dust)		
particles with aerodynamic				
diameter ≤ 10 μm]				
	Further information: G2B - Possibly carcinogenic to humans			
		TWA	10 mg/m3	ACGIH
			(Titanium dioxide)	
		TWA (Res-	0.2 mg/m3	ACGIH
		pirable par-	(Titanium dioxide)	
		ticulate mat-	,	
		ter)		
		TWA (Res-	2.5 mg/m3	ACGIH
		pirable par-	(Titanium dioxide)	
		ticulate mat-		
		ter)		

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Eye/face protection : Safety glasses Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Odour : slight

pH : substance/mixture is non-soluble (in water)

Melting point/range : For further information, refer to the product technical data

sheet.

Flash point : Not applicable

Density : For further information, refer to the product technical data

sheet.

Solubility(ies)

Water solubility : insoluble

according to GB/T 16483 and GB/T 17519



CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/06/13 300010000895 Date of first issue: 2024/06/13

Auto-ignition temperature : For further information, refer to the product technical data

sheet.

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed. Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac- :

tions

Stable under recommended storage conditions. No hazards to be specially mentioned.

Dust may form explosive mixture in air.

Conditions to avoid : No data available Incompatible materials : Not applicable Hazardous decomposition : No data available

products

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Acute oral toxicity : LD50 (Rat): > 7,000 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : Assessment: No data available

Skin corrosion/irritation

Not classified due to lack of data.

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Species : Rabbit

Assessment : Not classified as irritant
Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified due to lack of data.

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Species : Rabbit

Result : No eye irritation

Assessment : Not classified as irritant
Method : OECD Test Guideline 405

according to GB/T 16483 and GB/T 17519



CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/06/13 300010000895 Date of first issue: 2024/06/13

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects., Tests on

Assessment bacterial or mammalian cell cultures did not show mutagenic

effects.

Carcinogenicity

Not classified due to lack of data.

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Carcinogenicity - Assess- : Not classifiable as a human carcinogen., Overall weight of

ment evidence indicates that the substance is not carcinogenic.

Reproductive toxicity

Not classified due to lack of data.

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Reproductive toxicity - As- : No

sessment

No toxicity to reproduction, Animal testing showed effects on reproduction at levels equal to or above those causing paren-

tal toxicity.

Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

STOT - single exposure

Not classified due to lack of data.

according to GB/T 16483 and GB/T 17519



CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/06/13 300010000895 Date of first issue: 2024/06/13

STOT - repeated exposure

Not classified due to lack of data.

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Species : multiple species

Application Route : Oral

Remarks : No toxicologically significant effects were found.

Aspiration toxicity

Not classified due to lack of data.

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

No aspiration toxicity classification

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 44 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

according to GB/T 16483 and GB/T 17519



CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Version **Revision Date:** SDS Number: Date of last issue: -

1.0 2024/06/13 300010000895 Date of first issue: 2024/06/13

Exposure time: 72 h

Ecotoxicology Assessment

Acute aquatic toxicity Harmful to aquatic life.

Chronic aquatic toxicity This product has no known ecotoxicological effects.

Persistence and degradability

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Biodegradability Result: Not biodegradable

Method: OECD Test Guideline 301 Remarks: Not readily biodegradable.

Bioaccumulative potential

Components:

Ethylenebis(oxyethylene) bis[3-(5-tert-butyl-4-hydroxy-m-tolyl)propionate]:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

log Pow: 4.7 (23 °C)

octanol/water

pH: 6.4

Mobility in soil No data available

Other adverse effects

Product:

Additional ecological infor-

mation

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Where possible recycling is preferred to disposal or incinera-

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Not applicable Proper shipping name Not applicable

according to GB/T 16483 and GB/T 17519



CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/06/13 300010000895 Date of first issue: 2024/06/13

Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

IMDG-Code

UN number Not applicable Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable Not applicable Packing group Labels Not applicable **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

16. OTHER INFORMATION

Revision Date : 2024/06/13 Date format : yyyy/mm/dd

according to GB/T 16483 and GB/T 17519



CELCON® M25-07 CJ35707K10 PGREEN (CUTCO)

Version Revision Date: SDS Number: Date of last issue: -

1.0 2024/06/13 300010000895 Date of first issue: 2024/06/13

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CN OEL / PC-TWA : Permissible concentration - time weighted average

CN OEL / MAC : Maximum allowable concentration

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN