

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2021/02/22  |
| 1.1     | 2022/12/14     | 000000036563 | Date of first issue: 2021/02/22 |

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

Product code : 000000000021016049

#### Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd  
赛拉尼斯(上海)国际贸易有限公司

Address : 4560 Jinke Road, Zhangjiang, Pudong  
Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone number : CHEMTREC International phone number: +1-703-527 3887,  
+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance : pellets

Odour : slight

Not a hazardous substance or mixture.

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Not classified based on available information.

#### Environmental hazards

Not classified based on available information.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2021/02/22  |
| 1.1     | 2022/12/14     | 000000036563 | Date of first issue: 2021/02/22 |

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

| Chemical name                        | CAS-No.    | Concentration (% w/w) |
|--------------------------------------|------------|-----------------------|
| chrome antimony titanium buff rutile | 68186-90-3 | $\geq 1$ - < 10       |
| Carbon black                         | 1333-86-4  | $\geq 1$ - < 10       |
| titanium dioxide                     | 13463-67-7 | $\geq 1$ - < 10       |
| formaldehyde                         | 50-00-0    | < 0.02                |

## 4. FIRST AID MEASURES

|   |   |
|---|---|
| General advice  | : Do not leave the victim unattended.   |
| If inhaled  | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.   |
| In case of skin contact                                     | : Cool skin rapidly with cold water after contact with molten material.<br>Do not peel solidified product off the skin.<br>Burns must be treated by a physician.                |
| In case of eye contact                                      | : Remove contact lenses.<br>Protect unharmed eye.<br>If eye irritation persists, consult a specialist.  |
| If swallowed  | : Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : None known.   |
| Notes to physician  | : Treat symptomatically.  |

## 5. FIREFIGHTING MEASURES

|                              |  |
|------------------------------|--|
| Suitable extinguishing media | : Water<br>Foam<br>Dry chemical<br>Carbon dioxide (CO <sub>2</sub> ) |
| Specific hazards during      | : Do not use a solid water stream as it may scatter and spread       |

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2021/02/22  |
| 1.1     | 2022/12/14     | 000000036563 | Date of first issue: 2021/02/22 |

|   |   |
|---|---|
| firefighting                                  | fire.   |
| Hazardous combustion products                 | : Carbon oxides<br>Formaldehyde   |
| Specific extinguishing methods                | : Standard procedure for chemical fires.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.  |

### 6. ACCIDENTAL RELEASE MEASURES

|   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Avoid breathing dust.<br>Ensure adequate ventilation.<br>Avoid dust formation.   |
| Environmental precautions   | : No special environmental precautions required.   |
| Methods and materials for containment and cleaning up               | : Pick up and arrange disposal without creating dust.<br>Sweep up and shovel.<br>Keep in suitable, closed containers for disposal. |

### 7. HANDLING AND STORAGE

#### Handling

|   |  |
|---|--|
| Advice on protection against fire and explosion | : During processing, dust may form explosive mixture in air.<br><br>Provide appropriate exhaust ventilation at places where dust is formed.                              |
| Advice on safe handling                         | : Minimize dust generation and accumulation.<br><br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area. |
| Avoidance of contact                            | : Not applicable   |

#### Storage

|                             |  |
|-----------------------------|--|
| Conditions for safe storage | : Keep in a dry, cool place.<br>Maintain dryness of resin<br><br>Electrical installations / working materials must comply with the technological safety standards. |
|-----------------------------|--|

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

Version 1.1      Revision Date: 2022/12/14      SDS Number: 000000036563      Date of last issue: 2021/02/22  
Date of first issue: 2021/02/22

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components  | CAS-No.    | Value type<br>(Form of exposure)      | Control parameters /<br>Permissible concentration | Basis  |
|---|------------|---------------------------------------|---|--------|
| chrome antimony titanium buff rutile                          | 68186-90-3 | PC-TWA                                | 0.5 mg/m <sup>3</sup><br>(antimony)               | CN OEL |
|   |            | TWA                                   | 0.5 mg/m <sup>3</sup><br>(antimony)               | ACGIH  |
|   |            | TWA                                   | 10 mg/m <sup>3</sup><br>(Titanium dioxide)        | ACGIH  |
| Carbon black  | 1333-86-4  | PC-TWA<br>(Total dust)                | 4 mg/m <sup>3</sup>                               | CN OEL |
| Further information: G2B - Possibly carcinogenic to humans    |            |                                       |   |        |
|   |            | TWA<br>(Inhalable particulate matter) | 3 mg/m <sup>3</sup>                               | ACGIH  |
| titanium dioxide  | 13463-67-7 | PC-TWA<br>(Total dust)                | 8 mg/m <sup>3</sup>                               | CN OEL |
| Further information: G2B - Possibly carcinogenic to humans    |            |                                       |   |        |
|   |            | TWA                                   | 10 mg/m <sup>3</sup><br>(Titanium dioxide)        | ACGIH  |
| formaldehyde  | 50-00-0    | MAC                                   | 0.5 mg/m <sup>3</sup>                             | CN OEL |
| Further information: G1 - Carcinogenic to humans, Sensitizing |            |                                       |   |        |
|   |            | TWA                                   | 0.1 ppm   | ACGIH  |
|   |            | STEL                                  | 0.3 ppm   | ACGIH  |

#### Biological occupational exposure limits

| Components                           | CAS-No.    | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis  |
|--------------------------------------|------------|--------------------|---------------------|---------------|---------------------------|--------|
| chrome antimony titanium buff rutile | 68186-90-3 | antimony           | Urine               | End of shift  | 85 µg/l                   | CN BEI |

Engineering measures : Local exhaust

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye/face protection : Safety glasses

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2021/02/22  |
| 1.1     | 2022/12/14     | 000000036563 | Date of first issue: 2021/02/22 |

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets

Odour : slight

Melting point/range : > 160 °C

Flash point : Not applicable

Density : 1.4 - 1.8 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : insoluble

Auto-ignition temperature : > 320 °C

### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
Dust may form explosive mixture in air.

Conditions to avoid : No data available

Incompatible materials : Not applicable

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Components:

#### **formaldehyde:**

Acute oral toxicity : LD50 (Rat, male): 460 mg/kg  
Method: OECD Test Guideline 401

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2021/02/22  |
| 1.1     | 2022/12/14     | 000000036563 | Date of first issue: 2021/02/22 |

---

Acute inhalation toxicity : LC50 (Rat): 1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : 270 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### formaldehyde:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

##### formaldehyde:

Species : Rabbit  
Result : Corrosive  
Method : OECD Test Guideline 405

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### formaldehyde:

Species : Mouse  
Method : OECD Test Guideline 429  
Result : May cause sensitisation by skin contact.

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### formaldehyde:

Genotoxicity in vivo : Species: Rat  
Method: Mutagenicity (micronucleus test)  
Result: negative

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2021/02/22  |
| 1.1     | 2022/12/14     | 000000036563 | Date of first issue: 2021/02/22 |

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### formaldehyde:

|                               |   |  |
|-------------------------------|---|--|
| Effects on foetal development | : | Species: Mouse                           |
|                               |   | Application Route: Oral                  |
|                               |   | Result: no adverse developmental effects |

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Aspiration toxicity

Not classified based on available information.

### Further information

### Product:

|         |   |                   |
|---------|---|-------------------|
| Remarks | : | No data available |
|---------|---|-------------------|

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### formaldehyde:

|   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LC50 (Danio rerio (zebra fish)): 6.7 mg/l<br>Exposure time: 96 h<br>Method: OECD Test Guideline 203   |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia pulex (Water flea)): 5,800 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202   |
| Toxicity to algae/aquatic plants                    | : | (Desmodesmus subspicatus (green algae)): Method: OECD Test Guideline 201<br><br>EC50 (Scenedesmus quadricauda (Green algae)): 4.89 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2021/02/22  |
| 1.1     | 2022/12/14     | 000000036563 | Date of first issue: 2021/02/22 |

### Persistence and degradability

#### Components:

##### formaldehyde:

Biodegradability : Inoculum: Fresh water  
Result: Readily biodegradable.  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

##### formaldehyde:

Bioaccumulation : Bioconcentration factor (BCF): 0.4  
Remarks: Does not significantly accumulate in organisms.

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : No data available

#### Components:

##### formaldehyde:

Results of PBT and vPvB assessment : The substance does not meet the criteria for PBT / vPvB according to REACH, Annex XIII

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or incineration.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : Not applicable



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2021/02/22  |
| 1.1     | 2022/12/14     | 000000036563 | Date of first issue: 2021/02/22 |

Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

Law on the Prevention and Control of Occupational Diseases

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2021/02/22  |
| 1.1     | 2022/12/14     | 000000036563 | Date of first issue: 2021/02/22 |

### 16. OTHER INFORMATION

Date format : yyyy/mm/dd

#### Full text of other abbreviations

|                 |   |
|-----------------|---|
| ACGIH           | : USA. ACGIH Threshold Limit Values (TLV)   |
| CN BEI          | : China. Biological Occupational Exposure Indices   |
| CN OEL          | : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents. |
| ACGIH / TWA     | : 8-hour, time-weighted average   |
| ACGIH / STEL    | : Short-term exposure limit   |
| CN OEL / PC-TWA | : Permissible concentration - time weighted average   |
| CN OEL / MAC    | : Maximum allowable concentration   |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## CELCON® M90-07 CD34446K25 5B8 FOR CKX-5643

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2021/02/22  |
| 1.1     | 2022/12/14     | 000000036563 | Date of first issue: 2021/02/22 |

---

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN