according to GB/T 16483 and GB/T 17519



CELCON® M90-07 CG33114K20 BLUE

Version Revision Date: SDS Number: Date of last issue: -

1.1 2022/12/02 000000034706 Date of first issue: 2019/05/02

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CELCON® M90-07 CG33114K20 BLUE

Product code : 00000000020002055

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

赛拉尼斯(上海)国际贸易有限公司

Address : 4560 Jinke Road, Zhangjiang, Pudong

Shanghai, China 201210

Telephone : 86-21-38619288

Emergency telephone number: CHEMTREC International phone number: +1-703-527 3887,

+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: pelletsOdour: slightNot a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

according to GB/T 16483 and GB/T 17519



CELCON® M90-07 CG33114K20 BLUE

Version Revision Date: SDS Number: Date of last issue: -

1.1 2022/12/02 000000034706 Date of first issue: 2019/05/02

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
formaldehyde	50-00-0	<= 0.02
Ultramarine blue	57455-37-5	>= 1 -< 10
kaolin	1332-58-7	>= 1 -< 10

4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Cool skin rapidly with cold water after contact with molten

material.

Do not peel solidified product off the skin. Burns must be treated by a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms

and effects, both acute and

delayed

Notes to physician

None known.

: Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water

Foam

Dry chemical

Carbon dioxide (CO2)

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Hazardous combustion prod: :

ucts

 Carbon oxides Formaldehyde

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

6. ACCIDENTAL RELEASE MEASURES

according to GB/T 16483 and GB/T 17519



CELCON® M90-07 CG33114K20 BLUE

Version Revision Date: SDS Number: Date of last issue: -

1.1 2022/12/02 000000034706 Date of first issue: 2019/05/02

Personal precautions, protec-:

tive equipment and emer-

gency procedures

Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation.

Environmental precautions : No special environmental precautions required.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.

During processing, dust may form explosive mixture in air.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Minimize dust generation and accumulation.

Avoidance of contact : Not applicable

Storage

Conditions for safe storage : Electrical installations / working materials must comply with

the technological safety standards.

Keep in a dry, cool place. Maintain dryness of resin

Materials to avoid : No materials to be especially mentioned.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
formaldehyde	50-00-0	MAC	0.5 mg/m3	CN OEL
	Further information: G1 - Carcinogenic to humans, Sensitizing			
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH
Ultramarine blue	57455-37-5	TWA (Respirable particulate matter)	1 mg/m3 (Aluminium)	ACGIH
kaolin	1332-58-7	TWA (Respirable particulate mat-	2 mg/m3	ACGIH

according to GB/T 16483 and GB/T 17519



CELCON® M90-07 CG33114K20 BLUE

Revision Date: SDS Number: Date of last issue: -Version

2022/12/02 00000034706 Date of first issue: 2019/05/02 1.1

ter)

Local exhaust **Engineering measures**

Personal protective equipment

Respiratory protection No personal respiratory protective equipment normally re-

quired.

Eye/face protection Safety glasses Skin and body protection Protective suit

Hygiene measures General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance pellets

Odour slight

164 °C Melting point/range

Flash point Not applicable

Vapour pressure not determined

Density 1.4 - 1.8 g/cm³

Solubility(ies)

Water solubility insoluble

Auto-ignition temperature For further information, refer to the product technical data

sheet.

10. STABILITY AND REACTIVITY

Reactivity No decomposition if stored and applied as directed. Chemical stability No decomposition if stored and applied as directed.

Possibility of hazardous reac-

Stable under recommended storage conditions.

tions

No hazards to be specially mentioned.

Dust may form explosive mixture in air.

Conditions to avoid No data available Incompatible materials Not applicable

Hazardous decomposition

No data available

products

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

formaldehyde:

Acute oral toxicity LD50 (Rat, male): 460 mg/kg

according to GB/T 16483 and GB/T 17519



CELCON® M90-07 CG33114K20 BLUE

Version Revision Date: SDS Number: Date of last issue: -

1.1 2022/12/02 000000034706 Date of first issue: 2019/05/02

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : 270 mg/kg

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

formaldehyde:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive

Serious eye damage/eye irritation

Not classified based on available information.

Components:

formaldehyde:

Species : Rabbit Result : Corrosive

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

formaldehyde:

Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



CELCON® M90-07 CG33114K20 BLUE

Version Revision Date: SDS Number: Date of last issue: -

1.1 2022/12/02 000000034706 Date of first issue: 2019/05/02

Components:

formaldehyde:

Genotoxicity in vivo : Species: Rat

Method: Mutagenicity (micronucleus test)

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

formaldehyde:

Effects on foetal develop: Species: Mouse

ment Application Route: Oral

Result: no adverse developmental effects

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

formaldehyde:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 6.7 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

EC50 (Daphnia pulex (Water flea)): 5,800 mg/l

aquatic invertebrates

plants

Exposure time: 48 h Method: OECD Test Guideline 202

Toxicity to algae/aquatic

(Desmodesmus subspicatus (green algae)): Method: OECD

Test Guideline 201

according to GB/T 16483 and GB/T 17519



CELCON® M90-07 CG33114K20 BLUE

Version Revision Date: SDS Number: Date of last issue: -

1.1 2022/12/02 000000034706 Date of first issue: 2019/05/02

EC50 (Scenedesmus quadricauda (Green algae)): 4.89 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

kaolin:

Toxicity to fish : LC50 (Fish): > 100 mg/l

Exposure time: 96 h

Remarks: Information taken from reference works and the

literature.

Persistence and degradability

Components:

formaldehyde:

Biodegradability : Inoculum: Fresh water

Result: Readily biodegradable.

Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

formaldehyde:

Bioaccumulation : Bioconcentration factor (BCF): 0.4

Remarks: Does not significantly accumulate in organisms.

Mobility in soilNo data available

Other adverse effects

Product:

Results of PBT and vPvB

assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Additional ecological infor-

mation

No data available

Components:

formaldehyde:

Results of PBT and vPvB

assessment

The substance does not meet the criteria for PBT / vPvB ac-

cording to REACH, Annex XIII

according to GB/T 16483 and GB/T 17519



CELCON® M90-07 CG33114K20 BLUE

Version Revision Date: SDS Number: Date of last issue: -

1.1 2022/12/02 000000034706 Date of first issue: 2019/05/02

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or incinera-

tion.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

ger aircraft)

IMDG-Code

UN number Not applicable Proper shipping name Not applicable Class Not applicable Subsidiary risk Not applicable Not applicable Packing group Labels Not applicable **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable

according to GB/T 16483 and GB/T 17519



CELCON® M90-07 CG33114K20 BLUE

Version Revision Date: SDS Number: Date of last issue: -

1.1 2022/12/02 000000034706 Date of first issue: 2019/05/02

Packing group : Not applicable Labels : Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CN OEL / MAC : Maximum allowable concentration

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

according to GB/T 16483 and GB/T 17519



CELCON® M90-07 CG33114K20 BLUE

Version Revision Date: SDS Number: Date of last issue: -

1.1 2022/12/02 000000034706 Date of first issue: 2019/05/02

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN