according to GB/T 16483 and GB/T 17519



# **CELCON® M90-17 CA33790K20 WHITE**

Version Revision Date: SDS Number: Date of last issue: -

1.1 2020/03/04 000000034737 Date of first issue: 2019/05/02

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CELCON® M90-17 CA33790K20 WHITE

Product code : 00000000020002390

Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd

Address : 4560 Jinke Road, Zhangjiang, Pudong

Shanghai, China 020 201210

Telephone :

Emergency telephone number: CHEMTREC International phone number: +1-703-527 3887,

+86 532 8388-9090 (China, 24h)

E-mail address : HazCom@celanese.com

Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

## 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

Appearance : pellets
Odour : slight

Not a hazardous substance or mixture.

## **GHS Classification**

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

# Physical and chemical hazards

Not classified based on available information.

### **Health hazards**

Not classified based on available information.

## **Environmental hazards**

Not classified based on available information.

# Other hazards which do not result in classification

No information available.

according to GB/T 16483 and GB/T 17519



# **CELCON® M90-17 CA33790K20 WHITE**

Version Revision Date: SDS Number: Date of last issue: -

1.1 2020/03/04 000000034737 Date of first issue: 2019/05/02

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
titanium dioxide	13463-67-7	>= 10 - < 20
Carbon black	1333-86-4	>= 1 - < 10
formaldehyde	50-00-0	< 0.02

4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Cool skin rapidly with cold water after contact with molten

material.

Do not peel solidified product off the skin. Burns must be treated by a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

None known.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water

Foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

Water spray jet

Specific hazards during

Specific na firefighting Do not use a solid water stream as it may scatter and spread

fire.

Hazardous combustion

products

Carbon oxides

Specific extinguishing

methods

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local

according to GB/T 16483 and GB/T 17519



# **CELCON® M90-17 CA33790K20 WHITE**

Version Revision Date: SDS Number: Date of last issue: -

1.1 2020/03/04 000000034737 Date of first issue: 2019/05/02

circumstances and the surrounding environment.

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

## Handling

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed. During processing, dust may form explosive mixture

in air.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Minimize dust generation and accumulation.

**Storage** 

Conditions for safe storage : Keep in a dry, cool place.

Maintain dryness of resin.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
titanium dioxide	13463-67-7	PC-TWA (Total dust)	8 mg/m3	GBZ 2.1- 2007
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH
Carbon black	1333-86-4	PC-TWA	4 mg/m3	GBZ 2.1-

according to GB/T 16483 and GB/T 17519



# **CELCON® M90-17 CA33790K20 WHITE**

Version Revision Date: SDS Number: Date of last issue: -

1.1 2020/03/04 000000034737 Date of first issue: 2019/05/02

		(Total dust)		2007		
	Further info	Further information: G2B - Possibly carcinogenic to humans				
		TWA (Inhalable fraction)	3 mg/m3	ACGIH		
formaldehyde	50-00-0	MAC	0.5 mg/m3	GBZ 2.1- 2007		
	Further info	Further information: G1 - Carcinogenic to humans, Sensitizing				
		С	0.3 ppm	ACGIH		

Engineering measures : Local exhaust

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye/face protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : pellets
Odour : slight
Melting point/range : > 160 °C

Flash point : Not applicable

Density : ca. 1.4 - 1.8 g/cm³ (20 °C)

Solubility(ies)

Water solubility : insoluble

Auto-ignition temperature : > 320 °C

## **10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

Stable under recommended storage conditions.

No hazards to be specially mentioned. Dust may form explosive mixture in air.

Conditions to avoid : No data available

according to GB/T 16483 and GB/T 17519



# **CELCON® M90-17 CA33790K20 WHITE**

Version Revision Date: SDS Number: Date of last issue: -

1.1 2020/03/04 000000034737 Date of first issue: 2019/05/02

## 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Not classified based on available information.

### Components:

# formaldehyde:

Acute oral toxicity : LD50 (Rat, male): 460 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 1 mg/l

Exposure time: 0.5 h

Method: OECD Test Guideline 403

Acute dermal toxicity : 270 mg/kg

## Skin corrosion/irritation

Not classified based on available information.

## **Components:**

# formaldehyde:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Corrosive

## Serious eye damage/eye irritation

Not classified based on available information.

# **Components:**

## formaldehyde:

Species: Rabbit Result: Corrosive

Method: OECD Test Guideline 405

## Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

# **Components:**

## formaldehyde:

Species: Mouse

Method: OECD Test Guideline 429

Result: May cause sensitisation by skin contact.

according to GB/T 16483 and GB/T 17519



# CELCON® M90-17 CA33790K20 WHITE

Version Revision Date: SDS Number: Date of last issue: -

1.1 2020/03/04 000000034737 Date of first issue: 2019/05/02

## Germ cell mutagenicity

Not classified based on available information.

**Components:** 

formaldehyde:

Genotoxicity in vivo : Species: Rat

Method: Mutagenicity (micronucleus test)

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

**Components:** 

formaldehyde:

Effects on foetal : Species: Mouse

development Application Route: Oral

Result: no adverse developmental effects

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

**Further information** 

**Product:** 

Remarks: No data available

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Components:

formaldehyde:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 6.7 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 5,800 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : (Desmodesmus subspicatus (green algae)): Exposure time:

Method: OECD Test Guideline 201

according to GB/T 16483 and GB/T 17519



# **CELCON® M90-17 CA33790K20 WHITE**

Version Revision Date: SDS Number: Date of last issue: -

1.1 2020/03/04 000000034737 Date of first issue: 2019/05/02

EC50 (Scenedesmus quadricauda (Green algae)): 4.89 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Persistence and degradability

**Components:** 

formaldehyde:

Biodegradability : Inoculum: Fresh water

Result: Readily biodegradable.
Method: OECD Test Guideline 301C

**Bioaccumulative potential** 

Components:

formaldehyde:

Bioaccumulation : Bioconcentration factor (BCF): 0.4

Remarks: Does not significantly accumulate in organisms.

Mobility in soil
No data available

Other adverse effects

**Product:** 

Results of PBT and vPvB

assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Additional ecological

information

: No data available

**Components:** 

formaldehyde:

Results of PBT and vPvB

assessment

The substance does not meet the criteria for PBT / vPvB

according to REACH, Annex XIII

13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Where possible recycling is preferred to disposal or

incineration.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

according to GB/T 16483 and GB/T 17519



# **CELCON® M90-17 CA33790K20 WHITE**

Version Revision Date: SDS Number: Date of last issue: -

1.1 2020/03/04 000000034737 Date of first issue: 2019/05/02

### 14. TRANSPORT INFORMATION

## International Regulations

### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

### **IMDG-Code**

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

GB 6944/12268

Not regulated as a dangerous good

## 15. REGULATORY INFORMATION

## **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

## **16. OTHER INFORMATION**

## Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch -Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of

according to GB/T 16483 and GB/T 17519



# **CELCON® M90-17 CA33790K20 WHITE**

Version Revision Date: SDS Number: Date of last issue: -

1.1 2020/03/04 000000034737 Date of first issue: 2019/05/02

the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date format : yyyy/mm/dd

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN