

## CELSTRAN® POM-SF50-01 AF3005 **NATURAL**

Version Revision Date: SDS Number: Date of last issue: -

1.0 01/20/2023 000000034748 Date of first issue: 01/20/2023

#### **SECTION 1. IDENTIFICATION**

Product name CELSTRAN® POM-SF50-01 AF3005 NATURAL

000000000020002879 Product code

Manufacturer or supplier's details

Company name of supplier Celanese Sales U.S. Ltd.

Address 222 West Las Colinas Boulevard Suite 900N

IrvingTX 75039

Telephone '+1 972-443-4000

E-mail address of person responsible for the SDS

HazCom@celanese.com

Emergency telephone num-

DOMESTIC NORTH AMERICA: 800-424-9300

ber INTERNATIONAL, CALL +1 703-527-3887 (collect calls ac-

cepted)

Recommended use of the chemical and restrictions on use

Recommended use Plastic processing industry

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 50

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
formaldehyde	50-00-0	<= 0.02

#### **SECTION 4. FIRST AID MEASURES**

General advice Do not leave the victim unattended.

If inhaled If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.



## CELSTRAN® POM-SF50-01 AF3005 **NATURAL**

Version Revision Date: SDS Number: Date of last issue: -

1.0 01/20/2023 000000034748 Date of first issue: 01/20/2023

In case of skin contact Cool skin rapidly with cold water after contact with molten

material.

Do not peel solidified product off the skin. Burns must be treated by a physician.

In case of eye contact Remove contact lenses.

Protect unharmed eye. If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Notes to physician Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES** 

Suitable extinguishing media Water

Foam

Dry chemical

None known.

Carbon dioxide (CO2)

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Hazardous combustion prod: :

ucts

Formaldehyde

Carbon oxides

Further information Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Avoid dust formation. Avoid breathing dust.

Ensure adequate ventilation.

**Environmental precautions** No special environmental precautions required.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE** 

Advice on protection against

fire and explosion

Provide appropriate exhaust ventilation at places where dust

is formed.



# CELSTRAN® POM-SF50-01 AF3005 NATURAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 01/20/2023 000000034748 Date of first issue: 01/20/2023

During processing, dust may form explosive mixture in air.

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Minimize dust generation and accumulation.

Conditions for safe storage : Electrical installations / working materials must comply with

the technological safety standards.

Keep in a dry, cool place. Maintain dryness of resin

Materials to avoid : No materials to be especially mentioned.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
formaldehyde	50-00-0	TWA	0.016 ppm	NIOSH REL
		С	0.1 ppm	NIOSH REL
		PEL	0.75 ppm	OSHA CARC
		STEL	2 ppm	OSHA CARC
		TWA	0.016 ppm	NIOSH REL
			(Formaldehyde)	
		С	0.1 ppm	NIOSH REL
			(Formaldehyde)	
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH

**Engineering measures** : Local exhaust

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Eye protection : Safety glasses Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : pellets

Odour : slight

Flash point : Not applicable

Vapour pressure : not determined

Density : 1.4 - 1.8 g/cm³ (68 °F / 20 °C)



## CELSTRAN® POM-SF50-01 AF3005 **NATURAL**

Version Revision Date: SDS Number: Date of last issue: -

1.0 01/20/2023 00000034748 Date of first issue: 01/20/2023

Solubility(ies)

Water solubility insoluble

Auto-ignition temperature For further information, refer to the product technical data

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reac-

No hazards to be specially mentioned. Dust may form explosive mixture in air.

Conditions to avoid No data available Incompatible materials Not applicable Hazardous decomposition No data available

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

Not classified based on available information.

#### Components:

formaldehyde:

Acute oral toxicity LD50 (Rat, male): 460 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity LC50 (Rat): 1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

270 mg/kg Acute dermal toxicity

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

#### formaldehyde:

**Species** Rabbit

Method **OECD Test Guideline 404** 

Result Corrosive

#### Serious eye damage/eye irritation

Not classified based on available information.



# CELSTRAN® POM-SF50-01 AF3005 NATURAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 01/20/2023 000000034748 Date of first issue: 01/20/2023

#### **Components:**

formaldehyde:

Species : Rabbit Result : Corrosive

Method : OECD Test Guideline 405

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

#### formaldehyde:

Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### formaldehyde:

Genotoxicity in vivo : Species: Rat

Method: Mutagenicity (micronucleus test)

Result: negative

#### Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

Not classified based on available information.

#### **Components:**

#### formaldehyde:

Effects on foetal develop- : Species: Mouse ment : Application Route: 0

Application Route: Oral

Result: no adverse developmental effects



# CELSTRAN® POM-SF50-01 AF3005 NATURAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 01/20/2023 000000034748 Date of first issue: 01/20/2023

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

**Aspiration toxicity** 

Not classified based on available information.

**Further information** 

**Product:** 

Remarks : No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

formaldehyde:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 6.7 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 5,800 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

(Desmodesmus subspicatus (green algae)): Method: OECD

Test Guideline 201

EC50 (Scenedesmus quadricauda (Green algae)): 4.89 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Persistence and degradability

**Components:** 

formaldehyde:

Biodegradability : Inoculum: Fresh water

Result: Readily biodegradable. Method: OECD Test Guideline 301C

**Bioaccumulative potential** 

**Components:** 

formaldehyde:

Bioaccumulation : Bioconcentration factor (BCF): 0.4



# CELSTRAN® POM-SF50-01 AF3005 NATURAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 01/20/2023 000000034748 Date of first issue: 01/20/2023

Remarks: Does not significantly accumulate in organisms.

Mobility in soil

No data available

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

No data available

**Components:** 

formaldehyde:

Results of PBT and vPvB

assessment

The substance does not meet the criteria for PBT / vPvB ac-

cording to REACH, Annex XIII

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Where possible recycling is preferred to disposal or incinera-

tion.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**49 CFR** 

Not regulated as a dangerous good



# CELSTRAN® POM-SF50-01 AF3005 NATURAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 01/20/2023 000000034748 Date of first issue: 01/20/2023

#### Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

formaldehyde 50-00-0 >= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

formaldehyde 50-00-0 >= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.



# CELSTRAN® POM-SF50-01 AF3005 NATURAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 01/20/2023 000000034748 Date of first issue: 01/20/2023

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:

# Flammability Health O Instability

Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA CARC : OSHA Specifically Regulated Chemicals/Carcinogens

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / C : Ceiling value not be exceeded at any time.

OSHA CARC / PEL : Permissible exposure limit (PEL)

OSHA CARC / STEL : Excursion limit

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International



# CELSTRAN® POM-SF50-01 AF3005 NATURAL

Version Revision Date: SDS Number: Date of last issue: -

1.0 01/20/2023 000000034748 Date of first issue: 01/20/2023

Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01/20/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN