

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4112 F NATURAL - (O)

Version 2.0      Revision Date: 2025/08/18      SDS Number: 300010000447      Date of last issue: 2024/02/21  
Date of first issue: 2024/02/21

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : GUR® 4112 F NATURAL - (O)  
Product code : 000000000021055263

#### Manufacturer or supplier's details

Company : Celanese (Shanghai) International Trading Co., Ltd  
Address : 4560 Jinke Road, Zhangjiang, Pudong  
Shanghai, China 201210  
Telephone : 86-21-38619288  
Emergency telephone number : CHEMTREC International phone number: +1-703-527 3887,  
+86 532 8388-9090 (China, 24h)  
E-mail address : HazCom@celanese.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Plastic processing industry

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	: powder
Odour	: slight

Not a hazardous substance or mixture.

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Not classified based on available information.

#### Environmental hazards

Not classified based on available information.

#### Other hazards which do not result in classification

Risk of dust explosion.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4112 F NATURAL - (O)

Version 2.0      Revision Date: 2025/08/18      SDS Number: 300010000447      Date of last issue: 2024/02/21  
Date of first issue: 2024/02/21

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Polyethylene	9002-88-4	<= 100

### 4. FIRST AID MEASURES

- General advice : Do not leave the victim unattended.  
If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.  
In case of skin contact : Cool skin rapidly with cold water after contact with molten material.  
Do not peel solidified product off the skin.  
Burns must be treated by a physician.  
In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.  
If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Most important symptoms and effects, both acute and delayed : None known.  
Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water  
Foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4112 F NATURAL - (O)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/02/21
2.0	2025/08/18	300010000447	Date of first issue: 2024/02/21

---

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Avoid dust formation.  
Avoid breathing dust.  
Ensure adequate ventilation.
- Environmental precautions : No special environmental precautions required.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Do not create a powder cloud by using a brush or compressed air.  
Non-sparking tools should be used.  
Keep in suitable, closed containers for disposal.
- 

### 7. HANDLING AND STORAGE

#### Handling

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.  
During processing, dust may form explosive mixture in air.  
Take measures to prevent the build up of electrostatic charge.  
Do not empty bag over drums with ignitable gas mixtures.  
Use explosion-proof equipment.
- Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Minimize dust generation and accumulation.  
Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.  
Ensure all equipment is electrically grounded before beginning transfer operations.
- Avoidance of contact : Not applicable

#### Storage

- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Maintain dryness of resin  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : Keep in a dry place.  
No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4112 F NATURAL - (O)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/02/21
2.0	2025/08/18	300010000447	Date of first issue: 2024/02/21

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Local exhaust  
Use explosion-proof equipment.

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Eye/face protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Odour : slight

Flash point : Not applicable

Density : 0.92 - 0.95 g/cm<sup>3</sup> (25 °C)  
Method: ISO 1183-1

Solubility(ies)  
Water solubility : insoluble

Auto-ignition temperature : > 350 °C

### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
Dust may form explosive mixture in air.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition products : No data available

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

## **GUR® 4112 F NATURAL - (O)**

Version 2.0	Revision Date: 2025/08/18	SDS Number: 300010000447	Date of last issue: 2024/02/21 Date of first issue: 2024/02/21
----------------	------------------------------	-----------------------------	---

---

**Skin corrosion/irritation**

Not classified based on available information.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information**

**Product:**

Remarks : No data available

---

## **12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

**Product:**

Additional ecological information : No data available

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4112 F NATURAL - (O)

Version: 2.0      Revision Date: 2025/08/18      SDS Number: 300010000447      Date of last issue: 2024/02/21  
Date of first issue: 2024/02/21

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or incineration.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

##### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

##### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### GB 6944/12268

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4112 F NATURAL - (O)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/02/21
2.0	2025/08/18	300010000447	Date of first issue: 2024/02/21

Packing group : Not applicable  
Labels : Not applicable  
Marine pollutant : no

### JT/T 617

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Environmentally hazardous : no

### Special precautions for user

Not applicable

## 15. REGULATORY INFORMATION

### National regulatory information

No specific information about other regulations/legislation to be mentioned.

### Regulations on Safety Management of Hazardous Chemicals

## 16. OTHER INFORMATION

Revision Date : 2025/08/18  
Date format : yyyy/mm/dd

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## GUR® 4112 F NATURAL - (O)

Version	Revision Date:	SDS Number:	Date of last issue: 2024/02/21
2.0	2025/08/18	300010000447	Date of first issue: 2024/02/21

---

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN