

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version 9.0 Revision Date: 2025/04/16 SDS Number: 1624965-00027 Date of last issue: 2025/03/07
Date of first issue: 2017/05/15

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Opteon™ SF10 Specialty Fluid

SDS-Identcode : 130000143912

Manufacturer or supplier's details

Company : The Chemours Chemical (Shanghai) Co., Ltd.

Address : 9F, SCG Parkside, 868 Yinghua Road, Pudong New District
201204, Shanghai, China

Telephone : 86 400 8056 528

Emergency telephone number : 86 532 8388 9090

E-mail address : SDS.ChinaPSR@chemours.com

Telefax : 86 21 2612 0862

Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent
Carrier fluid
Heat transfer fluids

Restrictions on use : For professional users only.
Do not use product for anything outside of the above specified uses

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : liquid
Colour : clear, colourless
Odour : mild

May cause long lasting harmful effects to aquatic life.

GHS Classification

Long-term (chronic) aquatic hazard : Category 4

GHS label elements

Hazard pictograms : None



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version 9.0 Revision Date: 2025/04/16 SDS Number: 1624965-00027 Date of last issue: 2025/03/07
Date of first issue: 2017/05/15

Signal word : None

Hazard statements : H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

May cause long lasting harmful effects to aquatic life.

Other hazards which do not result in classification

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.

Misuse or intentional inhalation abuse may cause death without warning symptoms, due to cardiac effects.

Rapid evaporation of the product may cause frostbite.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : Methoxytridecafluoroheptene isomers

CAS-No. : Not Assigned

Components

Chemical name	CAS-No.	Concentration (% w/w)
Methoxytridecafluoroheptene isomers	Not Assigned	<= 100

4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version	Revision Date:	SDS Number:	Date of last issue:
9.0	2025/04/16	1624965-00027	2025/03/07
			Date of first issue: 2017/05/15

- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Inhalation may provoke the following symptoms:
Dizziness
May cause cardiac arrhythmia.
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, that may be used in situations of emergency life support should be used with special caution.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Not applicable
Will not burn
- Unsuitable extinguishing media : Not applicable
Will not burn
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Hydrogen fluoride
carbonyl fluoride
Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version	Revision Date:	SDS Number:	Date of last issue:
9.0	2025/04/16	1624965-00027	2025/03/07
			Date of first issue: 2017/05/15

gency procedures

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : None.

Storage

Conditions for safe storage : Do not expose drums to direct heat or temperature above 46°C (115°F) to avoid pressurizing and possibly distorting the drums.
Material should not be dispensed by pouring from pail/drum shipping containers containing 5 gallons or more. The use of a drum pump is recommended for dispensing from pail/drum shipping containers with 5 gallons or more, except for smaller containers where adequate ventilation can be used to manage



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version 9.0 Revision Date: 2025/04/16 SDS Number: 1624965-00027 Date of last issue: 2025/03/07
Date of first issue: 2017/05/15

the exposure.
Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

Recommended storage temperature : < 46 °C

Further information on storage stability : Keep away from direct sunlight.

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Methoxytridecafluoroheptene isomers	Not Assigned	TWA	200 ppm	WEEL

Engineering measures : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown.

Eye/face protection : Wear the following personal protective equipment: Safety glasses

Skin and body protection : Skin should be washed after contact.

Hand protection

Remarks : Wash hands before breaks and at the end of workday.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version 9.0 Revision Date: 2025/04/16 SDS Number: 1624965-00027 Date of last issue: 2025/03/07
Date of first issue: 2017/05/15

Appearance : liquid

Colour : clear, colourless

Odour : mild

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : < -85 °C

Initial boiling point and boiling range : 110.5 °C

Flash point : does not flash

Evaporation rate : 2.2
(Butyl Acetate=1.0)

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Will not burn

Upper explosion limit / Upper flammability limit : Upper flammability limit
Method: ASTM E681
None.

Lower explosion limit / Lower flammability limit : Lower flammability limit
Method: ASTM E681
None.

Vapour pressure : 21.5 hPa (20 °C)
28.8 hPa (25 °C)

Relative vapour density : 12.1
(Air = 1.0)

Relative density : 1.59 (25 °C)

Solubility(ies)
Water solubility : 0.00015 g/l slightly soluble (24 °C)

Partition coefficient: n-octanol/water : log Pow: 4.4 - 4.9 (25 °C)



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version	Revision Date:	SDS Number:	Date of last issue:
9.0	2025/04/16	1624965-00027	2025/03/07
			Date of first issue: 2017/05/15

Auto-ignition temperature : 348 - 351 °C

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : 0.74 mm²/s (25 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Methoxytridecafluoroheptene isomers:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 420

Acute inhalation toxicity : LC50 (Rat): > 222.15 mg/l

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version 9.0 Revision Date: 2025/04/16 SDS Number: 1624965-00027 Date of last issue: 2025/03/07
Date of first issue: 2017/05/15

Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Components:

Methoxytridecafluoroheptene isomers:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Methoxytridecafluoroheptene isomers:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Methoxytridecafluoroheptene isomers:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Methoxytridecafluoroheptene isomers:



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version
9.0

Revision Date:
2025/04/16

SDS Number:
1624965-00027

Date of last issue: 2025/03/07
Date of first issue: 2017/05/15

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Inhalation Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Methoxytridecafluoroheptene isomers:

Effects on foetal development	: Test Type: Prenatal development toxicity study (teratogenicity) Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
-------------------------------	--

STOT - single exposure

Not classified based on available information.

Components:

Methoxytridecafluoroheptene isomers:

Exposure routes	: Ingestion
-----------------	-------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version 9.0 Revision Date: 2025/04/16 SDS Number: 1624965-00027 Date of last issue: 2025/03/07
Date of first issue: 2017/05/15

- Assessment : No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less
- Exposure routes : Skin contact
- Assessment : No significant health effects observed in animals at concentrations of 2000 mg/kg bw or less
- Exposure routes : inhalation (vapour)
- Assessment : No significant health effects observed in animals at concentrations of 20 mg/l/4h or less

STOT - repeated exposure

Not classified based on available information.

Components:

Methoxytridecafluoroheptene isomers:

- Exposure routes : Ingestion
- Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.
- Exposure routes : inhalation (vapour)
- Assessment : No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Methoxytridecafluoroheptene isomers:

- Species : Rat, male and female
- NOAEL : 1,000 mg/kg
- LOAEL : > 1,000 mg/kg
- Application Route : Ingestion
- Exposure time : 90 d
- Method : OECD Test Guideline 408
- Species : Rat, male and female
- NOAEL : 37.025 mg/l
- LOAEL : 75.531 mg/l
- Application Route : inhalation (vapour)
- Exposure time : 28 d
- Method : OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version 9.0 Revision Date: 2025/04/16 SDS Number: 1624965-00027 Date of last issue: 2025/03/07
Date of first issue: 2017/05/15

Components:

Methoxytridecafluoroheptene isomers:

|| No aspiration toxicity classification

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Methoxytridecafluoroheptene isomers:

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 0.096 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.157 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.000477 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.000477 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.107 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility

Ecotoxicology Assessment

|| Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

Persistence and degradability

Components:

Methoxytridecafluoroheptene isomers:

|| Biodegradability : Result: Not inherently biodegradable.
Method: OECD Test Guideline 302C



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version 9.0 Revision Date: 2025/04/16 SDS Number: 1624965-00027 Date of last issue: 2025/03/07
Date of first issue: 2017/05/15

||

Bioaccumulative potential

Components:

Methoxytridecafluoroheptene isomers:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 1,990
Method: OECD Test Guideline 305

Mobility in soil

Components:

Methoxytridecafluoroheptene isomers:

Distribution among environmental compartments : log Koc: 4.5
Remarks: immobile

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version 9.0 Revision Date: 2025/04/16 SDS Number: 1624965-00027 Date of last issue: 2025/03/07
Date of first issue: 2017/05/15

Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Marine pollutant : no

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals and it does not meet the definition of hazardous chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version	Revision Date:	SDS Number:	Date of last issue:
9.0	2025/04/16	1624965-00027	2025/03/07
			Date of first issue: 2017/05/15

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

16. OTHER INFORMATION

Revision Date : 2025/04/16

Other information : Opteon™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours™ and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information. For further information contact the local Chemours office or nominated distributors.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/07
9.0	2025/04/16	1624965-00027	Date of first issue: 2017/05/15

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

WEEL : Workplace Environmental Exposure Levels (WEEL)

WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Opteon™ SF10 Specialty Fluid

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/07
9.0	2025/04/16	1624965-00027	Date of first issue: 2017/05/15

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN

