

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

- Trade name Radel® R-7800 RD RR3

**1.2 Relevant identified uses of the substance or mixture and uses advised against****Uses of the Substance/Mixture**

- Plastics industry

**1.3 Details of the supplier of the safety data sheet****Company**

Syensqo (Shanghai) International Trading Co., Ltd.  
3966, JINDU RD, XINZHUANG INDUSTRIAL ZONE, MINHANG DISTRICT, SHANGHAI, CHINA 201108  
Tel: +86 21 2350 1000

**E-mail address**

For questions about SDS content: [manager.sds@syensqo.com](mailto:manager.sds@syensqo.com)  
For all other topics use: [www.syensqo.com/en/form/documentation](http://www.syensqo.com/en/form/documentation)

**1.4 Emergency telephone number**

400 120 6011 (toll-free, access from China only)  
NRCC  
CHINA (DOMESTIC ONLY): +86 532 8388 9090 (Qingdao)  
MULTI LINGUAL EMERGENCY NUMBER (24/7)  
Europe/Latin America/Africa: +44 1235 239 670 (UK)  
Middle East/Africa speaking Arabic: +44 1235 239 671 (UK)  
Asia Pacific : +65 3158 1074 (Singapore)  
China : 400 120 6011 (toll-free, access from China only)  
North America : +1 800 424 9300

**SECTION 2: Hazards identification****2.1 Emergency overview**

<b><u>Appearance</u></b>	<b><u>Form:</u></b>	pellets
	<b><u>Physical state:</u></b>	solid
	<b><u>Colour:</u></b>	red
	<b><u>Odour</u></b>	odourless

**2.2 Classification of the substance or mixture****GHS Classification and Labeling: Follow GB 15258 and GB 30000 series standard**

- Not classified as hazardous product under the regulation above.

**2.3 Label elements****GHS Classification and Labeling: Follow GB 15258 and GB 30000 series standard**

- Not required to be labelled under the local regulation including regulation above.



**2.4 Physical and chemical hazards**

- Not classified based on available information.

**2.5 Health hazards**

- Not classified based on available information.

**2.6 Environmental hazards**

- Not classified based on available information.

**2.7 Other hazards which do not result in classification**

None known.

**SECTION 3: Composition/information on ingredients****3.1 Substance**

- Not applicable, this product is a mixture.

**3.2 Mixture****Information on Components and Impurities**

Chemical name	CAS-No.	Identification number	GHS Classification	Concentration [%]
Polyphenylsulfone	25608-64-4	Not applicable	Not classified	>= 80 - <= 90
Engineering Polymer	*****	*****	Not classified	>= 10 - <= 20
Titanium oxide	13463-67-7	Not applicable	Not classified	>= 1 - < 5
14H-Benz[4,5]isoquino[2,1-a]perimidin-14-one	6829-22-7	Not applicable	Skin sensitisation, Sub-category 1B; H317	>= 0.5 - < 1
Zinc oxide	1314-13-2	Not applicable	Acute toxicity, Category 5; H303 Short-term (acute) aquatic hazard, Category 1; H400 Long-term (chronic) aquatic hazard, Category 1; H410  M-Factor(Acute) : 10 M-Factor(Chronic) : 1	>= 0.1 - < 0.25

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures****In case of inhalation**

- Remove to fresh air.
- If symptoms persist, call a physician.

**In case of skin contact**

- Wash off with soap and water.
- Wash contaminated clothing before re-use.
- If symptoms persist, call a physician.
- Cool skin rapidly with cold water after contact with hot polymer.
- Do not peel polymer from the skin.
- Obtain medical attention.

**In case of eye contact**

- Flush eyes with running water for several minutes, while keeping the eyelids wide open.
- If eye irritation persists, consult a specialist.

**In case of ingestion**

- Never give anything by mouth to an unconscious person.
- If a large amount is swallowed, get medical attention.

**4.2 Most important symptoms and effects, both acute and delayed****In case of inhalation****Effects**

- Mechanical irritation from the particulates generated by the product.
- Thermal decomposition can lead to release of hazardous gases and vapors

**In case of skin contact****Effects**

- Mechanical irritation from the particulates generated by the product.

**In case of eye contact****Effects**

- Mechanical irritation from the particulates generated by the product.

**In case of ingestion****Effects**

- Low ingestion hazard.

**4.3 Indication of any immediate medical attention and special treatment needed****Notes to physician**

- None

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

- powder
- Foam
- Water
- Water spray
- Carbon dioxide (CO<sub>2</sub>)

**Unsuitable extinguishing media**

- None known.

**5.2 Special hazards arising from the substance or mixture**

- Combustible material



- In a fire, the polymer melts, producing droplets which may propagate fire.
- Once started, a fire will tend to self extinguish (see section 9).
- Heating can release hazardous gases.

### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

- In the event of fire, wear self-contained breathing apparatus.
- Fire fighters must wear fire resistant personnel protective equipment.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Advice for non-emergency personnel

- Refer to protective measures listed in sections 7 and 8.

#### Advice for non-emergency personnel

- Refer to protective measures listed in sections 7 and 8.

#### Advice for emergency responders

- Sweep up to prevent slipping hazard.
- Avoid dust formation.
- Refer to protective measures listed in sections 7 and 8.

#### Advice for emergency responders

- Sweep up to prevent slipping hazard.
- Avoid dust formation.
- Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

- Should not be released into the environment.
- The product should not be allowed to enter drains, water courses or the soil.
- Should not be released into the environment.
- The product should not be allowed to enter drains, water courses or the soil.

### 6.3 Methods and materials for containment and cleaning up

- Sweep up and shovel into suitable containers for disposal.
- Avoid dust formation.
- Keep in properly labelled containers.
- Keep in suitable, closed containers for disposal.
- Treat recovered material as described in the section "Disposal considerations".

### 6.4 Reference to other sections

- Refer to protective measures listed in sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Take measures to prevent the build up of electrostatic charge.



- Ensure all equipment is electrically grounded before beginning transfer operations.
- Use only equipment and materials which are compatible with the product.
- To avoid thermal decomposition, do not overheat.
  
- Take measures to prevent the build up of electrostatic charge.
- Ensure all equipment is electrically grounded before beginning transfer operations.
- Use only equipment and materials which are compatible with the product.
- To avoid thermal decomposition, do not overheat.

#### **Hygiene measures**

- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

#### **7.2 Conditions for safe storage, including any incompatibilities**

##### **Technical measures/Storage conditions**

- Keep container tightly closed.
- Keep away from heat and sources of ignition.
- Keep away from open flames, hot surfaces and sources of ignition.
- To avoid thermal decomposition, do not overheat.
- Avoid dust formation.
- Do not smoke.
- Refer to protective measures listed in sections 7 and 8.
  
- Keep container tightly closed.
- Keep away from heat and sources of ignition.
- Keep away from open flames, hot surfaces and sources of ignition.
- To avoid thermal decomposition, do not overheat.
- Avoid dust formation.
- Do not smoke.
- Refer to protective measures listed in sections 7 and 8.

#### **7.3 Specific end use(s)**

- For further information, please contact:  
Supplier
- For further information, please contact:  
Supplier



**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Components with national occupational exposure limits**

Components	Value type	Value	Basis
Titanium oxide	PC-TWA	8 mg/m <sup>3</sup>	Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
	Form of exposure : Total dust G2B - Possibly carcinogenic to humans		
Zinc oxide	PC-TWA	3 mg/m <sup>3</sup>	Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.
Zinc oxide	PC-STEL	5 mg/m <sup>3</sup>	Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

**Components with other occupational exposure limits**

Components	Value type	Value	Basis
Particles (insoluble or poorly soluble) not otherwise specified	TWA	10 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Form of exposure : Inhalable particulate matter		
Particles (insoluble or poorly soluble) not otherwise specified	TWA	3 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Form of exposure : Respirable particulate matter		
Titanium oxide	TWA	2.5 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Form of exposure : Respirable particulate matter Expressed as :Titanium dioxide		
Zinc oxide	TWA	2 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Form of exposure : Respirable particulate matter		
Zinc oxide	STEL	10 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Form of exposure : Respirable particulate matter		



## 8.2 Exposure controls

### Control measures

#### **Engineering measures**

- Provide local ventilation appropriate to the product decomposition risk (see section 10).
- Provide appropriate exhaust ventilation at places where dust is formed.
- Refer to protective measures listed in sections 7 and 8.

### Individual protection measures

#### **Respiratory protection**

- When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Use only respiratory protection that conforms to international/ national standards.

#### **Hand protection**

- When handling hot material, use heat resistant gloves.

#### **Eye protection**

- Safety glasses with side-shields
- Dust proof goggles, if dusty.

#### **Skin and body protection**

- Long sleeved clothing

#### **Hygiene measures**

- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

#### **Protective measures**

- When using do not eat, drink or smoke.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b><u>Physical state</u></b>	solid
<b><u>Form</u></b>	pellets
<b><u>Colour</u></b>	red
<b><u>Odour</u></b>	odourless
<b><u>Odour Threshold</u></b>	No data available
<b><u>Melting point/freezing point</u></b>	No data available
<b><u>Initial boiling point and boiling range</u></b>	<u>Boiling point/boiling range:</u> Not applicable
<b><u>Flammability (solid, gas)</u></b>	May form combustible dust concentrations in air, The product is not flammable.
<b><u>Flammability (liquids)</u></b>	No data available
<b><u>Flammability/Explosive limit</u></b>	No data available
<b><u>Flash point</u></b>	Not applicable
<b><u>Auto-ignition temperature</u></b>	No data available
<b><u>Decomposition temperature</u></b>	No data available
<b><u>pH</u></b>	Not applicable
<b><u>Viscosity</u></b>	No data available



<b><u>Solubility</u></b>	<u>Water solubility:</u> negligible
<b><u>Partition coefficient: n-octanol/water</u></b>	Not applicable
<b><u>Vapour pressure</u></b>	Not applicable
<b><u>Density</u></b>	No data available
<b><u>Relative density</u></b>	No data available
<b><u>Relative vapor density</u></b>	Not applicable
<b><u>Particle characteristics</u></b>	No data available
<b><u>Evaporation rate (Butylacetate = 1)</u></b>	No data available

9.2 Other information No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

- No dangerous reaction known under conditions of normal use.
- polymerisation**
  - Hazardous polymerisation does not occur.

### 10.4 Conditions to avoid



- Heat, flames and sparks.
- To avoid thermal decomposition, do not overheat.
- Avoid dust formation.
- The normal temperature for processing this resin exceeds the decomposition and/or ignition temperature of some other polymeric resins, such as polyacetal, polyvinyl chloride (PVC), polypropylene, etc. If PVC or any other resin with a decomposition temperature below 371°C / 700°F is molded or handled in your equipment, these materials can rapidly decompose and/or react with this resin at the temperatures used to process this resin. Inadvertent contamination of this resin with these materials from the material handling system or other equipment can result in a rapid, possibly violent release of decomposition fumes, when the contaminated material is brought to processing temperature. To avoid, thoroughly clean molding and other processing equipment prior to changeover and prevent cross contamination of material handling systems.
- Heat, flames and sparks.
- To avoid thermal decomposition, do not overheat.
- Avoid dust formation.
- The normal temperature for processing this resin exceeds the decomposition and/or ignition temperature of some other polymeric resins, such as polyacetal, polyvinyl chloride (PVC), polypropylene, etc. If PVC or any other resin with a decomposition temperature below 371°C / 700°F is molded or handled in your equipment, these materials can rapidly decompose and/or react with this resin at the temperatures used to process this resin. Inadvertent contamination of this resin with these materials from the material handling system or other equipment can result in a rapid, possibly violent release of decomposition fumes, when the contaminated material is brought to processing temperature. To avoid, thoroughly clean molding and other processing equipment prior to changeover and prevent cross contamination of material handling systems.

#### 10.5 Incompatible materials

- Polymeric resins

#### 10.6 Hazardous decomposition products

- Carbon monoxide
- Sulphur oxides
- Hydrocarbons
- The release of other hazardous decomposition products is possible.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

**Acute oral toxicity** No data available  
**Acute inhalation toxicity** No data available

**Acute dermal toxicity** No data available  
**Acute toxicity (other routes of administration)** No data available

**Skin corrosion/irritation** No data available

**Serious eye damage/eye irritation** No data available

**Respiratory or skin sensitisation** No data available

##### Mutagenicity

**Genotoxicity in vitro** No data available  
**Genotoxicity in vivo** No data available  
**Carcinogenicity** No data available

##### Toxicity for reproduction and development

**Toxicity to reproduction/Fertility** No data available  
**Developmental Toxicity/Teratogenicity** No data available

##### STOT



<b>STOT - single exposure</b>	No data available
<b>STOT - repeated exposure</b>	No data available
<b><u>Experience with human exposure</u></b>	No data available
<b><u>Aspiration toxicity</u></b>	No data available
<b><u>Further information</u></b>	Because the components are encapsulated in the resin and may not be bioavailable in the body, they may not exert the above mentioned health effects. Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several components. Because the components are encapsulated in the resin and may not be bioavailable in the body, they may not exert the above mentioned health effects. Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several components.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic Compartment

<b>Acute toxicity to fish</b>	By analogy The mixture is considered not hazardous to fish as analytical monitoring data show that components hazardous for the environment are not released in quantities sufficient to exert adverse acute effects on fish. No toxicity at the limit of solubility Unpublished internal reports Expert judgement
<b>Acute toxicity to daphnia and other aquatic invertebrates</b>	By analogy The mixture is considered not hazardous to aquatic invertebrates as analytical monitoring data show that components hazardous for the environment are not released in quantities sufficient to exert adverse acute effects on aquatic invertebrates. No toxicity at the limit of solubility Unpublished internal reports Expert judgement
<b>Toxicity to aquatic plants</b>	By analogy The mixture is considered not hazardous to aquatic plants as analytical monitoring data show that components hazardous for the environment are not released in quantities sufficient to exert adverse acute effects on aquatic plants. No toxicity at the limit of solubility Unpublished internal reports Expert judgement
<b>Toxicity to microorganisms</b>	No data available
<b>Chronic toxicity to fish</b>	No data available
<b>Chronic toxicity to daphnia and other aquatic invertebrates</b>	No data available

### 12.2 Persistence and degradability

<b><u>Abiotic degradation</u></b>	No data available
<b><u>Physical- and photo-chemical elimination</u></b>	No data available



**Biodegradation** No data available

### 12.3 Bioaccumulative potential

**Partition coefficient: n-octanol/water** No data available

**Bioconcentration factor (BCF)** No data available

### 12.4 Mobility in soil

**Adsorption potential (Koc)** No data available

**Known distribution to environmental compartments** No data available

**12.5 Results of PBT and vPvB assessment** No data available

### 12.6 Other adverse effects

#### Ecotoxicity assessment

**Short-term (acute) aquatic hazard** No toxicity at the limit of solubility

**Long-term (chronic) aquatic hazard** Not classified due to data which are conclusive although insufficient for classification.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product Disposal

- In accordance with local and national regulations.
- Waste characterizations and compliance with applicable laws and regulations are the responsibility of the waste generator.
- Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities.
- Can be landfilled or incinerated, when in compliance with local regulations.
- Do not dispose of waste product into drains or watercourses.

#### Advice on cleaning and disposal of packaging

- Empty containers.
- Dispose of as unused product.
- For unused and uncontaminated product, the preferred options include sending to a licensed, permitted: recycler, reclaimer, incinerator or other thermal destruction device or industrial landfill.

## SECTION 14: Transport information

#### CN DG

not regulated

#### IMDG

not regulated

#### IATA

not regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.



**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Following last version of regulations are applicable for the chemical classification, SDS and label:**

- Specification for classification and labelling of chemicals, GB 30000 series standard
- General rules for preparation of precautionary label for chemicals, GB 15258
- Safety data sheet for chemical products—Content and order of sections, GB/T 16483
- GB/T 17519 Guidance on the compilation of safety data sheet for chemical products
- Decree No. 591 of the State Council of the People's Republic of China: Regulations on the Control over Safety of Hazardous Chemicals
- List of dangerous goods GB 12268
- Classification and code of dangerous goods GB 6944

**Other regulations**

- Law on the Prevention and Control of Occupational Diseases

**Notification status**

<b>Inventory Information</b>	<b>Status</b>
United States TSCA Inventory	- Listed as active on the TSCA inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- In compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- In compliance with the inventory
Australian Inventory of Industrial Chemicals (AIIC)	- In compliance with the inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- In compliance with the inventory
Canadian Domestic Substances List (DSL)	- In compliance with the inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- One or more components not listed on inventory
EU. European Registration, Evaluation, Authorization and Restriction of Chemical (REACH)	- When purchased from a Syensqo legal entity based in the EEA ("European Economic Area"), this product is compliant with the registration provisions of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of the EEA, please contact your local representative for additional information.

**SECTION 16: Other information****Full text of H-Statements**

- H303: May be harmful if swallowed.
- H317: May cause an allergic skin reaction.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

- PC-STEL: Permissible concentration - short term exposure limit
- PC-TWA: Permissible concentration - time weighted average
- STEL: Short-term exposure limit
- TWA: 8-hour, time-weighted average
- ADR: European Agreement on International Carriage of Dangerous Goods by Road.
- ADN: European Agreement on the International Carriage of Dangerous Goods by Inland Waterways.
- RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
- IATA: International Air Transport Association.
- ICAO-TI: Technical Instructions for Safe Transport of Dangerous Goods by Air.
- IMDG: International Maritime Dangerous Goods.
- TWA: Time weighted average
- ATE: Estimated value of acute toxicity
- EC: European Community number
- CAS: Chemical Abstracts Service.
- LD50: Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).
- LC50: Substance concentration causing 50% (half) death in the test animals group.
- EC50: Effective Concentration of the substance causing the maximum of 50%.
- PBT: Persistent, Bioaccumulative and Toxic substance.
- vPvB: Very Persistent and Very Bioaccumulative.
- GHS/CLP/SEA: Classification, labeling, packaging regulation
- DNEL: Derived No Effect Level
- PNEC: Predicted No Effect Concentration
- STOT: Specific Target Organ Toxicity

**Not all acronyms listed above are referenced in this SDS.**

#### **Further information**

- Distribute new edition to clients
- See section 3

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.



/ CN ( EN )  
.com

