

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/11/12  |
| 14.0    | 2025/06/05     | 1328188-00048 | Date of first issue: 2017/02/27 |

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : VC-20  
SDS-Identcode : 130000001241

#### Manufacturer or supplier's details

Company : The Chemours Chemical (Shanghai) Co., Ltd.  
Address : 9F, SCG Parkside, 868 Yinghua Road, Pudong New District  
201204, Shanghai, China  
Telephone : 86 400 8056 528  
Emergency telephone number : 86 532 8388 9090  
E-mail address : SDS.ChinaPSR@chemours.com  
Telefax : 86 21 2612 0862

#### Recommended use of the chemical and restrictions on use

Recommended use : Processing aid  
Curing chemical  
Restrictions on use : For industrial use only.  
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance : pellets  
Colour : white, opaque  
Odour : slight

Toxic if swallowed. Causes serious eye damage. Fatal if inhaled. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

#### GHS Classification

Acute toxicity (Oral) : Category 3



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

Acute toxicity (Inhalation) : Category 2  
Serious eye damage/eye irritation : Category 1  
Specific target organ toxicity - single exposure : Category 3  
Specific target organ toxicity - repeated exposure : Category 1  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H301 Toxic if swallowed.  
H318 Causes serious eye damage.  
H330 Fatal if inhaled.  
H335 May cause respiratory irritation.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear eye protection/ face protection.  
P284 Wear respiratory protection.

**Response:**  
P301 + P316 + P330 IF SWALLOWED: Get emergency medical help immediately. Rinse mouth.  
P304 + P340 + P316 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.  
P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if pre-

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

sent and easy to do. Continue rinsing. Get medical help.  
P391 Collect spillage.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

Toxic if swallowed. Fatal if inhaled. Causes serious eye damage. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure.

### Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

| Chemical name                       | CAS-No.   | Concentration (% w/w) |
|-------------------------------------|-----------|-----------------------|
| Benzyltriphenylphosphonium chloride | 1100-88-5 | >= 30 -< 50           |
| Limestone                           | 1317-65-3 | >= 1 -< 10            |

## 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/11/12  |
| 14.0    | 2025/06/05     | 1328188-00048 | Date of first issue: 2017/02/27 |

---

- Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Toxic if swallowed.  
Causes serious eye damage.  
Fatal if inhaled.  
May cause respiratory irritation.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Fluorine compounds  
Oxides of phosphorus  
Chlorine compounds  
Metal oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/11/12  |
| 14.0    | 2025/06/05     | 1328188-00048 | Date of first issue: 2017/02/27 |

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas. Only trained personnel should re-enter the area. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not breathe dust, fume, gas, mist, vapours or spray. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed.



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : None.

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Explosives

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components | CAS-No.   | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis  |
|------------|-----------|----------------------------------|--|--------|
| Limestone  | 1317-65-3 | PC-TWA<br>(Total dust)           | 8 mg/m <sup>3</sup>                            | CN OEL |
|            |           | PC-TWA<br>(Respirable dust)      | 4 mg/m <sup>3</sup>                            | CN OEL |

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/11/12  |
| 14.0    | 2025/06/05     | 1328188-00048 | Date of first issue: 2017/02/27 |

- If splashes are likely to occur, wear:  
Face-shield
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hand protection
- Material : Nitrile rubber
- Glove thickness : 0.38 mm
- Wearing time : 480 min
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : pellets
- Colour : white, opaque
- Odour : slight
- Odour Threshold : No data available
- pH : 5.5
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/11/12  |
| 14.0    | 2025/06/05     | 1328188-00048 | Date of first issue: 2017/02/27 |

---

|  |   |  |
|--|---|--|
| Flash point                                      | : | Not applicable   |
| Evaporation rate                                 | : | Not applicable   |
| Flammability (solid, gas)                        | : | No data available  |
| Upper explosion limit / Upper flammability limit | : | No data available  |
| Lower explosion limit / Lower flammability limit | : | No data available  |
| Vapour pressure                                  | : | Not applicable   |
| Relative vapour density                          | : | Not applicable   |
| Relative density                                 | : | 1.5  |
| Solubility(ies)<br>Water solubility              | : | slightly soluble   |
| Partition coefficient: n-octanol/water           | : | Not applicable   |
| Auto-ignition temperature                        | : | No data available  |
| Decomposition temperature                        | : | No data available  |
| Viscosity<br>Viscosity, kinematic                | : | Not applicable   |
| Explosive properties                             | : | Not explosive  |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |
| Particle characteristics<br>Particle size        | : | No data available  |

---

### 10. STABILITY AND REACTIVITY

|                                    |   |  |
|------------------------------------|---|--|
| Reactivity                         | : | Not classified as a reactivity hazard. |
| Chemical stability                 | : | Stable under normal conditions.        |
| Possibility of hazardous reactions | : | None known.                            |
| Conditions to avoid                | : | None known.                            |



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

Incompatible materials : None.  
Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Toxic if swallowed.  
Fatal if inhaled.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 131.06 mg/kg  
Method: Calculation method  
Acute inhalation toxicity : Acute toxicity estimate: 0.1524 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Benzyltriphenylphosphonium chloride:**

Acute oral toxicity : LD50 (Rat, male): 43 mg/kg  
Acute inhalation toxicity : LC50 (Rat, male): > 0.08 - 0.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

##### **Limestone:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials  
Acute inhalation toxicity : LC50 (Rat): > 3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### **Benzyltriphenylphosphonium chloride:**

Species : Rabbit  
Result : No skin irritation

##### **Limestone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

##### **Benzyltriphenylphosphonium chloride:**

Species : Rabbit  
Result : Irreversible effects on the eye

Result : Toxic by eye contact.

##### **Limestone:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

### Respiratory or skin sensitisation

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

##### **Benzyltriphenylphosphonium chloride:**

Test Type : Maximisation Test



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

### Limestone:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Benzyltriphenylphosphonium chloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

#### Limestone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Limestone:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

### STOT - single exposure

May cause respiratory irritation.

#### Components:

##### **Benzyltriphenylphosphonium chloride:**

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Components:

##### **Benzyltriphenylphosphonium chloride:**

Exposure routes : Inhalation  
Target Organs : Lungs, nasal cavity  
Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

### Repeated dose toxicity

#### Components:

##### **Benzyltriphenylphosphonium chloride:**

Species : Rat, male  
NOAEL : 0.0051 mg/l  
LOAEL : 0.015 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Weeks

##### **Limestone:**

Species : Rat  
NOAEL : > 300 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Method : OECD Test Guideline 422



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Benzyltriphenylphosphonium chloride:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.59 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.25 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

#### Limestone:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : LL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): > 14 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

Based on data from similar materials

EL10 (Desmodesmus subspicatus (green algae)): > 14 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility  
Based on data from similar materials

Toxicity to microorganisms : EC50: > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### **Benzyltriphenylphosphonium chloride:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

##### **Benzyltriphenylphosphonium chloride:**

Partition coefficient: n-octanol/water : log Pow: -0.7  
Method: OECD Test Guideline 107

### Mobility in soil

No data available

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3464  
Proper shipping name : ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.  
(Benzyltriphenylphosphonium chloride)  
Class : 6.1  
Packing group : III  
Labels : 6.1  
Environmentally hazardous : no

##### IATA-DGR

UN/ID No. : UN 3464  
Proper shipping name : Organophosphorus compound, solid, toxic, n.o.s.  
(Benzyltriphenylphosphonium chloride)  
Class : 6.1  
Packing group : III  
Labels : Toxic  
Packing instruction (cargo aircraft) : 677  
Packing instruction (passenger aircraft) : 670

##### IMDG-Code

UN number : UN 3464  
Proper shipping name : ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.  
(Benzyltriphenylphosphonium chloride)  
Class : 6.1  
Packing group : III  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### GB 6944/12268

UN number : UN 3464  
Proper shipping name : ORGANOPHOSPHORUS COMPOUND, TOXIC, SOLID, N.O.S.  
(Benzyltriphenylphosphonium chloride)  
Class : 6.1  
Packing group : III  
Labels : 6.1  
Marine pollutant : no



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

Version 14.0      Revision Date: 2025/06/05      SDS Number: 1328188-00048      Date of last issue: 2024/11/12  
Date of first issue: 2017/02/27

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

#### Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

| No. / Code   | Chemical name / Category | Threshold quantity |
|--|--------------------------|--------------------|
| J5   | Acute toxic              | 500 t              |
| Hazardous Chemicals for Priority Management under SAWS |                          | : Not listed       |

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Listed

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

#### Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

#### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

#### Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed



# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/11/12  |
| 14.0    | 2025/06/05     | 1328188-00048 | Date of first issue: 2017/02/27 |

### Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

## 16. OTHER INFORMATION

Revision Date : 2025/06/05

Other information : Chemours™ and the Chemours Logo are trademarks of The Chemours Company.  
Before use read Chemours safety information.  
For further information contact the local Chemours office or nominated distributors.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

CN OEL / PC-TWA : Permissible concentration - time weighted average

AiIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## VC-20

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/11/12  |
| 14.0    | 2025/06/05     | 1328188-00048 | Date of first issue: 2017/02/27 |

---

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN

