

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : VPA-1
SDS-Identcode : 130000001250

Manufacturer or supplier's details

Company : The Chemours Chemical (Shanghai) Co., Ltd.
Address : 9F, SCG Parkside, 868 Yinghua Road, Pudong New District
201204, Shanghai, China
Telephone : 86 400 8056 528
Emergency telephone number : 86 532 8388 9090
E-mail address : SDS.ChinaPSR@chemours.com
Telefax : 86 21 2612 0862

Recommended use of the chemical and restrictions on use

Recommended use : Processing aid
Curing chemical
Restrictions on use : For industrial use only.
Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : powder
Colour : white, tan
Odour : slight

Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

GHS Classification

Serious eye damage/eye irritation : Category 2A
Long-term (chronic) aquatic hazard : Category 2

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

GHS label elements

Hazard pictograms



Signal word

: Warning

Hazard statements

: H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P317 If eye irritation persists: Get medical help.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes serious eye irritation.

Environmental hazards

Toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Bis(4-chlorophenyl) sulphone	80-07-9	>= 50 -< 70
Paraffin waxes and Hydrocarbon waxes	8002-74-2	>= 20 -< 30

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version	Revision Date:	SDS Number:	Date of last issue: 2025/07/22
8.0	2025/10/28	1328521-00048	Date of first issue: 2017/02/27

- vice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Chlorine compounds
Sulphur oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version	Revision Date:	SDS Number:	Date of last issue: 2025/07/22
8.0	2025/10/28	1328521-00048	Date of first issue: 2017/02/27

Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Minimize dust generation and accumulation. Keep container closed when not in use. Take care to prevent spills, waste and minimize release to the environment.



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Paraffin waxes and Hydrocarbon waxes	8002-74-2	PC-TWA (Fumes)	2 mg/m ³	CN OEL
		PC-STEL (Fumes)	4 mg/m ³	CN OEL
		TWA (Fumes)	2 mg/m ³	ACGIH

Engineering measures : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear the following personal protective equipment:
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hand protection



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version	Revision Date:	SDS Number:	Date of last issue: 2025/07/22
8.0	2025/10/28	1328521-00048	Date of first issue: 2017/02/27

Material : Nitrile rubber
Glove thickness : 0.38 mm
Wearing time : 480 min

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white, tan

Odour : slight

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard, Not expected to form explosive dust-air mixtures.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower : No data available



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version	Revision Date:	SDS Number:	Date of last issue: 2025/07/22
8.0	2025/10/28	1328521-00048	Date of first issue: 2017/02/27

flammability limit

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Solubility(ies)
Water solubility : insoluble

Partition coefficient: n-
octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-
tions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition
products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Bis(4-chlorophenyl) sulphone:

Acute oral toxicity : LD50 (Rat, female): 4,810 mg/kg
Acute dermal toxicity : LD50 (Rat): > 10,000 mg/kg

Paraffin waxes and Hydrocarbon waxes:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: The test was conducted according to guideline
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: The test was conducted according to guideline

Skin corrosion/irritation

Not classified based on available information.

Components:

Bis(4-chlorophenyl) sulphone:

Species : Rabbit
Result : No skin irritation

Paraffin waxes and Hydrocarbon waxes:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : The test was conducted according to guideline

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Bis(4-chlorophenyl) sulphone:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

Paraffin waxes and Hydrocarbon waxes:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : The test was conducted equivalent or similar to guideline

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Bis(4-chlorophenyl) sulphone:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

Paraffin waxes and Hydrocarbon waxes:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : The test was conducted according to guideline

Germ cell mutagenicity

Not classified based on available information.

Components:

Bis(4-chlorophenyl) sulphone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

Paraffin waxes and Hydrocarbon waxes:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: The test was conducted according to guideline

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: The test was conducted according to guideline

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: The test was conducted according to guideline
Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Bis(4-chlorophenyl) sulphone:

Species : Rat
Application Route : Ingestion
Exposure time : 106 weeks
Result : negative

Paraffin waxes and Hydrocarbon waxes:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Method : OECD Test Guideline 451
Result : negative
Remarks : The test was conducted equivalent or similar to guideline

Reproductive toxicity

Not classified based on available information.

Components:

Bis(4-chlorophenyl) sulphone:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Paraffin waxes and Hydrocarbon waxes:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: The test was conducted according to guideline
Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: The test was conducted equivalent or similar to
guideline
Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Bis(4-chlorophenyl) sulphone:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Bis(4-chlorophenyl) sulphone:

Species : Mouse
NOAEL : 50 mg/kg
Application Route : Ingestion
Exposure time : 14 Weeks



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

Paraffin waxes and Hydrocarbon waxes:

Species : Rat
LOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408
Remarks : The test was conducted according to guideline
Based on data from similar materials

Species : Rat
LOAEL : > 25 mg/kg
Application Route : Skin contact
Exposure time : 2 yr
Method : OECD Test Guideline 453
Remarks : The test was conducted equivalent or similar to guideline
Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Bis(4-chlorophenyl) sulphone:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): ≥ 0.98 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): ≥ 0.93 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (algae)): > 0.86 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.32 mg/l
Exposure time: 21 d
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC10 (activated sludge): $> 1,000$ mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Paraffin waxes and Hydrocarbon waxes:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

Toxicity to fish	: LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: The test was conducted according to guideline Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: The test was conducted equivalent or similar to guideline Based on data from similar materials
Toxicity to algae/aquatic plants	: EL50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline Based on data from similar materials
	NOELR (Raphidocelis subcapitata (freshwater green alga)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: The test was conducted according to guideline Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOELR (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211 Remarks: The test was conducted according to guideline Based on data from similar materials
Toxicity to microorganisms	: NOEC: > 1 mg/l Exposure time: 10 min Remarks: Based on data from similar materials

Persistence and degradability

Components:

Bis(4-chlorophenyl) sulphone:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 1 % Exposure time: 28 d Method: OECD Test Guideline 301C
------------------	--

Paraffin waxes and Hydrocarbon waxes:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301F
Remarks: The test was conducted according to guideline
Based on data from similar materials

Bioaccumulative potential

Components:

Bis(4-chlorophenyl) sulphone:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 75 - 82
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 3.9
Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Bis(4-chlorophenyl) sulphone)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version 8.0 Revision Date: 2025/10/28 SDS Number: 1328521-00048 Date of last issue: 2025/07/22
Date of first issue: 2017/02/27

(Bis(4-chlorophenyl) sulphone)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Bis(4-chlorophenyl) sulphone)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Bis(4-chlorophenyl) sulphone)

Class : 9
Packing group : III
Labels : 9
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB : Not listed



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version	Revision Date:	SDS Number:	Date of last issue: 2025/07/22
8.0	2025/10/28	1328521-00048	Date of first issue: 2017/02/27

18218)

Hazardous Chemicals for Priority Management under SAWS : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

List of Toxic and Hazardous Water Pollutants : Not listed

List of Toxic and Hazardous Air Pollutants : Not listed

List of Toxic and Hazardous Soil Pollutants : Not listed

Measures for the Administration of Non-Medical Use of Narcotic Drugs and Psychotropic Substances

Catalogue of Controlled Narcotic Drugs and Psychotropic Substances with Non-Medical Use : Not listed

Measures for the Administration on Import and Export Licenses for Dual-Use Items and Technologies

Catalogue for Dual-Use Items and Technologies : Not listed



SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version	Revision Date:	SDS Number:	Date of last issue: 2025/07/22
8.0	2025/10/28	1328521-00048	Date of first issue: 2017/02/27

16. OTHER INFORMATION

Revision Date : 2025/10/28

Other information : Chemours™ and the Chemours Logo are trademarks of The Chemours Company.
Before use read Chemours safety information.
For further information contact the local Chemours office or nominated distributors.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average
CN OEL / PC-TWA : Permissible concentration - time weighted average
CN OEL / PC-STEL : Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development;

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



VPA-1

Version	Revision Date:	SDS Number:	Date of last issue: 2025/07/22
8.0	2025/10/28	1328521-00048	Date of first issue: 2017/02/27

OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN

