

1. Identification

Product identifier	VECTOR® 2411AP Styrenic Block Copolymer
Other means of identification	
Synonyms	VECTOR® is a registered trademark of TSRC Corporation
Recommended use	Industrial conversion as a raw material for manufacture of articles or goods.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	Dexco Polymers 12012 Wickchester Lane, Suite 280 Houston, TX 77079, U.S.A.
Telephone	+1-281-754-5800
Toll Free	+1-877-251-0580 (US only)
E-mail	sdsquestions@tsrc-global.com
Contact person	Product Steward
Emergency telephone	1-866-519-4752 (US, Canada, Mexico only) 1-760-476-3962 (Americas)
Access code	333558

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	The material may form dust and can accumulate electrostatic charges, which may cause an electrical spark (ignition source).

3. Composition/information on ingredients**Mixtures**

Chemical name	CAS number	%
Butadiene-styrene Rubber	9003-55-8	> 91
Talc (non-asbestiform)	14807-96-6	<= 6

Composition comments All concentrations are in percent by weight.

4. First-aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Skin contact	Flush skin with large amounts of water. For contact with hot material, immediately immerse affected area of skin in large amounts of cold water to dissipate heat and reduce the extent of thermal burns. Do not peel polymer from the skin.
Eye contact	Flush eyes with water as a precaution. Get medical attention if irritation develops or persists.
Ingestion	Have victim rinse mouth thoroughly with water.
Most important symptoms/effects, acute and delayed	Irritation of eyes and mucous membranes. Irritation of nose and throat.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.

General information First aid personnel must be aware of own risk during rescue.

5. Fire-fighting measures

Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguishing media	None.
Specific hazards arising from the chemical	Thermal decomposition may produce smoke, oxides of carbon and lower molecular weight organic compounds whose composition have not been characterized.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Fire fighting equipment/instructions	Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.
General fire hazards	The product is not flammable. Will burn if involved in a fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Avoid inhalation of fumes from molten product. Surfaces may become slippery after spillage. Wear appropriate personal protective equipment. For personal protection, see Section 8 of the SDS.
Methods and materials for containment and cleaning up	Scrape up with shovels into a suitable container for recycle or disposal. For waste disposal, see Section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Precautions for safe handling	Avoid inhalation of dust and contact with skin and eyes. Avoid contact with hot material. The product may form dust and can accumulate electrostatic charges, which may cause an electrical spark (ignition source). Use proper grounding procedures. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry, well-ventilated place. Keep away from incompatible materials, open flames and high temperatures. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value
Talc (non-asbestiform) (CAS 14807-96-6)	TWA	20 mppcf

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Talc (non-asbestiform) (CAS 14807-96-6)	TWA	2 mg/m ³	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Talc (non-asbestiform) (CAS 14807-96-6)	TWA	2 mg/m ³	Respirable.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines	Follow above occupational exposure limit values for dusts.
Appropriate engineering controls	Observe occupational exposure limits and minimize the risk of inhalation of dust and fumes. Use explosion-proof equipment if high dust/air concentrations are possible.
Individual protection measures, such as personal protective equipment	
Eye/face protection	If contact with material may occur, safety glasses and face shield are recommended.
Skin protection	
Hand protection	When material is heated, wear gloves to protect against thermal burns.
Other	Normal work clothing (long sleeved shirts and long pants) is recommended.
Respiratory protection	In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Physical state	Solid.
Form	Pellets.
Color	White to off-white.

Odor Odorless to mild.

Odor threshold Not available.

pH Not applicable.

Melting point/freezing point Not available.

Initial boiling point and boiling range Not applicable.

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability (solid, gas) Combustible.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) 1.3 (for residual solvent)

Flammability limit - upper (%) 8.0 (for residual solvent)

Vapor pressure Not applicable.

Vapor density Not applicable.

Relative density < 1

Solubility(ies)

Solubility (water) (< 0.1%) Insoluble in water.

Partition coefficient (n-octanol/water) Not applicable.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not applicable.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous reactions Hazardous polymerization does not occur.

Conditions to avoid Temperatures above 250 °C.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system.
Skin contact Molten material will produce thermal burns.
Eye contact Dust may irritate the eyes.
Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes and mucous membranes. Irritation of nose and throat.

Information on toxicological effects

Acute toxicity Dusts may irritate the respiratory tract, skin and eyes.
Skin corrosion/irritation Contact with molten material may cause thermal burns.
Serious eye damage/eye irritation May cause irritation through mechanical abrasion.

Respiratory or skin sensitization

Respiratory sensitization Not classified.
Skin sensitization Not classified.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Talc (non-asbestiform) (CAS 14807-96-6) 3 Not classifiable as to carcinogenicity to humans.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Reproductive toxicity Not classified.

Specific target organ toxicity - single exposure No data available.

Specific target organ toxicity - repeated exposure No data available.

Aspiration hazard Due to the physical form of the product it is not an aspiration hazard.

Chronic effects Talc may have effects on the lungs, resulting in talc pneumoconiosis.

Further information No other specific acute or chronic health impact noted.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data available.

Bioaccumulative potential Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Mobility in soil The product is not mobile in soil.

Mobility in general The product is insoluble in water and will spread on water surfaces.

Other adverse effects Not known.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company and/or appropriate testing.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Talc (non-asbestiform) (CAS 14807-96-6)

US. New Jersey Worker and Community Right-to-Know Act

Talc (non-asbestiform) (CAS 14807-96-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Talc (non-asbestiform) (CAS 14807-96-6)

US. Rhode Island RTK

Talc (non-asbestiform) (CAS 14807-96-6)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Talc (non-asbestiform) (CAS 14807-96-6)

16. Other information, including date of preparation or last revision

Issue date 08-February-2018

Revision date	-
Version #	01
Further information	HMIS® is a registered trade and service mark of the ACA.
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 1
NFPA ratings	
References	ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices EPA: AQUIRE database IARC Monographs. Overall Evaluation of Carcinogenicity HSDB® - Hazardous Substances Data Bank National Toxicology Program (NTP) Report on Carcinogens NLM: Hazardous Substances Data Base
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available.