

# PRODUCTS DOCUMENTS & PORTAL

Where to find information?



---

# TDS, MSDS, SPECIFICATIONS

---

# TDS, MSDS

- TDS and MSDS will be found on the **Overview** page of all product grades of a product group

**INEOS STYROLUTION** Europe, Middle East and Africa (EMEA) Sign In Registration

COMPANY PRODUCTS INDUSTRIES INNOVATION SUSTAINABILITY INVESTORS NEWS & MEDIA CAREERS ESHOP

Home / Products / ABS Standard / Terluran®

**PRODUCTS** Choose Region: Europe, Middle East And Africa

## Terluran® ABS

Terluran® ABS polymers set worldwide standards for cost-effectiveness and product quality. Our global grades are produced regionally to support the needs of our customers on a local basis. Due to its bright and consistent intrinsic color, Terluran® is ideally suited for self-coloring, particularly when there is a need for brilliant colors and a glossy appearance.

**INFOPOINT**  
If you have questions or comments, please contact our Infopoint.  
+49 (2133) 9309 – 168  
Contact Infopoint

**RELATED CONTENT**  
Links  
ISO Certificates  
Document Search  
Environmental Compliance

**SERVICES**  
Links  
UL Certifications  
CAMPUS®  
NSF Americas

**INDUSTRIES**  
Automotive  
Electronics  
Household  
Construction  
Toys, Sports & Leisure

**Key Applications**

- Household applications
- Housings for electronic devices
- Automotive components
- Sanitary applications
- Toys
- Gardening equipment
- Extrusion

**Key Properties**

- Self-colorability
- Impact strength
- Flowability
- Dimensional stability
- High gloss
- Low temperature toughness

**Brochures**

**Price**

**Product Path Finder**

|               |                   |                | Max. Volume Rate 220 °C/10 kg (perW10 mm) | Vicat Softening Temperature (50N, 50 °C/h) [°C] | Tensile Modulus [MPa] | Charpy Notched Impact Strength, 23° C (kJ/m²) | Yellowness Index (Y) | Technical Data Sheet | Safety Data Sheet  |
|---------------|-------------------|----------------|---|---|-----------------------|---|----------------------|----------------------|--------------------|
| Self-coloring | Enhanced flow     | TERLURAN C1-35 | 34  | 95  | 2300                  | 19  | 13                   | <a href="#">DS</a>   | <a href="#">DS</a> |
|               | Injection Molding | TERLURAN C1-22 | 19  | 96  | 2300                  | 22  | 13                   | <a href="#">DS</a>   | <a href="#">DS</a> |

# MSDS, different way to find

- On the **PRODUCTS** page you can also use our **Document Search**

The screenshot shows the INEOS Styrolution website interface. At the top, there is a navigation bar with the company logo, regional selection (Europe, Middle East and Africa (EMEA)), and links for Sign in and Registration. Below this is a secondary navigation bar with various menu items like COMPANY, PRODUCTS, INDUSTRIES, etc. The main content area is titled 'PRODUCTS' and includes a 'Choose Region' dropdown set to 'Europe, Middle East And Africa'. A horizontal menu lists product categories: STYRENE MONOMER, STYROLUTION® PS, ABS STANDARD, COMPOSITES, TRANSPARENT SPECIALTIES, and ENHANCED SPECIALTIES. Below this, three product cards are visible: STYRENE MONOMER (SM), ETHYLBENZENE (EB), and POLYETHYLBENZENE (PEB), each with a 'High purity' label and a set of icons representing different applications. On the right side, there are three sections: 'INFOPOINT' with contact information, 'RELATED CONTENT' with links to 'ISO Certificates' and 'Document Search' (highlighted with a red box), and 'SERVICES' with links to 'UL Certifications', 'CAMPUS®', and 'NSF Americas'.

# MSDS

On the Product Grade page this way could be used

The screenshot shows the INEOS Styrolution website interface. At the top, there is a navigation bar with the company logo and various menu items. Below this is a breadcrumb trail: Home / Products / Enhanced Specialties / Novodur® High Heat / Novodur H701. The main heading is 'PRODUCTS' with a 'Choose Region:' dropdown set to 'Europe, Middle East And Africa'. The product name 'Novodur H701' is prominently displayed, followed by a brief description: 'Novodur® H701 is a injection molding grade of ABS with heat resistance and high impact strength.' Below this, there are three columns: 'Key Features' (Heat resistance, High impact strength, Easy flowing), 'Applications' (Automotive, Home appliances, Electrical and electronics), and 'Industries' (Automotive, Electronics, Household). A 'Technical Data Sheet' link is available in PDF format. At the bottom, there is a navigation menu with tabs for 'GRADE VERSION', 'PROPERTIES', 'PROCESSING', and 'SAFETY DATA SHEET'. The 'SAFETY DATA SHEET' tab is selected and highlighted with a red box. Below this menu, there are two dropdown menus: 'Choose grade version' (with 'Novodur H701 NR' selected) and 'Choose Language' (with 'Germany - Deutsch' selected). A 'DOWNLOAD SAFETY DATA SHEET' button is also highlighted with a red box. On the right side of the page, there are sections for 'INFOPOINT', 'RELATED CONTENT', 'SERVICES', and 'BROCHURES', each with links to further information.

# MSDS – Regulatory Documents

Material Safety datasheets as well as Regulatory documents can also be found directly on the chosen Product Grade Version:

- Choose Language and Click on Download Safety Data Sheet

The screenshot displays the INEOS Styrolution website interface. At the top, there is a navigation bar with the company logo and various menu items like 'COMPANY', 'PRODUCTS', 'INDUSTRIES', etc. Below this, a 'PRODUCTS' header is visible with a 'Choose Region' dropdown set to 'Europe, Middle East And Africa'. The main content area is titled 'Luran 358N' and includes a brief description of the product. There are three columns: 'Key Features', 'Applications', and 'Industries'. Below these is a 'Technical Data Sheet' link. A navigation bar at the bottom of the main content area has tabs for 'GRADE VERSION', 'PROPERTIES', 'PROCESSING', and 'SAFETY DATA SHEET'. The 'GRADE VERSION' tab is selected and highlighted with a red box. Under this tab, there is a 'Luran 358N' section with a 'Safety Data Sheet' link. A dropdown menu for 'Choose Language' is open, listing various languages, with 'Germany - Deutsch' selected. Below the language list is a green button labeled 'DOWNLOAD SAFETY DATA SHEET'. To the right of the language dropdown is a section titled 'REACH and other Regulatory Documents' with an 'Add to Bookmarks' icon. This section contains a list of regulatory documents, each with a download icon, title, and file size. The 'REACH and other Regulatory Documents' section is also highlighted with a red box.

# TDS and Sales Specification

- TDS and Standard Sales Specifications are shown on the Product Grade page
- Standard Sales Specifications are *online only available for our Standard Products*:
  - Terluran®
  - Styrolution® PS

**INEOS STYROLUTION** Europe, Middle East and Africa (EMEA) Sign In Registration

COMPANY PRODUCTS INDUSTRIES INNOVATION SUSTAINABILITY INVESTORS NEWS & MEDIA CAREERS ESHOP

Home / Products / ABS Standard / Terluran® / Terluran GP-35

## PRODUCTS

 Choose Region: Europe, Middle East And Africa

### Terluran GP-35

Terluran® GP-35 is high-flow, general purpose injection molding grade with good ductility, intended for moldings with thin walls and/or adverse flow length to wall ratio.

| Key Features  | Applications  | Industries   |
|---|---|--|
| <ul style="list-style-type: none"><li>• Excellent colorability</li><li>• High flowability</li><li>• Good impact resistance</li><li>• Good heat distortion resistance</li><li>• High quality surface finish and gloss</li><li>• Great mechanical strength and rigidity</li></ul> | <ul style="list-style-type: none"><li>• Injection molding</li><li>• Thin wall components for telecommunications</li><li>• Household and sanitary appliances</li><li>• Toys</li><li>• Automotive components</li><li>• Electroplating</li></ul> | <ul style="list-style-type: none"><li>• Automotive</li><li>• Electronics</li><li>• Toys, Sports &amp; Leisure</li><li>• Household</li><li>• Construction</li></ul> |

**Technical Data Sheet** PDF | EN

**Standard Sales Specification** PDF | EN

| GRADE VERSION                 | PROPERTIES | PROCESSING | SAFETY DATA SHEET                  |
|-------------------------------|------------|------------|------------------------------------|
| <b>Terluran GP-35 BK10009</b> |            |            | <a href="#">Add to Bookmarks</a> + |
| <b>Terluran GP-35 NR</b>      |            |            | <a href="#">Add to Bookmarks</a> + |

**INFOPOINT**  
If you have questions or comments, please contact our Infopoint.  
+49 (2133) 9309 – 168  
[Contact Infopoint](#)

**RELATED CONTENT**  
[Links](#)  
[ISO Certificates](#)  
[Document Search](#)  
[Environmental Compliance](#)

**SERVICES**  
[Links](#)  
[UL Certifications](#)  
[CAMPUS®](#)  
[NSF Americas](#)

**BROCHURES**  
[TERLURAN® STANDARD PRODUCTS 2022 Application/Production System System](#)  
[TERLURAN STANDARD PRODUCTS BROCHURE](#) PDF | 1.15 MB | EN

---

# PROCESSING INFORMATION

---

# Processing information

- The Processing information shown at the Product Grade pages *are also valid for the entire Product Group.*

The screenshot displays the INEOS Styrolution website for the product Novodur H701. The page is titled "PRODUCTS" and includes a navigation menu with options like COMPANY, PRODUCTS, INDUSTRIES, INNOVATION, SUSTAINABILITY, INVESTORS, NEWS & MEDIA, CAREERS, and ESHOP. The main content area is divided into sections: Key Features (Heat resistance, High impact strength, Easy flowing), Applications (Automotive, Home appliances, Electrical and electronics), and Industries (Automotive, Electronics, Household). A "Technical Data Sheet" link is visible. Below this, a tabbed interface shows "PROCESSING" as the active tab, with other tabs for "GRADE VERSION", "PROPERTIES", and "SAFETY DATA SHEET". The "Processing of Novodur H701" section lists several topics: General information, Injection molding, Machining and post-processing, Safety information, and Recycling and disposal. On the right side, there is an "INFOPOINT" section with contact information (+49 (2133) 9309 - 168) and a "RELATED CONTENT" section with links to ISO Certificates, Document Search, and Environmental Compliance. At the bottom right, there are "SERVICES" and "BROCHURES" sections, including links to UL Certifications, CAMPUS®, NSF Americas, and various brochures like "STYROLUTION SPECIALTIES OVERVIEW (EMEA)" and "STYRENIC SPECIALTIES BROCHURE (APAC)".

---

# ISO CERTIFICATES

---

# ISO Certificates

ISO Certificates search is found on the Product pages, also on the right

## PRODUCTS

Choose Region: Europe, Middle East And Africa ▾

STYRENE  
MONOMER

STYROLUTION®  
PS

ABS  
STANDARD

COMPOSITES

TRANSPARENT  
SPECIALTIES

ENHANCED  
SPECIALTIES

STYRENE MONOMER (SM)

High purity



ETHYLBENZENE (EB)

High purity



POLYETHYLBENZENE (PEB)



### INFOPOINT

If you have questions or comments, please contact our Infopoint.

+49 (2133) 9309 – 168

Contact Infopoint

### RELATED CONTENT

Links  
**ISO Certificates**

Document Search

Environmental Compliance

### SERVICES

Links

UL Certifications

CAMPUS®

NSF Americas

# ISO certificates

## ISO CERTIFICATES

CHOOSE COUNTRY

Germany ▾

Köln ▾

### ISO 50001

Energy Management System

[Energy Management System Certificate - Styrolution Köln GmbH](#)

PDF | 1.6 MB | EN

[Energy Management System Certificate - Styrolution Köln GmbH](#)

PDF | 1.6 MB | DE

### ISO 9001 / ISO 14001

Quality and Environmental Management System

[Quality and Environmental Management System Certificate INEOS Styrolution Europe GmbH - IQ Net](#)

PDF | 154 KB | EN

[Quality and Environmental Management System Certificate INEOS Styrolution Europe GmbH](#)

PDF | 680 KB | EN

[Quality and Environmental Management System Certificate INEOS Styrolution Europe GmbH](#)

PDF | 790 KB | DE

#### INFOPOINT

If you have questions or comments, please contact our Infopoint.

☎ +49 (2133) 9309 – 168

[Contact Infopoint](#)

# ISO Certificates

ISO certificates are also to find at the end of each page

The screenshot displays the INEOS Styrolution website interface. At the top, the logo and navigation menu are visible, including 'COMPANY', 'PRODUCTS', 'INDUSTRIES', 'INNOVATION', 'SUSTAINABILITY', 'INVESTORS', 'NEWS & MEDIA', 'CAREERS', and 'ESHOP'. A 'Sign in' button and 'Registration' link are also present. Below the navigation, there is a section for 'ESHOP' with a list of links: 'ESHOP MANUAL', 'ORDER TEMPLATES', 'ORDER MANAGEMENT', 'REQUEST NEW SHIP-TO', 'CONTACTS', 'FAQS', 'TERMS OF USE', and 'MY PROFILE SETTINGS'. A 'REGISTER FOR ESHOP' button is located below this list.

The main content area features a 'Key Features' section with a list of benefits: 'Excellent colorability', 'High flowability', 'Good impact resistance', 'Good heat distortion resistance', 'High quality surface finish and gloss', and 'Great mechanical strength and rigidity'. An 'Applications' section lists uses such as 'Injection molding', 'Thin wall components for telecommunications', 'Household and sanitary appliances', 'Toys', 'Automotive components', and 'Electroplating'. An 'Industries' section includes icons for 'Automotive', 'Electronics', 'Toys, Sports & Leisure', 'Household', and 'Construction'.

Below these sections are links for 'Technical Data Sheet' and 'Standard Sales Specification', both available in PDF and EN. A table lists 'Terluran GP-35 BK10009' and 'Terluran GP-35 NR' with 'Add to Bookmarks' buttons. A 'BROCHURES' section features a thumbnail for 'TERLURAN STANDARD PRODUCTS BROCHURE' (PDF | 1.15 MB | EN).

The footer contains a navigation bar with 'Press Releases', 'Events', 'Publications', 'Locations', 'ISO Certificates' (highlighted with a red box), and 'Terms & Conditions'. Below this, there is a footer with 'Imprint', 'Disclaimer', 'Privacy', 'Cookie', 'California Transparency Act', and contact information for INEOS Styrolution Group GmbH.

---

# SIGN IN

---

# INEOS Styrolution Portal - SIGN IN

- You can access Regulatory Documents on INEOS Styrolution products by visiting our homepage ([www.ineos-styrolution.com](http://www.ineos-styrolution.com)) and signing in with your account.
- Please click on the button “Sign in”, which you can find in the header.
- Please enter your “Username” and “Password” which you chose during the registration and click again on the button “Sign in”.

The image shows a screenshot of the INEOS Styrolution website. In the top navigation bar, the 'Sign in' link is circled in red. A red arrow points from this link to a sign-in form titled 'SIGN IN TO YOUR ACCOUNT'. The form contains the following elements:

- A 'Username' input field.
- A 'Mail' input field (indicated by a red arrow).
- A 'Password' input field (indicated by a red arrow).
- A 'SIGN IN' button at the bottom, which is circled in red and has a black arrow pointing to it.
- Links for 'Forgot Password?' and 'New to INEOS Styrolution? Customer Registration' on the right side.

---

# ACCOUNT SETTINGS

---

# INEOS Styrolution Portal - ACCOUNT SETTINGS

- You can click on your name if you wish to see your account settings



Europe, Middle East and Africa (EMEA) ▾ Welcome



Sign out



- You could change your password there and check if you already have access to download Regulatory Documents.

|                                |     |                      |
|--------------------------------|-----|----------------------|
| Language                       |     | <a href="#">Edit</a> |
| Investor Relations Access      | No  | <a href="#">Edit</a> |
| Online Order Management Access | No  | <a href="#">Edit</a> |
| Regulatory Document Access     | Yes | <a href="#">Edit</a> |
| Unit of Measurement            | KG  | <a href="#">Edit</a> |

- If you have just created your account, it could happen that the system says “Application in progress” instead of “Yes”. You will receive an email once you are able to download Regulatory Documents.

---

# REGULATORY DOCUMENTS

---

# INEOS Styrolution - REGULATORY DOCUMENTS - 1<sup>st</sup> option

- There are two ways for you to find Regulatory documents on the INEOS Styrolution Portal.

## First possibility:

- Please click on “Products” or “Industries” and follow the next slides/steps.



# INEOS Styrolution Portal - REGULATORY DOCUMENTS – 1<sup>st</sup> option

- Choose overview or select the grade line directly

COMPANY ▾ PRODUCTS ▾ INDUSTRIES ▾ INNOVATION ▾ SUSTAINABILITY ▾ INVESTORS ▾ NEWS & MEDIA ▾ CAREERS ▾ ESHOP ▾ 

|                          |   |                           |   |                            |   |                              |   |
|--------------------------|---|---------------------------|---|----------------------------|---|------------------------------|---|
| <b>OVERVIEW</b>          | > | ABS STANDARD              | > | TRANSPARENT SPECIALTIES    | > | ENHANCED SPECIALTIES         | > |
| STYRENE MONOMER          | > | – Terluran® (ABS)         | > | – Luran® (SAN)             | > | – Novodur® (ABS)             | > |
| – Ethylbenzene (EB)      | > | – Lustran® Standard (ABS) | > | – Luran® High Heat (AMSAN) | > | – Novodur® High Heat (ABS)   | > |
| – Polyethylbenzene (PEB) | > |                           | > | – NAS® (SMMA)              | > | – Luran® S (ASA)             | > |
| STYROLUTION® PS          | > |                           | > | – Terluc® (MABS)           | > | – Luran® SC (ASA/PC)         | > |
| – GPPS (PS)              | > |                           | > | – Zylar® (MBS)             | > | – Terblend® N (ABS/PA)       | > |
| – HIPS (PS)              | > |                           | > | – Styrolux® (SBC)          | > | – Terblend® S (ASA/PA)       | > |
|                          |   |                           |   | – Styroflex® (SBC)         | > | – Lustran® High Heat (ABS)   | > |
|                          |   |                           |   |                            |   | – Lustran® (SMA)             | > |
|                          |   |                           |   |                            |   | – Lustran® Specialties (ABS) | > |

# INEOS Styrolution Portal - REGULATORY DOCUMENTS - 1<sup>st</sup> option

- Please select “Choose Region” and the required Product Line

The screenshot displays the INEOS Styrolution website interface. At the top, the logo 'INEOS STYROLUTION' is on the left, and navigation links for 'Europe, Middle East and Africa (EMEA)', 'Sign in', and 'Registration' are on the right. A green navigation bar contains categories like 'COMPANY', 'PRODUCTS', 'INDUSTRIES', etc. Below this, a dark blue 'PRODUCTS' header features a 'Choose Region:' dropdown menu set to 'Europe, Middle East And Africa'. A red box highlights this dropdown, with an arrow pointing to it from the text above. Below the header, a grid of product categories is shown: 'STYRENE MONOMER', 'STYROLUTION® PS', 'ABS STANDARD', 'COMPOSITES', 'TRANSPARENT SPECIALTIES', and 'ENHANCED SPECIALTIES'. A red box highlights the 'STYROLUTION® PS' category, with an arrow pointing to it from the text above. Below the categories, three product cards are listed: 'STYRENE MONOMER (SM)', 'ETHYLBENZENE (EB)', and 'POLYETHYLBENZENE (PEB)', each with a set of icons representing various applications. On the right side, there are sections for 'INFOPOINT', 'RELATED CONTENT', and 'SERVICES'.

# INEOS Styrolution Portal - REGULATORY DOCUMENTS - 1<sup>st</sup> option

- Please scroll down and click on the product of your interest and the grade version to access the corresponding regulatory documents.
- Then click on the Grade name or + to access the Regulatory Documents.

| Transparency, color consistency |                          |                      | min] | C/h) [°C] |      |     |   |
|---------------------------------|--------------------------|----------------------|------|-----------|------|-----|---|
| Heat resistance                 | Good flow                | STYROLUTION PS 124NL | 12   | 87        | 3200 | 10  | 8 |
|                                 | Excellent flow           | STYROLUTION PS 116NL | 23   | 85        | 3100 | 9   | 7 |
|                                 | High mechanical strength | STYROLUTION PS 165NL | 3.4  | 89        | 3300 | <25 | 8 |
|                                 | Antistatic               | STYROLUTION PS 153A  | 17   | 85        | 3200 | 8   | 5 |

The screenshot shows the navigation flow from the product table to the regulatory documents page. The 'GRADE VERSION' tab is selected, and 'Styrolution PS 124L' is highlighted. A '+' icon is visible next to the product name. The 'REACH and other Regulatory Documents' section is highlighted with a red circle.

**Styrolution PS 124L**

Safety Data Sheet

Choose Language

- Italy - italiano
- Latvia - latviešu
- Lithuania - lietuvių
- Netherlands - Nederlands
- Norway - norsk
- Poland - polski
- Portugal - português
- Romania - română
- Russia - русский
- Slovakia - slovenčina
- Slovenia - slovenščina
- Spain - español
- Sweden - svenska
- Turkey - Türkçe
- United Kingdom - English

DOWNLOAD SAFETY DATA SHEET

**REACH and other Regulatory Documents**

- Absence Declaration ELV Directive + GADSL PDF | 0.14 MB | EN
- Absence Declaration RoHS & WEEE directive PDF | 0.09 MB | EN
- Absence Declaration of ozone-depleting substances PDF | 0.15 MB | EN
- Absence Declaration various substances PDF | 0.21 MB | EN
- Food Contact Declaration PDF | 0.17 MB | EN

# INEOS Styrolution Portal - REGULATORY DOCUMENTS - 1<sup>st</sup> option

- REACH Compliance Declarations, SVHC Declarations and other Regulatory Documents e.g. Absence Declarations, Food Contact Certificates (including FDA Status), Material Safety Data Sheets (MSDS) are associated with a Product Group.
- To download the requested document please click on its name. To download a MSDS please select your preferred language first and click on „Download Safety Data Sheet“.

**Styrolution PS 124L**

Safety Data Sheet

Choose Language

- Italy - italiano
- Latvia - Latviešu
- Lithuania - Lietuvių
- Netherlands - Nederlands
- Norway - norsk
- Poland - polski
- Portugal - português
- Romania - română
- Russia - русский
- Slovakia - Slovenčina
- Slovenia - Slovenščina
- Spain - español
- Sweden - svenska
- Turkey - Türkçe
- United Kingdom - English

DOWNLOAD SAFETY DATA SHEET

REACH and other Regulatory Documents

- Absence Declaration ELV Directive + GHS/SL  
PDF | 0.14 MB | EN
- Absence Declaration RoHS & WEEE directive  
PDF | 0.08 MB | EN
- Absence Declaration of ozone-depleting substances  
PDF | 0.15 MB | EN
- Absence Declaration various substances  
PDF | 0.21 MB | EN
- Food Contact Declaration  
PDF | 0.17 MB | EN

Please be informed that you need to sign in in order to download the documents (except for MSDSs which are available on open access without logging in). Otherwise the following message will appear.

Please Sign in or Register with INEOS Styrolution to download REACH and other Regulatory Documents

Sign in New to INEOS Styrolution?

Registration

# INEOS Styrolution Portal - REGULATORY DOCUMENTS - 2<sup>nd</sup> option

## Second possibility:

- You can also use the “Document Search”

The screenshot displays the INEOS Styrolution portal's navigation menu. The 'PRODUCTS' menu item is circled in red. Below it, the 'OVERVIEW' link is also circled in red. A grid of product categories is shown, including ABS STANDARD, TRANSPARENT SPECIALTIES, and ENHANCED SPECIALTIES. Below the grid, there are two rows of icons representing various product types. To the right, the 'RELATED CONTENT' section is visible, with 'Document Search' circled in red and an arrow pointing to it from the bottom right.

| COMPANY                  | PRODUCTS                  | INDUSTRIES                 | INNOVATION                   | SUSTAINABILITY | INVESTORS | NEWS & MEDIA | CAREERS | ESHOP |
|--------------------------|---------------------------|----------------------------|------------------------------|----------------|-----------|--------------|---------|-------|
| OVERVIEW                 | ABS STANDARD              | TRANSPARENT SPECIALTIES    | ENHANCED SPECIALTIES         |                |           |              |         |       |
| STYRENE MONOMER          | - Terluran® (ABS)         | - Luran® (SAN)             | - Novodur® (ABS)             |                |           |              |         |       |
| - Ethylbenzene (EB)      | - Lustran® Standard (ABS) | - Luran® High Heat (AMSAN) | - Novodur® High Heat (ABS)   |                |           |              |         |       |
| - Polyethylbenzene (PEB) |                           | - NAS® (SMMA)              | - Luran® S (ASA)             |                |           |              |         |       |
| STYROLUTION® PS          |                           | - Terlur® (MABS)           | - Luran® SC (ASA/PC)         |                |           |              |         |       |
| - GPPS (PS)              |                           | - Zylar® (MBS)             | - Terblend® N (ABS/PA)       |                |           |              |         |       |
| - HIPS (PS)              |                           | - Styrolux® (SBC)          | - Terblend® S (ASA/PA)       |                |           |              |         |       |
|                          |                           | - Styroflex® (SBC)         | - Lustran® High Heat (ABS)   |                |           |              |         |       |
|                          |                           |                            | - Lustran® (SMA)             |                |           |              |         |       |
|                          |                           |                            | - Lustran® Specialties (ABS) |                |           |              |         |       |

RELATED CONTENT

- Links
- ISO Certificates
- Document Search

# INEOS Styrolution Portal - REGULATORY DOCUMENTS - 2<sup>nd</sup> option

- After filling in the required fields (see below example for Novodur) the number of various documents available for the product appears below.

1 CHOOSE REGION  Europe, Middle East and Africa  Americas  Asia-Pacific

2 CHOOSE PRODUCT GROUP Novodur® High Heat (ABS)

3 CHOOSE PRODUCT GRADE Novodur Ultra 4105

4 CHOOSE GRADE VERSION Novodur Ultra 4105 BG100148

Search Results

Technical Data Sheet and Standard Sales Specification

Safety Data Sheet

REACH and other Regulatory Documents

Technical Data Sheet PDF | EN

Choose Language Czech Republic - čeština

Absence Declaration ELV Directive PDF | 0.15 MB | EN

---

# INEOS STYROLUTION

---

For more information visit  
[www.ineos-styrolution.com](http://www.ineos-styrolution.com)

Driving Success. Together.