

## 1. Identification of the substance/mixture and of the company/undertaking

### Product identifier

Trade name: Novodur® ABS Granulat  
This safety data sheet pertains to the following products:  
Novodur® 240  
Novodur® 250  
Novodur® 450  
Novodur® 530  
Novodur® 532  
Novodur® 595CP  
Novodur® 640  
Novodur® 680  
Novodur® 970  
Novodur® H605  
Novodur® M203  
Novodur® HD M203FC  
Novodur® P2H-AT  
Novodur® P2MC  
Novodur® P4LG  
Novodur® PRECO BMGVP55  
Novodur® GP-22 Q459

### Relevant identified uses of the substance or mixture and uses advised against

General use: For the production of moulded plastic articles or as intermediate for the production of plastic  
Reserved for industrial and professional use.

### Details of the supplier of the safety data sheet

Company name: INEOS Styrolution APAC Pte Ltd.  
Street/POB-No.: 111 Somerset Road  
Postal Code, city: #08-01/02 TripleOne Somerset, SG  
Singapore 238164  
WWW: www.styrolution.com  
E-mail: INSTY.asia@ineos.com  
Telephone: +65 6933 8350  
Telefax: +65 6933 8355  
Department responsible for information:  
Infopoint, Telephone: + 65 (0) 6933 - 8372  
E-mail: INSTY.asia@ineos.com

### Emergency telephone number

Telephone: +86 512 8090 3042 (Country); + 65 3158 1074 (regional)

## 2. Hazards identification

### Classification of the substance or mixture

#### GHS classification

This mixture is classified as not hazardous.

## Label elements

Hazard statements: not applicable

Precautionary statements: not applicable

## Other hazards

Dust: Can cause skin, eye and respiratory tract irritation.

In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.

The melted product can cause severe burns.

Swallowing may cause gastrointestinal irritation and pain of guts.

## 3. Composition / information on ingredients

### Mixtures

Chemical characterisation:  $(C_8H_8 * C_4H_6 * (C_3H_3)_n)_m$  Acrylonitrile-butadiene-styrene copolymer  
2-Propenenitrile, polymer with 1,3-Butadiene and Ethylbenzene

CAS-Number: 9003-56-9

## 4. First aid measures

General information: Immediately remove any contaminated clothing, shoes or stockings.

In case of inhalation: In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. If breathing has stopped, give artificial respiration immediately. Seek medical attention..

Following skin contact: The melted product can cause severe burns.  
Do not remove the product from the skin without medical assistance.  
After contact with molten product, cool skin area rapidly with cold water. Cover with sterile dressing material to protect against infection. Consult physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.  
In case of troubles or persistent symptoms, consult an ophthalmologist.

After swallowing: Rinse mouth with water. Drink one or two glasses of water.  
Never give an unconscious person anything through the mouth. Seek medical attention.

### Most important symptoms and effects, both acute and delayed

Dust: Skin irritation, eye irritations and redness

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Decontamination, vital functions

## 5. Firefighting measures

### Extinguishing media

Suitable extinguishing media:

Water spray jet, foam, extinguishing powder, carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

Full water jet

### Special hazards arising from the substance or mixture

In case of fire may be liberated: Smoke, carbon monoxide and carbon dioxide (CO<sub>2</sub>).  
Possible in traces: Acrylonitrile, butadiene, styrene, hydrocarbons, aldehydes, acids.  
In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.

### Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Seal off endangered area. Remove persons to safety. Do not allow fire water to penetrate into surface or ground water. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Keep the molten mass away from the eyes and the skin.  
Where there is a risk of exothermal decomposition as a result of overheating (rise in temperature, formation of fumes or smoke) cool the melt in a water bath.  
Provide adequate ventilation.  
Wear personal protection equipment. Do not breathe dust.

### Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

### Methods and material for containment and cleaning up

Take up mechanically. Collect in closed containers for disposal.  
Avoid generation of dust. Remove all sources of ignition. Provide adequate ventilation.

Additional information: Special danger of slipping by leaking/spilling product.

## 7. Handling and storage

### Precautions for safe handling

Advices on safe handling: For mechanical processing: Provide adequate ventilation, and local exhaust as needed.  
Do not breathe dust.

In the case of the formation of dust: Withdraw by suction.

In case of melting: To avoid thermal decomposition, do not overheat.

Make sure there is sufficient air exchange and / or that working rooms are air suctioned.

Avoid exceeding WEL threshold levels. Do not breathe vapours.

Molten material: Avoid contact with the substance.

After work, wash hands and face.

Precautions against fire and explosion:

Take precautionary measures against static discharges. Keep away from sources of ignition. Use grounding equipment. Use explosion-proof equipment and non-sparking tools/utensils. Avoid open flames.

In case of dust formation (fine dust): May form explosible dust-air mixture if dispersed.

## Storage

Requirements for storerooms and containers:

Store in a well-ventilated place. Keep container tightly closed. Store only in original container.

Protect against heat /sun rays.

Protect from moisture contamination.

Further details:

Special danger of slipping by leaking/spilling product.

## 8. Exposure controls/personal protection

### Exposure controls

Provide good ventilation in the work area. Additional controls are not normally necessary when handling the polymer.

Thermal extrusion: Provide local exhaust ventilation to ensure that the workplace exposure limit is not exceeded.

Use of respiratory protection may be necessary during maintenance activities.

See also information in chapter 7, section storage.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type A-P2 according to EN 14387.

Hand protection: Protective gloves according to EN 374.  
Protective gloves made of fabric or leather.  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.  
In case of melting: Impervious heat protective gloves according to EN 407.  
Glove material: Leather  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing. Boots or safety shoes.  
In case of dust formation: Overall

General protection and hygiene measures:

Molten material: Avoid contact with skin.

Avoid breathing dust and vapours. Keep away from sources of ignition.

Wash hands before breaks and after work.

In case of dust formation: Particular danger of slipping on spilled product on the ground.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: solid  
Form: granulate  
Colour: varying, depends on colouring

Odour: characteristic

Odour threshold: No data available

pH value: not applicable

Melting point/freezing point:	(Softening temperature): 95 - 105 °C
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	Not applicable
Evaporation rate:	No data available
Flammability:	Not highly flammable.
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	at 20 °C: 1 - 1.1 g/cm <sup>3</sup>
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	not self-igniting
Thermal decomposition:	approx. > 300 °C

### Additional information

Viscosity	-
Explosive properties:	In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.
Bulk density:	500 - 700 kg/m <sup>3</sup>

## 10. Stability and reactivity

Reactivity:	exothermic reactions
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.
Conditions to avoid:	Keep away from sources of ignition and heat. Keep away from open flames, hot surfaces and sources of ignition. Avoid dust formation. Protect from moisture contamination.
Incompatible materials:	Strong oxidizing agents, strong acids
Hazardous decomposition products:	When greatly overheated, material may release hazardous decomposition products: monomers, hydrocarbons, gases/vapours, cyclic low molecular weight oligomers, carbon monoxide and carbon dioxide.
Thermal decomposition:	approx. > 300 °C

## 11. Toxicological information

### Information on toxicological effects

Toxicological effects:	<p>The statements are derived from the properties of the single components. No toxicological data is available for the product as such.</p> <p>Acute toxicity (oral): Lack of data. No evidence of acute toxicity.</p> <p>Acute toxicity (dermal): Lack of data. No evidence of acute toxicity.</p> <p>Acute toxicity (inhalative): Lack of data. No evidence of acute toxicity.</p> <p>Skin corrosion/irritation: Lack of data.</p> <p>Dust: Can cause skin, eye and respiratory tract irritation.</p> <p>Processing, thermal hazards: Vapours: Can cause skin, eye and respiratory tract irritation.</p> <p>Serious eye damage/irritation: Lack of data.</p> <p>Dust: Can cause skin, eye and respiratory tract irritation.</p> <p>Processing, thermal hazards: Vapours: Can cause skin, eye and respiratory tract irritation.</p> <p>Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met. The chemical structure of the polymer does not suggest a specific alert for such an effect.</p> <p>Skin sensitisation: Based on available data, the classification criteria are not met. The chemical structure of the polymer does not suggest a specific alert for such an effect.</p> <p>Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met. The chemical structure of the polymer does not suggest a specific alert for such an effect.</p> <p>Carcinogenicity: Based on available data, the classification criteria are not met. No indications of human carcinogenicity exist.</p> <p>Reproductive toxicity: Based on available data, the classification criteria are not met. The chemical structure of the polymer does not suggest a specific alert for such an effect.</p> <p>Effects on or via lactation: Lack of data.</p> <p>Specific target organ toxicity (single exposure): Lack of data.</p> <p>Dust: Can cause skin, eye and respiratory tract irritation.</p> <p>Processing, thermal hazards: Vapours: Can cause skin, eye and respiratory tract irritation.</p> <p>Specific target organ toxicity (repeated exposure): Lack of data. Chronic toxic effects are not expected. The product has not been tested. The statement is derived from products of similar structure or composition.</p> <p>Aspiration hazard: Lack of data.</p>
Other information:	<p>When handled appropriately, even after long years of experience with this product, no adverse health effects are known.</p>

### Symptoms

Dust: Can cause skin, eye and respiratory tract irritation.  
 The melted product can cause severe burns.  
 Thermal treatment, Processing: Irritating to eyes, respiratory system and skin.  
 In case of ingestion: Swallowing may cause gastrointestinal irritation and pain of guts.

## 12. Ecological information

### Toxicity

Aquatic toxicity:	no evidence of aquatic toxicity
Effects in sewage plants:	In sewage treatment plants it may be separated mechanically.

**Persistence and degradability**

Further details: Biodegradation: Product is not readily biodegradable.  
The product is likely to persist in the environment.

**Mobility in soil**

No data available

**Additional ecological information**

General information: Do not allow to enter into ground-water, surface water or drains.

**13. Disposal considerations****Waste treatment methods****Product**

Recommendation: Recycling or special waste incineration.  
After appropriate treatment the product can be remelted and reprocessed into new moulded articles. Mechanical recycling is only possible if the material has been selectively retrieved and carefully segregated according to type.

**Contaminated packaging**

Recommendation: Dispose of waste according to applicable legislation.  
Non-contaminated packages may be recycled.

**14. Transport information****UN number**

ADR/RID, IMDG, IATA-DGR:  
not applicable

**Sea transport (IMDG)**

Proper shipping name: Not restricted  
Marine pollutant: no

**Air transport (IATA)**

Proper shipping name: Not restricted

**Further information**

No dangerous good in sense of these transport regulations.

**15. Regulatory information****National regulations - Korea**

Industrial Safety and Health Act  
not applicable

Chemicals Control Act not applicable

**National regulations - Japan**

ENCS: listed; MITI 6-176

**Further regulations, limitations and legal requirements**

No data available

**16. Other information**

Reason of change: Changes in section 1: Changes of product list

Date of first version: 31/1/2013

**Department issuing data sheet**

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.