

+135-3858-6433 (GuangDong)
+188-1699-6168 (ShangHai)
+852-6957-5415 (HongKong)



乐金化学(惠州)化工有限公司

MATERIAL SAFETY

DATA SHEET
(MSDS)

ABS AF366H

File Name: MSDS AF366H

Issue Date: 2023-05-01

Revision Date:

Revision List:

Page

1/3

1. Product & Company Identification

Chemical Product Name	Acrylonitrile butadiene Styrene copolymers
General Use	Manufacture of plastics products
Restriction on Use	Use for only recommended uses
Chemical Type	Thermoplastic plastics
Manufacturer	LG Chem Huizhou Petrochemical Co.,Ltd
Manufacturer's Address	NO.57 Daya Bay District,Huizhou,Guangdong Province,P.R. China
Postalcode	516082
Emergency Call	0752-5939119
Fax	0752-5939111

2. Components/Composition Information


Chemical Name	Trade name and Synonyms	CAS No.	Content (%)
2-Propenenitrile polymer with 1,3-butadiene and ethenylbenzene	ABS	9003-56-9	75 ~ 85
2,4,6-Tris-(2,4,6-tribromophenoxy)-1,3,5-triazine	Tri(tribromophenyl) cyanurate	25713-60-4	10 ~ 20
Diantimony trioxide	Antimony trioxide	1309-64-4	2 ~ 5
Typical antioxidants and lubricants	-	-	0 ~ 3
Secret	Secret	-	1 ~ 5

3. Harzards Identification, Including Emergency Overview

Hazards Category	N/P
Route of Entry Indicators	Inhalation, Ingestion, Skin Absorption, Eye Contact
Health Hazard Acute&Chornic	N/P
Environment Indicators	N/P
Explosive Indicators	N/P
Carcinogenicity Indicators	N/P

4. First Aid Measures

Eye Contact	Immediately rinse eyes with copious amount of running water and seek medical.
Skin Contact	Essentially nonirritating to skin but rinse with copious water
Ingestion	If vomiting occur, lower the head to easy vomiting and seek midical advice
Inhalation	In case of breathing,fumes relwased from heated material may cause respiratory irritation;

 LG化学 乐金化学(惠州)化工有限公司	MSDS	File Name:	MSDS AF366H
	ABS AF366H	Issue Date:	2023-05-01
		Page	2/3

In case of inhaling dense smoke, immediately remove a person to fresh air.
If necessary, apply artificial respiration and seek medical attention immediately.

5. Fire Fighting Measures

Flash Point	Not applicable
Flammability	1.5mm, 2.0mm, 2.5mm, 3.0mm V-0 (UL94)
Auto Ignition Point	Not applicable
Extinguishing Media	Usually use water and use extinguishing media appropriate to surrounding conditions
Special Fire Fighting Procedure	Cool containers with water spray. In closed stores, provide fire fighter with self-contained breathing apparatus in positive pressure mode
Usual Fire and Explosion Hazards	Irritating gases and dense smoke

6. Accidental Release Measures

Cleaning Method	Sweep, use vacuum cleaner or shovel into intact packaging for waste disposal or possible re-use
Waste Disposal Method	Reuse or transfer to an approved disposal area Observe all federal, state or local regulations upon disposition

7. Handling and Storage


Handling	Avoid formation of dust Always keep bags closed/Keep container lightly closed Avoid particle/bags from getting wet
Storage	Storage should not be exposed to rain and sunlight and away from heat and fire sources. Packing bags / containers should be placed in well ventilated place.

8. Exposure Controls & Personal Protection

Eye	Safety goggles
Hands	Protective gloves
Respirator	Chemical Protect respirator (fumes released from heat material)
Others	If necessary, use protective equipment handling this product

9. Physical & Chemical Properties

Appearance	Solid (Pellets)
Smell	Almost odorless
PH	Not applicable
Specific Gravity	1.15g/cm ³ (ASTM)

 LG化学 乐金化学(惠州)化工有限公司	MSDS	File Name:	MSDS AF366H
		Issue Date:	2023-05-01
	ABS AF366H	Page	3/3

Evaporation rate	Not available at standard condition
The vapor pressure	Not available at standard condition
Vapor density	Not available at standard condition
Water soluble	Not available
Solubility in other solvents	Soluble in THF, Acetone and other Analogous Solvents

10. Stability & Reactivity Data

Stability	Stable under normal condition
Storage conditions to avoid	Avoid fire and heating above 60°C
Taboo material	None known
Hazardous decomposition	CO, HCN, AN, etc.
Hazardous Polymerization	Not occur

11. Toxicological Information

Irritating Property	In case of burning, Irritating gases and dense smoke released from material may cause eyes and nose irritation
---------------------	--

12. Ecological Information

Ecological Toxicity	N/P
Biologic Decompose	N/P
Abiological Decompose	Can be decomposed under sunlight and oxygen condition

13. Disposal Considerations

Disposal Character	Not belong to the dangerous material
Disposal Method	Burned by a suitable incinerator

14. Transport Information

International Shipping Regulations	Avoid leakage or be sloppy. Packing should not be damaged.
Transport mode	The product is suitable for transportation by land, sea and air.

15. Regulatory Information

Applicable laws	The relevant laws and regulations of the respective locality.
-----------------	---

16. Other information

A. Reference
- Product should be handled, stored, and used in accordance with the generally accepted industrial hygienepactices and in conformity with all the applicable legal regulations. The information provided herein is based on the knowledge possessed at this present time from the view point of safety requirements. It should, therefore, not be construed as guaranteeing specific properties.

B. Issue date
- 2023-05-01