

1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: ZYLAR® Resin - Natural Grades
This safety data sheet pertains to the following products:
ZYLAR® 550
ZYLAR® 631
ZYLAR® 670
ZYLAR® 960

Relevant identified uses of the substance or mixture and uses advised against

General use: Polymer
For industrial processing only

Details of the supplier of the safety data sheet

Company name: INEOS Styrolution APAC Pte Ltd.
Street/POB-No.: 111 Somerset Road
Postal Code, city: #08-01/02 TripleOne Somerset, SG
Singapore 238164
WWW: www.styrolution.com
E-mail: INSTY.asia@ineos.com
Telephone: +65 6933 8350
Telefax: +65 6933 8355
Department responsible for information:
Infopoint, Telephone: + 65 (0) 6933 - 8372
E-mail: INSTY.asia@ineos.com

Emergency telephone number

Telephone: +86 512 8090 3042 (Country); + 65 3158 1074 (regional)

2. Hazards identification

Classification of the substance or mixture

GHS classification

This mixture is classified as not hazardous.

Label elements

Hazard statements: not applicable

Precautionary statements: not applicable

Other hazards

Dust: Can cause skin, eye and respiratory tract irritation.
In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.
The melted product can cause severe burns.
Swallowing may cause gastrointestinal irritation and pain of guts.

3. Composition / information on ingredients

Mixtures

Chemical characterisation: Copolymer of:

CAS No. 25034-86-0: Styrene-Methyl methacrylate copolymer

CAS No. 9003-55-8: Styrene-butadiene-copolymer

Additional information: Preparation does not contain dangerous substances above limits that need to be mentioned in this section according to applicable legislation.

4. First aid measures

In case of inhalation: In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. If breathing has stopped, give artificial respiration immediately. seek medical attention

Following skin contact: The melted product can cause severe burns. Do not remove the product from the skin without medical assistance. After contact with molten product, cool skin area rapidly with cold water. Consult physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist in the event of irritation.

After swallowing: Do not induce vomiting. Rinse mouth with water. Drink one or two glasses of water. Never give an unconscious person anything through the mouth. seek medical attention

Most important symptoms and effects, both acute and delayed

Dust: Skin irritation, eye irritations and redness

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Firefighting measures

Extinguishing media

Suitable extinguishing media:

Water spray jet, foam.

Only in case of small fires: extinguishing powder, carbon dioxide, Sand, earth.

Extinguishing media which must not be used for safety reasons:

Full water jet

Special hazards arising from the substance or mixture

In case of fire may be liberated: Smoke, styrene, Methyl methacrylate, butadiene, carbon monoxide and carbon dioxide (CO₂).

In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.

Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information: Cool endangered containers with water jetspray.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep the molten mass away from the eyes and the skin.
Where there is a risk of exothermal decomposition as a result of overheating (rise in temperature, formation of fumes or smoke) cool the melt in a water bath.
Provide adequate ventilation.
Wear personal protection equipment. Do not breathe dust.

Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

Methods and material for containment and cleaning up

Avoid generation of dust. Remove all sources of ignition. Provide adequate ventilation.
Take up mechanically. Collect in closed containers for disposal.

Additional information: Special danger of slipping by leaking/spilling product.

7. Handling and storage

Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe dust.
In the case of the formation of dust: Withdraw by suction.

In case of melting: To avoid thermal decomposition, do not overheat.
Make sure there is sufficient air exchange and / or that working rooms are air suctioned.
Avoid exceeding WEL threshold levels. Do not breathe vapours.
Molten material: Avoid contact with the substance.
After work, wash hands and face.

Precautions against fire and explosion:

Take precautionary measures against static discharges. Keep away from sources of ignition. Use grounding equipment. Use explosion-proof equipment and non-sparking tools/utensils. Avoid open flames.
In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.

Storage

Requirements for storerooms and containers:

Store in a well-ventilated place. Keep container tightly closed.
Protect against heat /sun rays.

Further details: Special danger of slipping by leaking/spilling product.

8. Exposure controls/personal protection

Control parameters

Additional information: The product contains very low levels of residual monomers and process chemicals (styrene, ethylbenzene, methyl methacrylate and butadiene) that may be evolved during thermal processing, along with possible decomposition products. As the identity and levels of these impurities evolved will depend upon the processing conditions (temperature etc.) it is the responsibility of the user to determine the adequacy of any protection or safety measures.

Exposure controls

Provide good ventilation in the work area. Additional controls are not normally necessary when handling the polymer.

Thermal extrusion: Provide local exhaust ventilation to ensure that the workplace exposure limit is not exceeded.

Use of respiratory protection may be necessary during maintenance activities.

See also information in chapter 7, section storage.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type A-P2 according to EN 14387.

Hand protection: Protective gloves according to EN 374.
Protective gloves made of fabric or leather.
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
In case of melting: Impervious heat protective gloves according to EN 407
Glove material: Leather
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing. Boots or Wear protective shoes.
In case of dust formation: Overall

General protection and hygiene measures:

Molten material: Avoid contact with skin.

Avoid breathing dust and vapours. Keep away from sources of ignition.

Wash hands before breaks and after work.

In case of dust formation: Particular danger of slipping on spilled product on the ground.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:	Physical state at 20 °C and 101.3 kPa: solid Form: pellets/granulate Colour: colourless up to white
Odour:	weak
Odour threshold:	No data available
pH value:	not applicable
Melting point/freezing point:	103 °C (softening point)
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	Not applicable
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	1.05 g/cm ³
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available

Auto-ignition temperature: No data available
Thermal decomposition: > 288 °C

Additional information

Viscosity: -
Explosive properties: In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.
Oxidizing characteristics: not oxidising

10. Stability and reactivity

Reactivity: No data available
Chemical stability: Product is stable under normal storage conditions.
Possibility of hazardous reactions: In case of dust formation (Fine dust): May form explosible dust-air mixture if dispersed.
Conditions to avoid: Avoid open flames.
Avoid dust formation.
Incompatible materials: None known
Hazardous decomposition products: When greatly overheated, material may release hazardous decomposition products: monomers, hydrocarbons, gases/vapours, cyclic low molecular weight oligomers, carbon monoxide and carbon dioxide.
Thermal decomposition: > 288 °C

11. Toxicological information

Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.
Mild acute toxicity

Acute toxicity (dermal): Based on available data, the classification criteria are not met.
Mild acute toxicity
May cause irritations.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.
Mild acute toxicity. May cause irritations.

Skin corrosion/irritation: Lack of data.

Dust: Can cause skin, eye and respiratory tract irritation.

Processing, thermal hazards: Vapours: Can cause skin, eye and respiratory tract irritation.

Serious eye damage/irritation: Lack of data.

Dust: Can cause skin, eye and respiratory tract irritation.

Processing, thermal hazards: Vapours: Can cause skin, eye and respiratory tract irritation.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Based on available data, the classification criteria are not met.
Not known to cause sensitization.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met. The chemical structure of the polymer does not suggest a specific alert for such an effect.

Carcinogenicity: Based on available data, the classification criteria are not met. No indications of human carcinogenicity exist.

Reproductive toxicity: Based on available data, the classification criteria are not met. The chemical structure of the polymer does not suggest a specific alert for such an effect.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Dust: Can cause skin, eye and respiratory tract irritation.

Processing, thermal hazards: Vapours: Can cause skin, eye and respiratory tract irritation.

Aspiration hazard: Lack of data.

Other information: When handled appropriately, even after long years of experience with this product, no adverse health effects are known.

Symptoms

Dust:
Can cause skin, eye and respiratory tract irritation.
The melted product can cause severe burns.
Thermal treatment, Processing: Irritating to eyes, respiratory system and skin.

12. Ecological information

Toxicity

Aquatic toxicity: no evidence of aquatic toxicity

Effects in sewage plants: Not toxic to sewage organisms.

Persistence and degradability

Further details: Biodegradation: Product is not readily biodegradable.
Degrades photochemically in the air.
The product is likely to persist in the environment.

Mobility in soil

Product is not soluble in water.
Substance is heavier than water and sinks.
mobility in soil: low

Additional ecological information

General information: Do not allow to enter into ground-water, surface water or drains.

13. Disposal considerations

Waste treatment methods

Product

Recommendation: Recycling or special waste incineration.
After appropriate treatment the product can be remelted and reprocessed into new moulded articles. Mechanical recycling is only possible if the material has been selectively retrieved and carefully segregated according to type.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation.
Non-contaminated packages may be recycled.

14. Transport information

UN number

ADR/RID, IMDG, IATA-DGR:
not applicable

Sea transport (IMDG)

Proper shipping name: Not restricted
Marine pollutant: no

Air transport (IATA)

Proper shipping name: Not restricted

Further information

No dangerous good in sense of these transport regulations.



SAFETY DATA SHEET

according to Singapore Standard SS 586 - Part 3 - 2008

ZYLAR® Resin - Natural Grades

Material number ZYL001

Revision date: 20/5/2019

Version: 16

Language: en-SG

Date of print: 28/8/2019

Page: 8 of 8

15. Regulatory information

National regulations - Korea

Industrial Safety and Health Act

not applicable

Chemicals Control Act

not applicable

Further regulations, limitations and legal requirements

No data available

16. Other information

Reason of change: Changes in section 8: Glove material
Changes in section 9: flash point, ignition temperature
Changes in section 10: Decomposition products
Changes in section 2, 4, 5, 7, 9, 10: General revision

Date of first version: 30/1/2013

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.