

## Safety data sheet

### ULTRAMID® B3GM35 UNCOLORED Q643 POLYAMIDE

Revision date : 2006/05/23

Version: 1.0

Page: 1/5

(30157428/MDS\_GEN\_US/EN)

## 1. Substance/preparation and company identification

Company  
BASF CORPORATION  
100 Campus Drive  
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information  
CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP

Chemical family: polyamide  
Synonyms: POLYCAPROLACTAM

## 2. Composition/information on ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
25038-54-4	>= 40.0 - <= 70.0 %	polyamide (PA 6)
65997-17-3	>= 10.0 - <= 30.0 %	Glass, oxide, chemicals

## 3. Hazard identification

### Emergency overview

CAUTION: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.  
INGESTION MAY CAUSE GASTRIC DISTURBANCES.

Use with local exhaust ventilation.

Wear a NIOSH-certified (or equivalent) particulate respirator.

Wear NIOSH-certified chemical goggles.

Wear protective clothing.

Eye wash fountains and safety showers must be easily accessible.

### Potential health effects

#### **Primary routes of exposure**

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

#### **Acute toxicity:**

Contact with molten product may cause thermal burns. The resin in pelleted form poses a low hazard.

*Information on: Caprolactam*

*No adverse effects have been reported in the processing and use of polycaprolactam.  
The OSHA TWA and the ACGIH TLV for Caprolactam vapor are 5 ppm.*

#### **Irritation:**

Irritation is possible when the product comes in contact with the skin, respiratory tract or the eyes.

#### **Repeated dose toxicity:**



# Safety data sheet

## ULTRAMID® B3GM35 UNCOLORED Q643 POLYAMIDE

Revision date : 2006/05/23

Version: 1.0

Page: 2/5

(30157428/MDS\_GEN\_US/EN)

No known chronic effects. No adverse effects have been reported in the processing and use of the product.  
*Information on: Fiberglass*

*This product contains glass fibers which are compounded into the polymer matrix and thus are not expected to present the same hazards as fiberglass wool.*

*Information on: Fiberglass*

*Animal implantation studies have indicated that fiberglass wool is an animal carcinogen. A small study of Canadian glass wool workers reported a statistically significant increase in deaths due to lung cancer; however, animal inhalation studies and several large-scale studies of U.S. and European fiberglass wool workers have shown no statistically significant increases in lung cancer. The International Agency for Research on Cancer (IARC) has classified this material in Category 2B.*

*Information on: Fiberglass*

*These findings are based on glass wool, which has a smaller diameter than continuous glass filament or glass fiber chopped strands or rovings. Fiberglass wool is not used in this product.*

---

## 4. First-aid measures

### General advice:

Remove contaminated clothing.

### If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.

### If on skin:

Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

### If in eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

### If swallowed:

Ingestion is not likely in the available physical form. If ingested, seek medical attention.

---

## 5. Fire-fighting measures

Flash point: > 400 °C

(Unspecified)

Autoignition:

No data available.

### Suitable extinguishing media:

water, dry extinguishing media, carbon dioxide, foam

### Hazards during fire-fighting:

No particular hazards known.

### Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

---

## 6. Accidental release measures

### Environmental precautions:

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').





# Safety data sheet

## ULTRAMID® B3GM35 UNCOLORED Q643 POLYAMIDE

Revision date : 2006/05/23

Version: 1.0

Page: 4/5

(30157428/MDS\_GEN\_US/EN)

> 300 °C

---

### 11. Toxicological information

---

### 12. Ecological information

---

### 13. Disposal considerations

**Waste disposal of substance:**

Incinerate in a licensed facility.

Do not discharge substance/product into sewer system.

**Container disposal:**

Dispose of in accordance with national, state and local regulations.

---

### 14. Transport information

**Land transport**

USDOT

Not classified as a dangerous good under transport regulations

**Sea transport**

IMDG

Not classified as a dangerous good under transport regulations

**Air transport**

IATA/ICAO

Not classified as a dangerous good under transport regulations

---

### 15. Regulatory information

**Federal Regulations**

**Registration status:**

TSCA, US

released / listed

**SARA hazard categories (EPCRA 311/312):** Not hazardous

**State regulations**

**State RTK**

**CAS Number**  
65997-17-3

**Chemical name**  
Glass, oxide, chemicals

**State RTK**  
MA, NJ, PA



# Safety data sheet

## ULTRAMID® B3GM35 UNCOLORED Q643 POLYAMIDE

Revision date : 2006/05/23  
Version: 1.0

Page: 5/5  
(30157428/MDS\_GEN\_US/EN)

### 16. Other information

#### HMIS III rating

Health: 1      Flammability: 1      Physical hazard: 0

HMIS uses a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates high hazard.

#### Local contact information

Tech Desk  
1-800-527-8324

ULTRAMID® B3GM35 UNCOLORED Q643 POLYAMIDE is a registered trademark of BASF Corporation or BASF AG

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET

