

PE319

Version 2.0

Document no. 130000156795

Revision Date 2022/03/23

Issue Date 2023/07/14

This SDS adheres to the standards and regulatory requirements of China and may not meet the regulatory requirements in other countries.

Section 1 - Chemical and Enterprise Identification**Product name** : PE319**Product name in English** : PE319**Recommended use of the chemical and restriction on use**

Recommended use : For industrial use only.
Paste for electronic industry

Restrictions on use : Do not use product for anything outside of the above specified uses.

Manufacturer, importer, supplier

Company : Celanese (Shanghai) International Trading Co., Ltd
Street address : 4560 Jinke Road, Zhangjiang, Pudong Shanghai, China 201210

E-mail address : HazCom@celanese.com

Emergency telephone number : CHEMTREC International: +1-703-527 3887, +86 532 8388-9090 (China, 24h)

Date of first preparation : 2022/03/23

Section 2 - Hazard Identification**GHS Hazard Category**

Flammable liquids : Category 4
Serious eye : Category 2A

damage/eye irritation

Skin sensitisation : Category 1

Aspiration hazard : Category 2

Short-term (acute) : Category 1

aquatic hazard

Long-term (chronic) : Category 1

aquatic hazard

Endpoints which are not classified, cannot be classified or are not applicable are not shown.

Label content

Pictogram :



Signal word : Warning

SAFETY DATA SHEET



PE319

Version 2.0
Document no. 130000156795

Revision Date 2022/03/23
Issue Date 2023/07/14

- Hazardous warnings** : Combustible liquid.
May be harmful if swallowed and enters airways.
May cause an allergic skin reaction.
Causes serious eye irritation.
Very toxic to aquatic life with long lasting effects.
- Precautionary statements** : **Preventive Measures:**
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Avoid breathing mist or vapours.
Wash skin thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves/ eye protection/ face protection.
Accident Response:
IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Do NOT induce vomiting.
If skin irritation or rash occurs: Get medical advice/ attention.
If eye irritation persists: Get medical advice/ attention.
Take off contaminated clothing and wash it before reuse.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Collect spillage.
Safe Storage:
Store in a well-ventilated place. Keep cool.
Store locked up.
Waste Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Main Symptom After Contact

No information available.

Section 3 - Ingredients/Composition Information

Chemical nature : Mixture

Components

Chemical name	CAS-No.	Concentration
Silver powder	7440-22-4	80 - 90%
2-(2-Butoxyethoxy)ethanol	112-34-5	10 - 20%
Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked	208408-04-2	1 - 10%

Section 4 - First-aid Measures

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

SAFETY DATA SHEET



PE319

Version 2.0
Document no. 130000156795

Revision Date 2022/03/23
Issue Date 2023/07/14

Skin contact	: Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
Eye contact	: Immediately flush eyes for at least 15 minutes. Get medical attention.
Ingestion	: If swallowed Rinse mouth with water. Call a physician or poison control centre immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Most important symptoms/effects, acute and delayed	: No information available.
Protection of first-aiders	: No information available.
Notes to physician	: No information available.

Section 5 - Fire-fighting Measures

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, Dry chemical, Carbon dioxide (CO2)
Unsuitable extinguishing media	: No information available.
Specific hazards	: Hazardous decomposition products formed under fire conditions. (see also section 10) Avoid breathing decomposition products.
Special protective equipment for firefighters	: Exposure to decomposition products may be a hazard to health. Wear self-contained breathing apparatus for firefighting if necessary.
Specific extinguishing methods	: No information available.
Further information	: Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal risk. Do not allow run-off from fire fighting to enter drains or water courses.

Section 6 - Leak Emergency Treatment

Protective measures, devices and emergency treatment procedure for workers	: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear suitable protective equipment.
Environmental precautions	: Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SAFETY DATA SHEET



PE319

Version 2.0
Document no. 130000156795

Revision Date 2022/03/23
Issue Date 2023/07/14

- Methods and materials for containment and cleaning up** : Contain spill. Soak up with inert absorbent material. Collect and contain contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated surface thoroughly.
- Prevention of secondary hazards** : No information available.
- Additional advice** : Dispose of in accordance with local regulations.

Section 7 - Operation Handling and Storage

Operation Handling

- Technical measures/Precautions** : Avoid inhalation, ingestion and contact with skin and eyes. Do not use in areas without adequate ventilation. Keep container closed when not in use. Take care to avoid waste and spillage when weighing, loading and mixing the product.
- Precautions for safe handling** : Avoid formation of dust and aerosols. Keep away from heat and sources of ignition.

Storage

- Suitable storage conditions** : Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from sources of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Keep container closed when not in use. Do not reuse empty container.

Storage period: Stable under normal conditions.

Section 8 - Exposure Control and Personal Protection

Control parameters

Applicable occupational exposure limits are listed below.

Silver powder		
TWA	0.1 mg/m ³ (Dust and fume)	ACGIH (2013-03-01)
2-(2-Butoxyethoxy)ethanol		
TWA	10 ppm (Inhalable fraction and vapor)	ACGIH (2013-03-01)

Biological occupational exposure limits

No biological exposure limit values are applicable.

- Engineering controls** : Local exhaust or a laboratory hood should be used when handling the materials. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

SAFETY DATA SHEET



PE319

Version 2.0

Document no. 130000156795

Revision Date 2022/03/23

Issue Date 2023/07/14

- Respiratory protection** : Provide adequate ventilation. No personal respiratory protective equipment normally required. Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer. Persons performing maintenance or repairs on exhaust system equipment (e.g. ducts) may need to use respirators and protective clothing to prevent exposure to any accumulated residues.
- Hand protection** : Material: Impervious gloves
Gloves must be inspected prior to use., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be observed., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
- Eye protection** : Wear safety glasses with side shields.
- Skin protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Lightweight protective clothing
Safety shoes
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Contaminated work clothing should not be allowed out of the workplace. Remove contaminated clothing and protective equipment before entering eating areas. Remove and wash contaminated clothing before re-use.

Section 9 - Physical and Chemical Properties

Appearance (Physical state, form, colour, etc.)

- Physical state : liquid
Form : viscous liquid
Colour : brown

Odour : ether-like

Odour Threshold : No information available.

pH : No information available.

Melting point/freezing point

No information available.

Boiling point, initial boiling point and boiling range

PE319Version 2.0
Document no. 130000156795Revision Date 2022/03/23
Issue Date 2023/07/14

No information available.

Flash point : 92 °C
Method: Setaflash closed cup - SCC**Evaporation rate** : No information available.**Flammability** : No information available.**Upper/lower flammability or explosive limits**Upper explosion limit : No information available.
Lower explosion limit : No information available.**Vapour pressure** : No information available.**Vapour density** : No information available.**Density**
Density : 3.67 g/cm3**Solubility(ies)**
Water solubility : miscible**Particle characteristics**
Assessment : No information available.**Partition coefficient: n-octanol/water** : No information available.**Auto-ignition temperature**
No information available.**Decomposition temperature** : No information available.**Viscosity**
Viscosity, kinematic : No information available.**Molecular weight** : No information available.**Oxidizing properties** : No information available.**Section 10 - Stability and Reactivity****Reactivity** : No information available.**Chemical stability** : Stable at normal temperatures and storage conditions.**Possibility of hazardous reactions** : Polymerization will not occur.**Conditions to avoid** : None reasonably foreseeable.

SAFETY DATA SHEET



PE319

Version 2.0
Document no. 130000156795

Revision Date 2022/03/23
Issue Date 2023/07/14

Materials to avoid : Acids, bases and strong oxidizing agents

Hazardous decomposition products : No decomposition if stored and applied as directed.

Under fire conditions:

Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke., Isocyanates, Isocyanic Acid, Other hazardous decomposition products may be formed.

Section 11 - Toxicological Information

Acute toxicity

Oral

Silver powder : LD50/Mouse: > 5,000 mg/kg
The substance or mixture has no acute oral toxicity

2-(2-Butoxyethoxy)ethanol : LD50/Mouse: 2,410 mg/kg
Method: OECD Test Guideline 401
Target Organs: Central nervous system
narcosis

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : LD50/Rat: > 5,000 mg/kg
Method: OECD Test Guideline 423
The substance or mixture has no acute oral toxicity

Inhalation

2-(2-Butoxyethoxy)ethanol : An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : Not tested on animals(vapour)
The substance or mixture has no acute inhalation toxicity
Due to its physical properties, there is no potential for adverse effects.

Dermal

Silver powder : LD50/Guinea pig: > 10 mg/kg

2-(2-Butoxyethoxy)ethanol : LD50/Rabbit: 2,764 mg/kg
Method: OECD Test Guideline 402

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : Not tested on animals
The substance or mixture has no acute dermal toxicity
Due to its physical properties, there is no potential for adverse effects.

Skin corrosion/irritation

Silver powder : Species: Rabbit
Result: No skin irritation
Classification: Not classified as irritant
Information given is based on data obtained from similar substances.

2-(2-Butoxyethoxy)ethanol : Species: Rabbit
Result: No skin irritation
Classification: Not classified as irritant
Method: OECD Test Guideline 404

Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : Species: Rabbit
Result: No skin irritation
Classification: Not classified as irritant
Method: OECD Test Guideline 404

PE319

Version 2.0

Revision Date 2022/03/23

Document no. 130000156795

Issue Date 2023/07/14

Minimal effects that do not meet the threshold for classification.

Serious eye damage/eye irritation

Silver powder

: Species: Rabbit
 Result: No eye irritation
 Classification: Not classified as irritant
 Information given is based on data obtained from similar substances.

2-(2-Butoxyethoxy)ethanol

Species: Guinea pig
 Result: No eye irritation
 Classification: Not classified as irritant
 : Species: Rabbit
 Result: Eye irritation
 Classification: Irritating to eyes.
 Method: OECD Test Guideline 405

Hexane, 1,6-diisocyanato-,
 homopolymer, di-Et malonate-and
 N-(1-methylethyl)-2-propanamine-
 blocked

: Species: Rabbit
 Result: No eye irritation
 Classification: Not classified as irritant
 Method: OECD Test Guideline 405
 Minimal effects that do not meet the threshold for classification.

Respiratory or skin sensitisation

2-(2-Butoxyethoxy)ethanol

: Species: Mouse
 Result: Does not cause respiratory sensitisation.
 Classification: Does not cause respiratory sensitisation.

Hexane, 1,6-diisocyanato-,
 homopolymer, di-Et malonate-and
 N-(1-methylethyl)-2-propanamine-
 blocked

Maximisation Test
 Species: Guinea pig
 Result: Does not cause skin sensitisation.
 Classification: Does not cause skin sensitisation.
 Method: OECD Test Guideline 406
 : Local lymph node test
 Species: Mouse
 Result: May cause sensitisation by skin contact.
 Classification: May cause sensitisation by skin contact.
 Method: OECD Test Guideline 429

Germ cell mutagenicity

Silver powder

2-(2-Butoxyethoxy)ethanol

: no data available
 : Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Animal testing did not show any mutagenic effects.

Hexane, 1,6-diisocyanato-,
 homopolymer, di-Et malonate-and
 N-(1-methylethyl)-2-propanamine-
 blocked

: Did not cause genetic damage in cultured bacterial cells.

Carcinogenicity

Silver powder

2-(2-Butoxyethoxy)ethanol

Hexane, 1,6-diisocyanato-,
 homopolymer, di-Et malonate-and
 N-(1-methylethyl)-2-propanamine-
 blocked

: no data available
 : Not classifiable as a human carcinogen.
 : no data available

PE319

Version 2.0

Document no. 130000156795

Revision Date 2022/03/23

Issue Date 2023/07/14

Reproductive toxicity

- Silver powder : Reproductive toxicity: no data available
Teratogenicity: no data available
- 2-(2-Butoxyethoxy)ethanol : Reproductive toxicity: No toxicity to reproduction
Animal testing showed no reproductive toxicity.
Teratogenicity: Animal testing showed no developmental toxicity.
- Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : Reproductive toxicity: no data available
Teratogenicity: no data available

Specific Target Organ Toxicity

Specific target organ toxicity - single exposure

- 2-(2-Butoxyethoxy)ethanol : Target Organs: Central nervous system
The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.
- Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

- Silver powder : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
- 2-(2-Butoxyethoxy)ethanol : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
- Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : no data available

Aspiration hazard

- Silver powder : No aspiration toxicity classification
- 2-(2-Butoxyethoxy)ethanol : The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.
- Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : No aspiration toxicity classification

Other

- Silver powder : Repeated dose toxicity:
Oral/Rat 28 d
altered blood chemistry, Liver effects
Oral/Rat 90 d
altered blood chemistry, Kidney effects
Inhalation/Rat 90 d
Altered respiratory rate

PE319

Version 2.0

Revision Date 2022/03/23

Document no. 130000156795

Issue Date 2023/07/14

2-(2-Butoxyethoxy)ethanol : Repeated dose toxicity:
 Dermal/Rat
 Skin irritation
 Oral/Rat
 Spleen effects, Organ weight changes, Liver effects, Kidney effects
 Inhalation/Rat
 Liver effects, lung effects

Section 12 - Ecological Information**Ecotoxicity effects**

Acute and prolonged toxicity to fish

Silver powder : no data available
 2-(2-Butoxyethoxy)ethanol : LC50/96 h/Lepomis macrochirus (Bluegill sunfish): 1,300 mg/l
 Method: OECD Test Guideline 203
 Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : LC50/96 h/Danio rerio (zebra fish): > 100 mg/l
 Method: OECD Test Guideline 203

Toxicity to aquatic plants

Silver powder : EC50/96 h/Pseudokirchneriella subcapitata (green algae): 0.19 mg/l
 2-(2-Butoxyethoxy)ethanol : ErC50/96 h/Desmodesmus subspicatus (green algae): > 100 mg/l
 Method: OECD Test Guideline 201
 NOEC/96 h/Desmodesmus subspicatus (green algae): > 100 mg/l
 Method: OECD Test Guideline 201
 Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : ErC50/72 h/Desmodesmus subspicatus (green algae): 193 mg/l
 Method: OECD Test Guideline 201

Acute toxicity to aquatic invertebrates

Silver powder : EC50/96 h/Daphnia magna (Water flea): 0.1 mg/l
 LC50/48 h/Daphnia pulex (Water flea): 0.04 mg/l
 2-(2-Butoxyethoxy)ethanol : EC50/48 h/Daphnia magna (Water flea): > 100 mg/l
 Method: Directive 67/548/EEC, Annex V, C.2.
 Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : EC50/48 h/Daphnia magna (Water flea): > 100 mg/l
 Method: OECD Test Guideline 202

Persistence and degradability

Silver powder : Not readily biodegradable. Information given is based on data obtained from similar substances.
 2-(2-Butoxyethoxy)ethanol : Exposure time: 28 d
 Biodegradation: 85 %
 Readily biodegradable.
 Hexane, 1,6-diisocyanato-, homopolymer, di-Et malonate-and N-(1-methylethyl)-2-propanamine-blocked : Exposure time: 28 d
 Biodegradation: 1 %
 Result: Not biodegradable

SAFETY DATA SHEET



PE319

Version 2.0

Document no. 130000156795

Revision Date 2022/03/23

Issue Date 2023/07/14

Bioaccumulation

2-(2-Butoxyethoxy)ethanol : Bioaccumulation is unlikely.

Mobility in soil

No information available.

Other adverse effects

No information available.

Section 13 - Waste Disposal

Waste disposal methods : If recycling is not practicable, dispose of in compliance with local regulations. Never place unused product down any indoor or out door drain. Do not reuse empty container. Contaminated/not cleaned containers should be treated/handled like product waste. Dispose of container properly. Refer to applicable Local, State/Provincial, and Federal Regulations, as well as industry Standards.

Contaminated packaging : Dispose of in accordance with local regulations.

Section 14 - Transport Information

China Dangerous Goods Regulation

UN number : 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Silver)

Class : 9

Packing group : III

IMDG

UN number : 3082

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(銀)

(Silver)

Transport hazard class : 9

Packing group : III

Marine pollutant : yes

IATA

UN number : 3082

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(銀)

(Silver)

Transport hazard class : 9

Packing group : III

Matters needing attention for transportation : Not applicable

Section 15 - Regulatory Information

SAFETY DATA SHEET

**PE319**

Version 2.0

Document no. 130000156795

Revision Date 2022/03/23

Issue Date 2023/07/14

Regulation on the Safety Management of Hazardous Chemicals
Production Safety Law of the People's Republic of China
Law of the People's Republic of China on Prevention and Treatment of Occupational Disease
Environmental Protection Law of the People's Republic of China
Law of the People's Republic of China on the Prevention and Control of Atmospheric Pollution
Marine Environment Protection Law of the People's Republic of China
Fire Protection Law of the People's Republic of China
Law of the People's Republic of China on the Prevention and Control of Environmental Pollution by Solid Wastes
Occupational exposure limits for hazardous agents in the workplace Part 1 Chemical hazardous agents (GBZ2.1)
Occupational exposure limits for hazardous agents in the workplace Part 2 Physical agents (GBZ2.2)
General rule for classification and hazard communication of chemicals (GB13690)
Lists of Dangerous Goods (GB12268)
Dangerous goods classification (GB6944)
Common dangerous chemical storage rules (GB15603)
Packaging Symbols of Dangerous Goods (GB190)
National Hazardous Waste Inventory

New chemical registration information

Registration/Receipt No.	Uses of new chemical substance	Environmental and health hazard	Environmental and health hazard	Environmental management requirements
B1A321210817	45a - Magnetic materials (excluding storage media), piezoelectric materials, conducting materials and superconducting materials	Refer to SDS Section 2	Not applicable	Not applicable
B1B321211026	45a - Magnetic materials (excluding storage media), piezoelectric materials, conducting materials and superconducting materials	Refer to SDS Section 2	Not applicable	Not applicable

Section 16 - Other Information**References**

SDS Number: 130000156795

Revision Date/Version

Date of first preparation : 2022/03/23

Revision Date : 2022/03/23

PE319

Version 2.0

Document no. 130000156795

Revision Date 2022/03/23

Issue Date 2023/07/14

Version : 2.0

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.